



[Manuals.plus](#) /

> [ZHRCLY](#) /

> ZHRCLY Submersible Pump Accessory TOP1-FLOOR Instruction Manual

ZHRCLY TOP1-FLOOR

ZHRCLY Submersible Pump Accessory TOP1-FLOOR Instruction Manual

Model: TOP1-FLOOR | Brand: ZHRCLY

1. INTRODUCTION

This manual provides comprehensive instructions for the safe and efficient use of your ZHRCLY TOP1-FLOOR submersible pump accessory. Please read this manual thoroughly before installation and operation to ensure proper function and to prevent damage or injury. Keep this manual for future reference.

Safety Information

Always observe general safety precautions when working with electrical equipment and pumps. Ensure power is disconnected before any installation, maintenance, or troubleshooting. Wear appropriate personal protective equipment (PPE). If you are unsure about any procedure, consult a qualified professional.

2. PRODUCT OVERVIEW

The ZHRCLY TOP1-FLOOR is an accessory designed for use with PEDROLLO submersible pumps, specifically models like TOP1, TOP2, TOP3, TOP1-GM, TOP2-GM, TOP3-GM, TOP1-FLOOR, TOP2-FLOOR, TOP2-VORTEX, and TOP3-VORTEX. This component is crucial for the optimal performance and specific functionalities of compatible pump systems.



Figure 2.1: Image showing the ZHRCLY TOP1-FLOOR accessory for submersible pumps.

3. SETUP AND INSTALLATION

Proper installation is vital for the accessory's performance and longevity. Follow these general steps, referring to your specific PEDROLLO pump manual for detailed integration instructions:

1. **Unpacking:** Carefully remove the accessory from its packaging. Inspect for any signs of damage during transit.
2. **Preparation:** Ensure the submersible pump is disconnected from its power source and secured in a stable position.
3. **Attachment:** Connect the TOP1-FLOOR accessory to the designated port or area on your PEDROLLO pump. Ensure all connections are secure and watertight. Refer to the pump's diagram for exact connection points.
4. **Sealing:** Use appropriate sealing materials (if required and not pre-applied) to prevent leaks.
5. **Final Check:** Before restoring power, double-check all connections and ensure the accessory is correctly oriented and firmly attached.

4. OPERATING INSTRUCTIONS

Once the TOP1-FLOOR accessory is correctly installed, its operation is typically integrated with the submersible pump's normal function. This accessory enhances specific capabilities of the pump, such as floor-level drainage or improved vortex action, depending on the pump model it's paired with.

- **Power On:** Restore power to the submersible pump. The accessory will function in conjunction with the pump's operation.
- **Monitoring:** Observe the pump and accessory during initial operation to ensure there are no unusual noises, vibrations, or leaks.
- **Functionality:** The TOP1-FLOOR accessory is designed to optimize water intake from very low levels, allowing the pump to clear water down to a minimal depth.

5. MAINTENANCE

Regular maintenance ensures the longevity and efficiency of your TOP1-FLOOR accessory and the connected pump. Always disconnect power before performing any maintenance.

- **Inspection:** Periodically inspect the accessory for wear, cracks, or damage. Check seals and connections for integrity.
- **Cleaning:** If the accessory becomes clogged with debris, carefully remove it and clean any blockages. Use a soft brush and water; avoid harsh chemicals.
- **Storage:** If the pump system is to be stored for an extended period, ensure the accessory is clean and dry. Store in a cool, dry place away from direct sunlight.

6. TROUBLESHOOTING

This section addresses common issues you might encounter. For complex problems, consult a qualified technician.

Problem	Possible Cause	Solution
Reduced water flow	Accessory clogged with debris.	Disconnect power, inspect and clean the accessory.
Leakage at connection point	Improperly secured connection or damaged seal.	Disconnect power, check connections, tighten, or replace seals if damaged.
Accessory not functioning as expected	Incorrect installation or incompatibility with pump model.	Review installation steps and verify compatibility with your specific PEDROLLO pump model.

7. SPECIFICATIONS

The following are the general specifications for the ZHRCLY TOP1-FLOOR accessory:

- **Brand:** ZHRCLY
- **Model Number:** TOP1-FLOOR
- **Manufacturer:** Original factory
- **Item Weight:** 20 pounds
- **Product Dimensions:** 1 x 1 x 1 inches
- **ASIN:** B0DJ87283F
- **Date First Available:** September 30, 2024

8. WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the documentation provided with your original purchase or contact the retailer or manufacturer directly. Keep your proof of purchase for warranty claims.

Manufacturer: Original factory

Brand: ZHRCLY

