

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [AWEI](#) /

> [AWEI T16 Wireless Earbuds User Manual](#)

## AWEI T16

# AWEI T16 Wireless Earbuds User Manual

Model: T16

### INTRODUCTION

Thank you for choosing the AWEI T16 Wireless Earbuds. These earbuds are designed to provide a high-quality audio experience with advanced features such as Bluetooth 5.3 connectivity, IPX6 waterproof rating, and intuitive touch controls. This manual will guide you through the setup, operation, and maintenance of your new earbuds to ensure optimal performance and longevity.



Image: The AWEI T16 Wireless Earbuds, showing one earbud removed from its open charging case, highlighting the compact design.

### WHAT'S IN THE BOX

Please check the package contents to ensure all items are present:

- Wireless Earbuds (Left and Right)
- Charging Case
- USB Charging Cable (Type-C)
- User Manual
- Eartips (various sizes)

## PRODUCT OVERVIEW

Familiarize yourself with the components of your AWEI T16 Wireless Earbuds.



Image: A detailed view of the AWEI T16 Wireless Earbuds, one earbud placed outside the open charging case, showcasing the sleek black design and charging contacts.

# Powerful Battery life Enjoy Music Anywhere

300 mAh portable charging compartment, 300 hours of standby time,  
5 hours of talk time, 4 hours of music playback time

**300**mAh  
Charging Box  
battery

**40**mAh  
Earbuds Battery  
Capacity

**4**hours  
Music Time



Image: The AWEI T16 Wireless Earbuds nestled within their charging case, with visible LED indicator lights on the front of the case, indicating charging status.

The earbuds are designed for a comfortable in-ear fit, while the compact charging case provides portable power and protection. The case features LED indicators to show battery status.

## SETUP

### 1. Charging the Earbuds and Case

Before first use, fully charge the charging case and earbuds.

1. Place the earbuds into the charging case. Ensure they are correctly seated and the charging contacts align.
2. Connect the USB Type-C charging cable to the charging port on the case and the other end to a USB power source (e.g., computer, wall adapter).
3. The LED indicators on the charging case will illuminate to show charging status. A full charge for the case takes approximately 1.5 hours.
4. The earbuds provide approximately 7 hours of continuous playback on a single charge. The 300mAh charging case offers multiple recharges, extending total playback time to about 37 hours in dual-ear mode, or up to 60 hours in single-ear mode by alternating earbuds.



## Mini Invisible Small and hidden in the ear

Light and invisible mini body, mini body hidden in the ear,  
long-wearing without pressure, don't  
feel tired after wearing it all Day

Image: A diagram illustrating the battery capacities and playback times: 300mAh for the charging box, 40mAh for earbuds, and 4 hours of music time.

*Note: While the image indicates 4 hours of music time, the product specifications confirm 7 hours of continuous use per charge for the earbuds.*

### 2. Bluetooth Pairing

The AWEI T16 earbuds utilize Bluetooth 5.3 technology for a fast and stable connection.

1. Open the charging case. The earbuds will automatically power on and enter pairing mode.
2. On your device (smartphone, tablet, laptop), enable Bluetooth.
3. Search for available Bluetooth devices. You should see "AWEI T16" in the list.
4. Select "AWEI T16" to connect. Once connected, you will hear a confirmation tone, and the earbud indicator lights will turn off or flash slowly.
5. The earbuds will automatically reconnect to the last paired device when removed from the case, if Bluetooth is enabled on the device.

### OPERATING INSTRUCTIONS

#### Wearing the Earbuds

The earbuds are designed for an ergonomic and comfortable fit.

- Identify the 'L' (left) and 'R' (right) markings on each earbud.
- Gently insert the earbuds into your ear canals and rotate them slightly until they fit snugly and comfortably.
- Experiment with the different sized eartips included to find the best seal for optimal sound quality and comfort.

## Changeable gameplay Flexible switching between single and double ears

Not just binaural, not just a single ear, two headphones can also be connected to two different mobile phones, equivalent to 2 independent mini Bluetooth headsets



Binaural connection



Single ear connection



Separate connection

Image: A person wearing one AWEI T16 earbud, demonstrating its discreet and comfortable fit within the ear.

### Touch Controls

The AWEI T16 earbuds feature smart touch controls for easy management of music and calls.

# One-button Operation Control More simple

One-button control is more convenient, listen to the song to adjust the volume, call to answer, hang up the call, simple one-button



-  **play / Pause**  
Press any left/right headset multi-function button
-  **Switch to the previous track**  
Double click on the left earphone
-  **Answer / hang up**  
Press any left/right headset multi-function button
-  **Switch next song**  
Double click on the right earphone

Image: A visual guide to the one-button touch operations for the AWEI T16 earbuds, showing icons for play/pause, answer/hang up, previous song, and next song.

Action	Control
Play/Pause Music	Press any left/right earbud multi-function button once.
Next Song	Double click the right earbud.
Previous Song	Double click the left earbud.
Answer/Hang Up Call	Press any left/right earbud multi-function button once.
Reject Call	Press and hold any left/right earbud multi-function button for 2 seconds.
Activate Voice Assistant	Triple click any earbud (functionality may vary by device).

## Single and Dual Earbud Mode

The AWEI T16 earbuds support flexible switching between single and dual earbud use.

- **Dual Earbud Mode:** Both earbuds connect simultaneously for stereo sound. This is the default mode when both are removed from the case.

- **Single Earbud Mode:** You can use either the left or right earbud independently. Simply take one earbud out of the case, and it will connect to your device. The other earbud can remain in the case or be used later.




Image: A visual representation of the AWEI T16 earbuds' connection flexibility, showing options for binaural (both ears), single ear, and separate connections to different devices.

## MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your earbuds.

- **Cleaning:** Regularly clean the earbuds and charging case with a soft, dry, lint-free cloth. Do not use harsh chemicals or abrasive materials. Gently clean the charging contacts on both the earbuds and the case to ensure proper charging.
- **Storage:** When not in use, store the earbuds in their charging case to protect them from dust and damage. Store in a cool, dry place away from extreme temperatures.
- **Water Resistance:** The AWEI T16 earbuds are rated IPX6 waterproof. This means they are protected against powerful water jets and are suitable for use during exercise or in light rain. However, they are not designed for submersion in water. Do not swim or shower with the earbuds. Ensure the earbuds are dry before placing them back into the charging case to prevent damage.

# One-button Operation Control More simple

One-button control is more convenient, listen to the song to adjust the volume, call to answer, hang up the call, simple one-button



 **play / Pause**  
Press any left/right headset multi-function button

 **Switch to the previous track**  
Double click on the left earphone

 **Answer / hang up**  
Press any left/right headset multi-function button

 **Switch next song**  
Double click on the right earphone

Image: A person playing basketball in the rain, demonstrating the AWEI T16 earbuds' IPX6 waterproof capability, protecting them from sweat and splashes.

## TROUBLESHOOTING

If you encounter any issues with your AWEI T16 earbuds, refer to the following common solutions:

Problem	Possible Solution
Earbuds not charging	<ul style="list-style-type: none"><li>◦ Ensure the charging cable is securely connected to both the case and the power source.</li><li>◦ Check if the charging contacts on the earbuds and inside the case are clean and free of debris.</li><li>◦ Try a different charging cable or power adapter.</li></ul>

Problem	Possible Solution
Earbuds not pairing with device	<ul style="list-style-type: none"> <li>◦ Ensure Bluetooth is enabled on your device.</li> <li>◦ Make sure the earbuds are fully charged.</li> <li>◦ Place the earbuds back into the case, close it, wait a few seconds, then open it again to re-enter pairing mode.</li> <li>◦ Forget "AWEI T16" from your device's Bluetooth list and try pairing again.</li> <li>◦ Ensure the earbuds are within the 10-meter (33 feet) Bluetooth range of your device.</li> </ul>
Only one earbud working	<ul style="list-style-type: none"> <li>◦ Place both earbuds back into the charging case, close the lid, and then open it again.</li> <li>◦ Ensure both earbuds are charged.</li> <li>◦ Try resetting the earbuds (refer to manufacturer's website or contact support for specific reset instructions if needed).</li> </ul>
Low volume or poor sound quality	<ul style="list-style-type: none"> <li>◦ Adjust the volume on both your device and the earbuds.</li> <li>◦ Ensure the earbuds are properly seated in your ears and you are using the correct size eartips for a good seal.</li> <li>◦ Clean any earwax or debris from the earbud nozzles.</li> <li>◦ Move closer to your device to avoid signal interference.</li> </ul>

## SPECIFICATIONS

Key technical specifications for the AWEI T16 Wireless Earbuds:

Feature	Detail
Model Name	T16
Brand	AWEI
Connectivity Technology	Wireless (Bluetooth)
Wireless Communication Technology	Bluetooth 5.3
Bluetooth Range	Up to 10 meters (33 feet)
Ear Placement	In Ear
Noise Control	Sound Isolation
Control Type	Touch Control
Water Resistance Level	IPX6 Waterproof
Charging Case Battery	300mAh
Earbud Battery Life	Approx. 7 hours (single charge)

Feature	Detail
Total Playback Time	Up to 37 hours (with charging case)
Charging Time (Case)	Approx. 1.5 hours (Type-C)
Speaker Size	6mm
Impedance	16 Ohm
Color	Black
Compatible Devices	Laptops, Tablets, Mobile Phones

## WARRANTY INFORMATION

AWEI products are manufactured to the highest quality standards. For specific warranty terms and conditions, please refer to the warranty card included with your product or visit the official AWEI website. Keep your purchase receipt as proof of purchase for any warranty claims.

## CUSTOMER SUPPORT


If you have any questions or require further assistance with your AWEI T16 Wireless Earbuds, please contact AWEI customer support. You can typically find contact information on the official AWEI website or through the retailer where you purchased the product.

© 2024 AWEI. All rights reserved.

## Related Documents - T16

	<p><a href="#">T16 Wireless Earbuds User Manual</a></p> <p>Comprehensive user manual for the T16 Wireless Earbuds, covering setup, operation, troubleshooting, and specifications.</p>
	<p><a href="#">T16 Intelligent Detector User Manual</a></p> <p>User manual for the T16 Intelligent Detector, detailing its functions, applications, operation, charging, specifications, and troubleshooting.</p>
	<p><a href="#">T16 True Wireless Earbuds User Manual</a></p> <p>User manual for the T16 True Wireless Earbuds, covering package contents, setup, usage, troubleshooting, specifications, and safety information.</p>






### [AWEI IPIPOO True Wireless Earbuds Attestation of Compliance](#)

Official Attestation of Compliance for AWEI and IPIPOO True Wireless Earbuds, detailing conformity with EU Radio Equipment Directive (RED) 2014/53/EU, applied standards, and model list.

lang:en score:19 filesize: 479.64 K page\_count: 3 document date: 2024-01-24




### [\[pdf\] Guide Buyer's Guide](#)

Electronics Buyers Guide 1954 06 worldradiohistory Archive Buyer |||

PRODUCTION 30 Wes 42nd S t. New York 36, N HIGHEST FIDELITY rZiyj;:P Linear Standard Hipermalloy ... , the intersection of the  $R_5 = 22 K$  curve in Fig. 2 with  $R. = 600$  ohms lies between  $R_6/ R, = 1$  and **T16**. By interpolation, it is seen to be at about  $R,/R_k = 1i3$ . Then  $R_b = 3i3 R_k = M3 22 K 1.8 K$ , an...

lang:en score:17 filesize: 131.28 M page\_count: 995 document date: 2018-09-22



### [\[pdf\]](#)


Huawei Technologies Co Ltd Solar Inverter Modbus Interface Definitions Jan 10 2023 · T16 N A 1 37000

0 offlin e stand by 2 runni ng 3 fault 4 AWEI LUNA 2000 akkudoktor net short url

gAxRsmNJqWHuTzQKCz7GXAYmhoY |||

Solar Inverter Modbus Interface Definitions Issue Date 04 2023-01-10 HUAWEI TECHNOLOGIES CO., LTD ... i ty Scope HUAWEI- LG-RESU LUNA200 0 1 Energ RO y storag e unit 1 1 Runni ng status UIN N/ 1 **T16** A 37000 1 0: offlin e 1: stand by 2: runni ng 3: fault 4: sleep mode 2 2 Energ RO...

lang:en score:16 filesize: 1.24 M page\_count: 124 document date: 2023-01-10



[AWEI Bluetooth Headset ROHS Compliance Test Report - Shenzhen Yale Electronics](#)

Official test report detailing the ROHS compliance of AWEI Bluetooth headsets (models T1 Pro, T50, etc.) tested by Zhongshan LCS Compliance Testing Laboratory Ltd. Report No. LCSD063022002R.

lang:en score:16 filesize: 674.01 K page\_count: 8 document date: 2022-08-01



[Attestation of Compliance: AWEI True Wireless Earbuds](#)

Attestation of Compliance issued by Shenzhen LCS Compliance Testing Laboratory Ltd. for Shenzhen Yale Electronics Co., Ltd's AWEI True Wireless Earbuds, confirming compliance with RoHS Directive 2011/65/EU and amendments.

lang:en score:15 filesize: 480.39 K page\_count: 2 document date: 2024-01-25



[pdf]

Windows Attestation of Compliance Type Model Name T1 Pro T50 T51 T52 T53 T58 T60 T66 T65 T67 T68 T69 T70 T26 T13 T15 T15P T16 T28 Prommo 101983538 1716803224 0968 24811cdn iceshop nl objects mmo 24811 |||

Attestation of Compliance Attestation No. : LCSA063022020E Approval Holder :


Shenzhen Yale Electr ... dset : T1 Pro, T50, T51, T52, T52

Pro, T53, T58, T60, T66, T65, T67, T68, T69, T70, T26 Pro, T13

Pro, T13, T15, T15P, T16, T28 Pro, T29 Pro, T29

ANC, T28, T28P, T29, T29P, T12, T12P, T12S, T11, T11P, T23, T35, T36, T55, T25 : HW: V1....


lang:en score:15 filesize: 410.75 K page\_count: 2 document date: 2022-07-28



[Huawei SUN2000MA Modbus Interface Definitions](#)

Technical guide detailing the Modbus interface specifications for Huawei SUN2000MA series solar inverters. Covers Modbus-RTU/TCP protocols, register definitions, supported models, and integration details for system developers.

lang:en score:15 filesize: 1.33 M page\_count: 136 document date: 2024-11-07




[pdf] Agent Authorization

PLEASE PRINT ON COMPANY LETTERHEAD MiCOM Labs Inc QMS Agent Authorization Rev 1 0

Shenzhen Yale Electronics Co Ltd EB101 Bluetooth Earphones 2AFGO 2AFGOEB101 eb101

Shenzhen Yale Electronics Co., Ltd. Agent Authorization Company: Shenzhen Yale Electronics Co., Ltd. ... I Number: EB101, TA1, TA2, TA3, TA4, TA5, TA6, TA7, TA8, T11, T11P, T12, T13, T14, T15, T15P, T16, T17, T18, TP-18, T19, TP-19, T20, T21, T22, T23, T24, T25, T26, T27, T28, T28P, T29, T29P, T30,...

lang:en score:13 filesize: 17.94 K page\_count: 1 document date: 2021-07-15




[pdf] User Manual

Solar Inverter Modbus Interface Definitions Huawei Technologies Co Ltd Feb 16 2023 — SUN2000 100KTL H0 72 SUN2000HA V200R001C00 H1 71 manual startup required 0x0306 Shutdown DC switches disconnected 0x0307 photovoltaikforum core attachment 315028 solar inverter modbus interface definitions ||| ||| Solar Inverter Modbus Interface Definitions Issue Date 05 2023-02-16 HUAWEI TECHNOLOGIES CO., LTD. Copyright Huawei Technologies Co., Ltd. 2023. All rights reserved. No part of this document may be reproduced or transmitted in any form or b Solar Inverter Modbus Interface Definitions Issue Date 05 2023-02-16 HUAWEI TECHNOLOGIES CO., LTD ... 2 32003 2 Bitfield1 N/A 1 6 32008 1 Bitfield1 N/A 1 6 32009 1 Bitfield1 N/A 1 6 32010 1 UINT16 N/A N/A 32015 1 I16 V 10 32016 1 I16 A 100 32017 1 I16 V 10 32018 1 I16 A 100 32019 ... lang:en score:13 filesize: 1.3 M page\_count: 130 document date: 2023-02-25



Catalogue of Additions to the Manuscripts in the British Museum (1888-1893)

A comprehensive catalogue detailing the significant additions made to the British Museum's Department of Manuscripts between 1888 and 1893. It lists Greek and Latin manuscripts, illuminated manuscripts, papyri, charters, state papers, correspondence, and various historical collections. lang:en score:11 filesize: 42.29 M page\_count: 954 document date: 0000-00-00



AWEI True Wireless Earbuds RoHS Test Report - Shenzhen Yale Electronics

Official test report from Zhongshan LCS Compliance Testing Laboratory Ltd. detailing the RoHS compliance of AWEI and IPOO branded true wireless earbuds manufactured by Shenzhen Yale Electronics Co., Ltd. The report confirms compliance with RoHS Directive 2011/65/EU. lang:en score:11 filesize: 1.34 M page\_count: 7 document date: 2024-01-25

### TEST REPORT

Applicant : Shenzhen Yali Electronics Co., Ltd  
Address : 8th Floor, Building 3, Yujiguan Industrial Park, Huaning Road, Daliang,  
Longshan New District, Shenzhen, China

Report on the submitted samples said to be:

Sample Name : True wireless earbuds

Trade Mark : AWEI,IPIPOO

126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

Style Item No. :

126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000

Manufacturer :

8th Floor, Building 3, Yujiguan Industrial Park, Huaning Road, Daliang,  
Longshan New District, Shenzhen, China

Sample Receiving Date :

January 12, 2024

Testing Period :

January 12, 2024 - January 19, 2024

Results :

Please refer to test pages.

As specified by client, based on the performance of the submitted sample, the

results of Lead(Pb), Cadmium(Cd), Mercury(Hg), Hexavalent

Chromium(Cr(VI)), Phthalates (DEHP, DINP, DIDP, DIBP), Bisphenol(A)

Polycarbonate(PC), PA 6, polybutyl Phthalate(PBB) and Bisphenol(A)

phthalate(BPA) content comply with the limits set by Restrictive

Substances (RoHS) and REACH Annex XVII.

Signed for and on behalf of LCS

Written By: Tang Wang Approved By: Tang Wang

The Test Report is issued by the Company subject to the General Conditions of Service printed herewith. Attention is drawn to the limitations of liability, indemnification and intellectual property rights set forth herein. No other claims shall be made against the Company without the written consent of the Company.

### [pdf] Test Report

CERTIFICATE Jackey Qiu TEST REPORT IPXS5554 ROHS Report upload sunsky online res certificate IPXS5554 Report |||

Zhongshan LCS Compliance Testing Laboratory Ltd. Add:Y1403, 14th floor, one of the 15 east xinxing a ... Sample Receiving Date Testing Period : AWEI, IPIPOO T36, T5, T6, T7, T9, T10, T11, T12, T13, T15, **T16**, T17, T18, T19, T20, T21, T22, T23, T25, T26, T27, T28, T29, T30, T31, T32, T33, T34, T35, T36,...

lang:en score:11 filesize: 1.34 M page\_count: 7 document date: 2024-01-25

### [pdf] User Manual

Grey Street South Brisbane SPS SP266 Peak Flow By Pass Pump Station Contract No 4 OM Manual tms718 brisbane sp266 sewage pump station grey street south sps peak flow by pass contract no om manual operations and maintenance pumping electrical switchboard id 181 archive box 29 jpr 1995 number bne01467037 scanned file name southbank corporation sewer TMS718 urbanutilities au media

qu s suppliers info technical manuals waste water la en hash E4B3376CEA8EF125D4239423421D3B9AD72E121B |||

Grey Street South Brisbane SPS SP266 Peak Flow By-Pass Pump Station Contract No. 4 OM Manual J. P ... INATES. - ANODE HOOK , REFER ORG. C24 PUMP No.2 PEDESALi 4iat At FLOOR PLAN SCALE E25 884 **T16** 800 , I 800 i 76 0.D. x 1.6 WALL 316 5.5. TUBE BRACKET FIXED AT 3000 MIN. CENTRES TO RISING...

lang:en score:10 filesize: 11.1 M page\_count: 342 document date: 2014-01-28

