

[Manuals.plus](#) /

› [UNIHIMAL](#) /

› UNIHIMAL SUV Tent Instruction Manual - Model SUV Tent Pro-3

UNIHIMAL SUV Tent Pro-3

UNIHIMAL SUV Tent Instruction Manual

Model: SUV Tent Pro-3

1. INTRODUCTION

This manual provides detailed instructions for the proper setup, operation, and maintenance of your UNIHIMAL SUV Tent. Designed for outdoor enthusiasts, this tent offers a spacious and waterproof shelter for 5-8 people, compatible with various SUVs, CUVs, and minivans. Please read these instructions thoroughly before initial use to ensure a safe and enjoyable camping experience.



2. SAFETY INFORMATION

- Do not set up the tent near open flames or heat sources.
- Ensure all stakes and guy ropes are securely fastened to prevent collapse in windy conditions.
- Avoid using electrical appliances inside the tent unless specifically designed for outdoor use and properly insulated.
- Keep children and pets supervised around the tent, especially during setup and takedown.
- In severe weather, consider alternative shelter.

3. PACKAGE CONTENTS

Verify that all components are present before beginning setup:

- Tent Body
- Rainfly
- Pole Bag (containing aluminum poles)
- Stake Bag (containing ground nails/stakes)
- Guy Ropes
- Storage Bag
- Vehicle Attachment Straps (including wheel straps and windshield wiper hooks)

4. SETUP INSTRUCTIONS

For a visual guide, please refer to the official setup video below.

Your browser does not support the video tag.

Video 4.1: Official UNIHIMAL SUV Tent PRO Setup Guide.

4.1. Tent Body Assembly

1. **Unpack and Lay Out:** Remove the tent from its storage bag and lay it flat on a clear, level surface.
2. **Assemble Poles:** Connect all fiber pole sections. The tent comes with color-coded poles for easier identification.
3. **Insert Poles:** Insert the B/C rods into their corresponding sleeves on the tent body. Bend and place pole C into the elbow connector, then insert pole B into the nylon button hole.
4. **Raise Tent:** Insert the steel pole (A) into the elbow connector and then into the pin and ring components to raise the tent structure.

5. **Secure J-Hooks:** Attach the J-hooks on the tent fabric to the poles.

4.2. Attaching to Vehicle (Vehicle Mode)

6. **Position Vehicle:** Park your SUV, CUV, or minivan with the rear hatch facing the tent.
7. **Attach Upper Sleeve:** Place the upper sleeve of the tent's vehicle connector over the raised truck door.
8. **Secure Lower Sleeve:** Lower the rear hatch door and buckle the lower sleeve's strap over it from inside the tent. Place the lower sleeve under the car's bumper, ensuring it is above the muffler.
9. **Wheel Straps:** Secure four straps on each side of the wheels to firmly attach the tent to the vehicle.
10. **Windshield Wiper Straps:** Insert extension straps into the top ones and attach their J-hooks to the windshield wipers for additional stability.
11. **Cargo Area Straps:** Attach three straps to the inside of the cargo area to further secure the connection and create a seamless transition.

4.3. Staking and Rainfly

12. **Stake Down Tent:** Insert ground nails (stakes) through the tent's loops and drive them into the ground to secure the tent.
13. **Drape Rainfly:** Drape the rainfly over the tent. Connect the S-Hooks to the O-rings on the tent poles.
14. **Guy Ropes:** Adjust the plastic sliders on the guy ropes to tighten them, securing the tent against wind. Drive additional stakes into the ground for the guy ropes.

4.4. Tarp Setup (Combined/Separation Mode)

The tent features a versatile tarp that can be used in two modes:

- **Combined Mode:** Connect the tarp with the tent at the entrance through a zipper. Insert four poles (D) into the holes to support the tarp and tie down the windproof ropes. This mode provides an extended shaded area.
- **Separation Mode:** If windy weather is expected, reduce the use of the tarp. Alternatively, the tarp can be set up independently by putting two poles (D) into the holes to support it and tying down the windproof ropes.

5. OPERATING INSTRUCTIONS

5.1. Ventilation

The tent is designed for optimal airflow:

- **Large Door:** Utilize the large main door for entry, exit, and significant air circulation.
- **Mesh Windows:** The tent features 2 mesh windows that can be opened or closed to facilitate excellent airflow and minimize condensation.
- **Top Mesh Skylight:** A top mesh skylight provides additional ventilation and can be used for stargazing on clear nights.

DOUBLE DOOR DESIGN



IT PROVIDES EASY ACCESS TO THE TENT DURING THE CAMPING



FEATURING EXCELLENT VENTILATION, OFFERING A FRESHER AND MORE COMFORTABLE CAMPING EXPERIENCE

Image 5.1: Double door design and mesh windows for enhanced ventilation.



Excellent ventilation



Image 5.2: Excellent ventilation provided by the top mesh skylight and windows.

5.2. Storage

- **Mesh Pockets:** Two mesh pockets inside the tent provide convenient storage for small belongings, helping to keep the living space organized.
- **Top Hooks:** Top tent light hooks are available for hanging lanterns or other lightweight items.

SUV TENT FOR CAMPING

center height up to 86.4 inch



Top Tent Light Hooks



Storage Pockets



Retractable Mesh Windows

Image 5.3: Integrated storage pockets and top light hooks for convenience.

5.3. Detachable Movie Screen

The side canopy can be removed and placed inside the tent to function as a movie screen, offering entertainment during your camping trip.

DETACHABLE MOVIE SCREEN

THE SIDE CANOPY CAN BE REMOVED AND PLACED INSIDE THE TENT AS A MOVIE SCREEN.



Image 5.4: Detachable movie screen feature for indoor entertainment.

6. MAINTENANCE

- **Cleaning:** Hand wash the tent fabric with mild soap and water. Do not machine wash or use harsh detergents.
- **Drying:** Ensure the tent is completely dry before packing to prevent mold and mildew.
- **Storage:** Store the tent in its original storage bag in a cool, dry place away from direct sunlight.
- **Inspection:** Regularly inspect poles, zippers, seams, and fabric for any damage. Repair minor tears promptly to prevent further damage.

7. TROUBLESHOOTING

- **Difficulty with Pole Assembly:** Ensure all pole sections are fully connected. Refer to the color-coded instructions.
- **Tent Instability:** Verify all stakes are firmly in the ground and guy ropes are properly tightened. Ensure vehicle attachment straps are secure.
- **Water Leakage:** Check that the rainfly is correctly positioned and all zippers are fully closed. The tent features a PU2000mm waterproof coating and taped seams for protection.
- **Condensation:** Ensure adequate ventilation by opening mesh windows and the skylight when weather permits.



DRIPS FORM PEARLS

The rainproof material with factory-sealed seams provides better rain protection




Image 7.1: The tent's waterproof fabric with PU2000mm coating, designed to repel rainwater.

8. SPECIFICATIONS

Feature	Specification
Brand	UNIHIMAL
Model Number	SUV Tent Pro-3
Product Dimensions (L x W x H)	94.48" x 94.48" x 83.86" (8FT L x 8FT W x 7.2FT H)
Item Weight	28.66 Pounds
Occupancy	8 Person
Seasons	4 Season
Material	210T Polyester Fabric
Water Resistance Technology	PU2000mm
Pole Material Type	Aluminum
Included Components	Rainfly, Storage Bag
Number of Pockets	2
Product Care Instructions	Hand Wash



Image 8.1: Tent dimensions for planning your space.

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the product packaging or contact UNIHIMAL customer service directly. Keep your purchase receipt for warranty claims.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question