

MVMT 28000440

MVMT Classic II Automatic Watch User Manual

Model: 28000440

INTRODUCTION

Welcome to the user manual for your new MVMT Classic II Automatic Watch. This timepiece combines MVMT's signature minimalist design with a precision Japanese Miyota 82SO automatic movement. This manual provides essential information for setting up, operating, maintaining, and troubleshooting your watch to ensure its longevity and optimal performance.

Please read this manual thoroughly before using your watch.

PRODUCT FEATURES

- **Automatic Movement:** Features a precision Japanese Miyota 82SO automatic movement, eliminating the need for battery replacement.
- **Exhibition Caseback:** A transparent caseback allows visibility of the intricate internal mechanics and Côtes de Genève rotor finishing.
- **Water Resistance:** Water resistant up to 5 ATM (50 meters), suitable for everyday use and brief submersion. Not intended for swimming or bathing.
- **Durable Construction:** Equipped with a hardened mineral crystal glass for enhanced durability and scratch resistance.
- **Design:** Iconic minimalist design with polished chamfered detailing, designed in Los Angeles, USA.
- **Clasp Type:** Push Button Deployment Clasp for secure and comfortable wear.

SETUP

Initial Winding

As an automatic watch, the MVMT Classic II is powered by the motion of your wrist. If the watch has stopped or is running low on power, it may need an initial manual wind. To do this, ensure the crown is in position 0 (fully pushed in). Rotate the crown clockwise approximately 20-30 times until the second hand begins to move consistently. Regular wear will keep the watch wound.

Setting the Time

1. Pull the crown out to position 1 (first click).
2. Rotate the crown clockwise or counter-clockwise to set the hour and minute hands to the correct time.
3. Once the time is set, push the crown back in to position 0 (fully pushed in) to start the watch.



Image: Front view of the MVMT Classic II Automatic Watch, showcasing the dial and hands. The crown is visible on the right side of the watch case.

Adjusting the Bracelet

The stainless steel bracelet can be adjusted by adding or removing links to achieve a comfortable fit. This procedure typically requires specialized tools and is best performed by a professional jeweler or watch repair service to avoid damaging the bracelet or watch.



Image: MVMT Classic II Automatic Watch worn on a wrist, demonstrating its appearance when worn.

OPERATING INSTRUCTIONS

Wearing the Watch

Wear your MVMT Classic II Automatic Watch regularly to ensure it remains wound. The natural motion of your arm will power the automatic movement. For optimal performance, wear the watch for at least 8-10 hours daily.

Water Resistance Guidelines

Your watch is water resistant up to 5 ATM (50 meters). This means it can withstand splashes, rain, and brief immersion in water, such as washing hands. However, it is not suitable for swimming, diving, or showering, as steam and prolonged submersion can compromise the seals. Always ensure the crown is fully pushed in before any contact with water.

MAINTENANCE

Cleaning

To clean your watch, wipe the case and bracelet with a soft, dry cloth. For stubborn dirt, a slightly damp cloth can be used, followed immediately by a dry cloth. Avoid using harsh chemicals, solvents, or abrasive materials, as these can damage the watch's finish or seals.

Storage

When not wearing your watch, store it in a cool, dry place away from direct sunlight, extreme temperatures, and strong magnetic fields. The original watch box provides excellent protection.



Image: The black product box for the MVMT watch, suitable for storage.

Service

For long-term performance, it is recommended to have your automatic watch serviced by a qualified watchmaker every 3-5 years. This includes cleaning, lubrication, and checking the movement's accuracy and water resistance.

TROUBLESHOOTING

Watch Not Running or Stopping Frequently

- **Insufficient Winding:** Ensure the watch is sufficiently wound. If it has stopped, manually wind it by rotating the crown 20-30 times while it's in position 0.
- **Lack of Movement:** Automatic watches require regular wrist movement. If you don't wear it daily, consider using a watch winder or manually winding it every 24-48 hours.
- **Crown Position:** Check that the crown is fully pushed in (position 0). If it's pulled out, the watch will not run.

Time Inaccuracy

- **Magnetic Fields:** Exposure to strong magnetic fields (e.g., from speakers, refrigerators, or certain electronic devices) can affect the watch's accuracy. If you suspect magnetization, a professional watchmaker can demagnetize it.
- **Impact:** A severe impact can affect the delicate internal components. If accuracy issues persist after an impact, professional inspection is recommended.
- **Service Interval:** If the watch is several years old and has not been serviced, internal lubrication may have dried, affecting accuracy.

If troubleshooting steps do not resolve the issue, please contact MVMT customer support or a certified watch repair center.

SPECIFICATIONS

Model Number	28000440
Movement	Japanese Miyota 82SO Automatic
Case Diameter	42mm
Water Resistance	5 ATM / 50 Meters

Glass Material	Hardened Mineral Crystal
Clasp Type	Push Button Deployment Clasp
Country of Origin	China
Package Dimensions	6.1 x 3.7 x 2.6 inches
Item Weight	6.24 ounces



Image: Back view of the MVMT Classic II Automatic Watch, showing the exhibition caseback and the deployment clasp.

WARRANTY AND SUPPORT

Your MVMT Classic II Automatic Watch comes with a **Two-Year Guarantee** from the date of purchase. This warranty covers manufacturing defects in materials and workmanship under normal use.

The warranty does not cover:

- Damage resulting from improper handling, lack of care, accidents, or normal wear and tear.
- Water damage if the watch was used beyond its specified water resistance or if the crown was not fully pushed in.
- Damage caused by unauthorized repairs or modifications.

For warranty claims, technical support, or service inquiries, please visit the official MVMT website or contact their customer service department. Keep your proof of purchase for warranty validation.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question