Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Scangrip MULTILIGHT Flood Connect

SCANGRIP MULTILIGHT Flood Connect 1500 Lumen Floodlight Head User Manual

Model: MULTILIGHT Flood Connect

1. Introduction

The SCANGRIP MULTILIGHT Flood Connect is a powerful 1500 lumen floodlight head designed for professional use. This product is part of the MULTILIGHT CONNECT system, offering flexibility with various 18V/20V power tool battery packs (via a SCANGRIP CONNECTOR, sold separately). Its versatile design includes multiple mounting options for diverse work environments. This manual provides essential information for the safe and effective use of your floodlight head.

2. Safety Instructions

Please read these safety instructions carefully before using the product. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Always ensure the floodlight head is securely attached to the MULTILIGHT BODY CONNECT handle and any battery pack before operation.
- Do not look directly into the light source when it is active, as this may cause eye damage.
- Keep the product away from flammable materials.
- Do not expose the product to extreme temperatures or direct sunlight for prolonged periods.
- Do not attempt to disassemble or modify the floodlight head. Refer all servicing to qualified personnel.
- Use only compatible 18V/20V battery packs and SCANGRIP CONNECTORS.
- Disconnect the battery pack before cleaning or performing any maintenance.

3. Package Contents

Verify that all items are present upon unpacking:

- SCANGRIP MULTILIGHT Flood Connect Floodlight Head (1 unit)

Note: This product is delivered without a SCANGRIP CONNECTOR and battery pack. These items must be purchased separately.

4. Setup

Follow these steps to prepare your floodlight for use:

1. **Attach SCANGRIP CONNECTOR (Sold Separately):** If you have a MULTILIGHT BODY CONNECT handle, ensure the correct SCANGRIP CONNECTOR for your 18V/20V battery brand is securely attached to the handle's base.
2. **Attach Battery Pack (Sold Separately):** Slide your charged 18V/20V power tool battery pack onto the SCANGRIP CONNECTOR until it clicks into place.
3. **Attach Floodlight Head:** Align the SCANGRIP MULTILIGHT Flood Connect head with the top of the MULTILIGHT BODY CONNECT handle. Push firmly until it locks securely.



Figure 1: The SCANGRIP MULTILIGHT Flood Connect head attached to a handle, with a battery pack (indicated by a dashed outline) ready for connection. This illustrates the complete assembly of the work light.

5. Operating Instructions

Once assembled, your floodlight is ready for operation.

5.1 Powering On/Off and Light Settings

- Locate the power button on the MULTILIGHT BODY CONNECT handle.
- Press the power button once to turn the light on at 50% intensity.
- Press the power button a second time to switch to 100% intensity.
- Press the power button a third time to turn the light off.



Figure 2: A user holding the SCANGRIP MULTILIGHT Flood Connect, demonstrating its ergonomic design for handheld operation. The light is positioned for optimal illumination of a work area.

5.2 Mounting Options

The MULTILIGHT Flood Connect features a versatile mounting system:

- **Integrated Bracket:** Use the built-in bracket to position the light on flat surfaces or hang it.
- **Hook:** Utilize the integrated hook for hanging the light from pipes, cables, or other suitable structures.
- **Powerful Magnet:** The strong magnet allows for secure attachment to any metallic surface, providing hands-free operation.
- **Polyurethane Strap:** The durable strap offers additional flexible positioning options.



Figure 3: The SCANGRIP MULTILIGHT Flood Connect demonstrating its magnetic mounting capability. The light is securely attached to a vertical metal surface, illustrating hands-free operation.



Figure 4: A mechanic working under the hood of a vehicle, with the SCANGRIP MULTILIGHT Flood Connect providing overhead illumination. This demonstrates the practical application of its versatile mounting for focused task lighting.

6. Maintenance

Proper maintenance ensures the longevity and optimal performance of your floodlight.

- **Cleaning:** Wipe the floodlight head with a soft, damp cloth. Do not use abrasive cleaners or solvents. Ensure the light is off and the battery is disconnected before cleaning.
- **Storage:** Store the floodlight in a dry, cool place away from direct sunlight and extreme temperatures.
- **Battery Care:** Follow the manufacturer's instructions for your specific 18V/20V battery pack regarding charging, storage, and maintenance.

7. Troubleshooting

If you encounter issues with your floodlight, refer to the following common problems and solutions:

- **Light Does Not Turn On:**
  - Ensure the battery pack is fully charged and properly connected to the SCANGRIP CONNECTOR.
  - Verify that the floodlight head is securely attached to the MULTILIGHT BODY CONNECT handle.
  - Check if the SCANGRIP CONNECTOR is correctly installed on the handle.
- **Light is Dim or Flickering:**
  - The battery pack may be low on charge. Replace with a fully charged battery.
  - Ensure all connections (battery, connector, floodlight head) are secure and clean.

If problems persist, contact SCANGRIP customer support.

8. Specifications

Model	MULTILIGHT Flood Connect
Brand	Scangrip
Lumen Output	Up to 1500 lumen
Light Settings	2 (50% / 100%)
Battery Compatibility	18V/20V power tool battery packs (via SCANGRIP CONNECTOR, sold separately)
Mounting System	Bracket, Hook, Magnet, Polyurethane Strap
GTIN	05708997356944

9. Warranty and Support

For warranty information and customer support, please refer to the official SCANGRIP website or contact your authorized dealer. Keep your proof of purchase for warranty claims.
SCANGRIP Official Website: www.scangrip.com

© 2026 Scangrip. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DJP52WQG

More documents and user manuals: **https://manuals.plus/**