

GarveeTech 89AY9yIYUiTAIOgTLnxSjQbA

GarveeTech Smart Toilet User Manual

Model: **89AY9yIYUiTAIOgTLnxSjQbA**

Brand: GarveeTech | UPC: 198723695105

1. INTRODUCTION

Thank you for choosing the GarveeTech Smart Toilet. This manual provides essential information for the safe installation, operation, and maintenance of your new smart toilet. Please read this manual thoroughly before installation and use, and retain it for future reference.

2. SAFETY INFORMATION

Please observe the following safety precautions to prevent injury or damage to the product:

- Ensure proper electrical grounding to prevent electric shock.
- Do not expose the product to excessive moisture or direct water spray, except for intended cleaning.
- Do not attempt to disassemble or repair the unit yourself. Contact qualified service personnel.
- Keep children and pets away from the toilet's moving parts and electrical components.
- Use only approved cleaning agents. Avoid abrasive cleaners or harsh chemicals.

3. PRODUCT FEATURES

The GarveeTech Smart Toilet offers a range of advanced features designed for comfort and hygiene:

- **Foot Sensor Operation:** Hands-free flushing and lid control.
- **Heated Bidet Seat:** Adjustable temperature for enhanced comfort.
- **LED Nightlight:** Soft illumination for nighttime use.

- **Dual Auto Flush:** Automatic flushing upon departure or via foot sensor.
- **Auto Open/Close Lid:** Sensor-activated lid for hygienic operation.
- **Remote Control:** Convenient access to all functions.
- **Arc-shape Spray Wand:** Self-cleaning, hip wash, feminine wash, and pulsating wash options.
- **Warm Air Dryer:** Adjustable temperature for efficient drying.
- **LED Digital Display:** Shows current settings for water and seat temperature.
- **Dual Siphon Jet Cleaning:** Powerful and efficient flushing system.

4. SETUP AND INSTALLATION

Proper installation is crucial for the optimal performance and safety of your smart toilet. It is recommended that installation be performed by a qualified plumber.

4.1 Pre-Installation Checklist

- Verify all components are present according to the packing list.
- Ensure water supply and electrical outlet (120V, 60Hz, dedicated circuit recommended) are available at the installation site.
- Confirm rough-in dimensions match product specifications (26.5"D x 16.8"W x 18.7"H).

4.2 Installation Video Guide

For a visual guide on the installation process, please refer to the video below:

Your browser does not support the video tag.

Video Description: This video provides a step-by-step guide for installing the GarveeTech Smart Toilet, demonstrating the connection of water lines, electrical components, and securing the unit to the floor.

4.3 Dimensions Diagram

Refer to the diagram below for detailed product dimensions to ensure proper fit and rough-in compatibility.

SIDE BUTTON CONTROL



Image Description: A technical drawing illustrating the dimensions of the GarveeTech Smart Toilet, including depth (26.5"), width (16.8"), height (18.7"), and seat height (15.9").

5. OPERATING INSTRUCTIONS

Your GarveeTech Smart Toilet offers multiple ways to operate its features for maximum convenience.

5.1 Automatic Functions

- **Auto Open/Close Lid:** The lid will automatically open when approached and close 60 seconds after departure.
- **Off-Seat Auto Flush:** The toilet will automatically flush after you stand up and move away.
- **Foot Sensor Flush:** A gentle tap with your foot near the sensor on the side of the toilet will activate a flush.

- **Night Light:** The built-in light sensor activates a soft blue night light in low-light conditions.

Arc-shape Spray Wand

Effectively avoid contact with falling waste

PRESSURE
TEMP.



91°F

98°F

103°F



Self-cleaning



Hip Wash




Feminine wash



Pulsating Wash

Image Description: Demonstrates the off-seat auto flush feature, where the toilet flushes automatically when a user leaves, and the foot sensor flush, activated by a foot tap near the base.

NIGHT LIGHT



LED DIGITAL DISPLAY

Display sitting temperature
Display water temperature




Image Description: Shows the side button control panel and illustrates the automatic opening of the lid when approaching and closing 60 seconds after leaving, along with power-off flush capability.



Image Description: Displays the integrated night light feature, providing soft illumination, and the LED digital display showing current temperature settings.

5.2 Remote Control and Manual Operation

Use the wireless remote control or the side buttons to access and adjust various settings.

OFF-SEAT AUTO FLUSH

No more worrying about forgetting to flush.



FOOT SENSOR FLUSH

Foot sensor design, no need to bend over



Image Description: A diagram detailing the functions of each button on the remote control, including Stop, Flush, Rear Wash, Front Wash, Dryer, Water Pressure, Nozzle Position, Water Temp, Wind Temp, and Seat Temp controls.

- **Stop:** Stops all current bidet functions.
- **Flush:** Activates a full flush (long press for full flush).
- **Rear Wash / Oscillating Massage:** Provides a posterior wash, with an oscillating option.
- **Front Wash / Oscillating Massage:** Provides a feminine wash, with an oscillating option.
- **Dryer:** Activates the warm air dryer (6 adjustable levels).
- **Water Pressure Adjustment:** Increases or decreases water spray intensity.
- **Nozzle Position Adjustment:** Moves the spray wand forward or backward.
- **Water Temp:** Adjusts water temperature for washing.
- **Wind Temp:** Adjusts warm air dryer temperature.
- **Seat Temp:** Adjusts heated seat temperature (6 adjustable levels).


DUAL SIPHON JET CLEANING




Image Description: Illustrates the warm air dry function with 6 adjustable temperature levels (86°F to 122°F) and the ergonomic heated seat with 6 adjustable temperature levels (Off to 100°F).

5.3 Bidet Functions and Spray Wand

The arc-shape spray wand provides effective and targeted cleansing with self-cleaning capabilities.




Stop



Water pressure adjustment



Full flushing



Nozzle position adjustment



Rear wash/
Oscillating massage



Water Temp



Front wash/
Oscillating massage



Wind Temp



Dryer



Seat Temp

Image Description: Shows the arc-shape spray wand and its various functions: Self-cleaning, Hip Wash, Feminine Wash, and Pulsating Wash, with indicators for water pressure and temperature.

5.4 Flushing System

The toilet features a powerful dual siphon jet cleaning system for thorough flushing.



Image Description: An overhead view of the toilet bowl demonstrating the 360° flush action of the dual siphon jet cleaning system.

5.5 Operation Video Guide

Watch this video for a demonstration of the smart toilet's key operating features, including foot sensor operation:

Your browser does not support the video tag.

Video Description: This video showcases the various smart features of the GarveeTech Smart Toilet, including the foot sensor operation, bidet functions, and other automated conveniences.

6. MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and hygienic operation of your smart toilet.

6.1 Cleaning the Exterior

- Wipe the exterior surfaces with a soft, damp cloth and a mild, non-abrasive cleaner.
- Avoid using harsh chemicals, abrasive pads, or solvents, as these can damage the finish.
- Ensure no water enters the electrical components.

6.2 Cleaning the Bidet Nozzle

- The bidet nozzle has a self-cleaning function. Activate it via the remote control.
- For deeper cleaning, gently pull out the nozzle and wipe it with a soft cloth and mild soap. Do not use excessive force.

6.3 Water Filter Maintenance

Check and clean the water filter periodically to prevent blockages and maintain optimal water flow. Refer to the installation guide for filter location and cleaning instructions.

7. TROUBLESHOOTING

If you encounter any issues, please refer to the following common problems and solutions before contacting support.

Problem	Possible Cause	Solution
No power/Unit unresponsive	Power cord unplugged, circuit breaker tripped, power outage.	Check power connection, reset circuit breaker, verify power supply.
No water spray/Weak spray	Water supply valve closed, water filter clogged, low water pressure.	Open water supply valve, clean water filter, check household water pressure.
Heated seat not working	Heated seat function off, temperature setting too low.	Activate heated seat function via remote, increase temperature setting.
Auto flush not working	Sensor obstructed, power-off flush enabled.	Ensure sensor is clear, check remote settings for auto flush.

If the problem persists after attempting these solutions, please contact GarveeTech customer support.

8. SPECIFICATIONS

- **Model Number:** 89AY9yIYUiTAIOgTLnxSjQbA
- **Product Dimensions:** 26.5"D x 16.8"W x 18.7"H
- **Material:** Ceramic
- **Color:** White+Grey
- **Item Weight:** 98.9 pounds
- **Installation Method:** Floor Mounted

- **UPC:** 198723695105

9. WARRANTY AND SUPPORT

9.1 Warranty Information

Your GarveeTech Smart Toilet is covered by a manufacturer's warranty. Please refer to the warranty card included with your product for specific terms and conditions. Typically, this includes coverage for manufacturing defects under normal use.

Optional protection plans may be available for extended coverage:

- 4-Year Protection Plan
- Complete Protect (monthly renewal)

9.2 Returns Policy

This product is eligible for a 30-day return policy for refund or replacement, typically handled by Amazon if purchased through Amazon.com.

9.3 Customer Support

For technical assistance, warranty claims, or any questions regarding your GarveeTech Smart Toilet, please visit the [GarveeTech Store on Amazon](#) or contact their customer service directly. Please have your model number and purchase date ready when contacting support.

© 2026 GarveeTech. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question