

BMAX BMAX

BMAX I11S Android 15 Tablet User Manual

Model: BMAX I11S

1. INTRODUCTION AND OVERVIEW

This manual provides detailed instructions for the BMAX I11S Android 15 Tablet. Please read this manual carefully before using your device to ensure proper operation and to maximize its features. The BMAX I11S is an 11-inch tablet designed for both productivity and entertainment, featuring the latest Android 15 operating system, a powerful octa-core processor, and a high-resolution display.

The BMAX I11S 11-inch tablet features the latest Android 15 OS and is GMS certified, allowing access to popular apps from the Google Play Store. Android 15 enhances device customization, user protection, and accessibility. Powered by a Unisoc T606 octa-core processor, the BMAX I11S combines two high-performance A75 cores operating at 1.8GHz with six power-efficient A55 cores. This ensures optimal performance for both work and multimedia, providing a seamless and energy-conscious tablet experience. It also includes a G57 graphics processor, offering robust graphics performance suitable for gaming, high-definition video playback, and graphics-intensive applications. The I11S 11-inch tablet provides comprehensive eye protection with TÜV SÜD blue light certification.

The tablet supports Widevine L1 DRM protection, allowing you to watch 1080P movies, TV shows, and videos on major streaming platforms like Amazon Prime Video and Hulu for a clearer and more vivid visual experience.

2. DEVICE LAYOUT AND COMPONENTS

Familiarize yourself with the physical components of your BMAX I11S tablet.



Figure 2.1: BMAX I11S Tablet Component Diagram. This image illustrates the location of the volume buttons, power button, reset button, 3.5mm stereo jack, TF (Micro SD) card slot, Type-C charging port, 5MP front camera, 13MP main camera, and speakers on the device.

- **Power Button:** Press and hold to power on/off or restart. Short press to turn the screen on/off.
- **Volume Buttons:** Adjust the device volume.
- **Type-C Port:** For charging and data transfer.
- **3.5mm Headphone Jack:** Connect wired headphones.
- **Micro SD Card Slot:** Insert a Micro SD card for expandable storage.
- **Front Camera (5MP):** For video calls and selfies.
- **Rear Camera (13MP):** For taking photos and videos.
- **Speakers:** Audio output.
- **Microphone:** For audio input during calls or recordings.

3. SETUP INSTRUCTIONS

3.1 Initial Power On

1. **Charge the Tablet:** Before first use, fully charge the tablet using the provided Type-C cable and power adapter. Connect the Type-C cable to the tablet's Type-C port and the adapter to a power outlet.
2. **Power On:** Press and hold the Power Button until the BMAX logo appears on the screen.
3. **Initial Setup Wizard:** Follow the on-screen instructions to select your language, connect to a Wi-Fi network, sign in with your Google account, and set up basic preferences.

3.2 Inserting a Micro SD Card

The tablet supports expandable storage up to 1TB via a Micro SD card.

1. Locate the Micro SD card slot on the side of the tablet.
2. Gently insert the Micro SD card into the slot with the gold contacts facing down until it clicks into place.
3. The tablet will detect the new storage. You may be prompted to format the card for optimal use with the device.

最新8コアCPU-T606、 大容量128GB、11インチ

Android 15 | Unisoc T606 CPU | 薄型軽量

I11s^{11"}

Widevine L1対応+顔認証



Figure 3.1: Micro SD Card Insertion. This image illustrates the internal memory components and the process of inserting a Micro SD card for storage expansion.

4. OPERATING INSTRUCTIONS

4.1 Display and Visuals

The BMAX I11S features an FHD IPS LCD screen with full lamination technology. With a resolution of 1280x800 pixels, it delivers sharp and clear images and text. The viewing angle is 178 degrees, the aspect ratio is 16:10, and colors are more vibrant with clearer detail.

新品登場



I11s ^{11"}

11インチ大画面

11



Figure 4.1: Vivid IPS Display. This image demonstrates the clarity and vibrant colors of the tablet's 11-inch IPS display.

4.2 Performance and Storage

The tablet is powered by a Unisoc T606 octa-core processor, ensuring smooth performance for various tasks. It comes with 4GB of physical RAM, which can be intelligently expanded to 12GB using 8GB from storage memory, resulting in a 20% increase in execution speed. The device has 128GB of internal storage, sufficient for applications, photos, videos, music, and documents. Storage can be expanded up to 1TB with a Micro SD card.

To verify RAM expansion: Go to 'Settings' -> 'System' -> 'Memory Boost/Memory Expansion' -> 'Boost/Expand Memory 8.0GB'.

4.3 Camera Functions

The BMAX I11S features a 5MP front camera and an impressive 13MP main camera with autofocus and an AI sub-camera for optimized image processing. The front camera is ideal for video conferencing and calls, ensuring clear visuals.



Figure 4.2: Camera Capabilities. This image highlights the tablet's front camera for video calls and the rear camera for capturing moments.

4.4 Audio Features

The I11S features two customized BMAX powerful speakers, delivering an immersive audio experience. Integrated intelligent amplifier chips further enhance sound quality, ensuring each note and tone is delivered with exceptional clarity and depth. A 3.5mm headphone jack is provided for connecting external audio devices.



Figure 4.3: Immersive Audio. This image illustrates the tablet's audio output through its speakers and headphone jack for an enhanced listening experience.

4.5 Connectivity

- **Wi-Fi:** Supports 2.4G/5G dual-band Wi-Fi for stable and fast internet connectivity.
- **Bluetooth 5.0:** For connecting wireless accessories like headphones, keyboards, and mice.
- **GPS:** Equipped with a GPS+BDS+GLONASS+Galileo 4-in-1 navigation system, allowing the tablet to be used for navigation.
- **Wireless Projection:** Supports wireless projection for easy connection to larger displays like TVs.



Figure 4.4: Wireless Connectivity. This image demonstrates the tablet's support for dual-band Wi-Fi and Bluetooth 5.0 for seamless wireless connections.

4.6 Security Features

- **Face Recognition:** The tablet includes face recognition for convenient and secure unlocking. Register your face in the settings to quickly access the system without entering a password.



Figure 4.5: Face Unlock Feature. This image illustrates the tablet's face recognition technology for quick and secure access.

5. MAINTENANCE

5.1 Battery Care

The BMAX I11S is equipped with an 8000mAh polymer lithium battery, providing extended usage time. To prolong battery life:

- Avoid extreme temperatures (hot or cold).
- Do not let the battery completely drain frequently.
- Use the original charger or a certified Type-C charger.
- If storing the tablet for a long period, charge it to about 50% before turning it off.

5.2 Cleaning the Device

- Use a soft, lint-free cloth to clean the screen and body of the tablet.
- For stubborn smudges, slightly dampen the cloth with water or a screen cleaner.
- Avoid using harsh chemicals, abrasive materials, or aerosol sprays.

5.3 Software Updates

Regularly check for and install system updates to ensure optimal performance, security, and access to the latest features. You can usually find this option in 'Settings' -> 'System' -> 'System update'.

6. TROUBLESHOOTING

If you encounter issues with your BMAX I11S tablet, refer to the following common solutions:

- **Device not turning on:** Ensure the battery is charged. Connect the charger and wait a few minutes before attempting to power on again. If unresponsive, press and hold the power button for 10-15 seconds.
- **Screen is unresponsive:** Restart the tablet. If the screen remains unresponsive, try a force restart by holding the power button for an extended period.
- **Apps crashing or freezing:** Close and reopen the app. Clear the app's cache and data in 'Settings' -> 'Apps'. Ensure the app is updated to the latest version.
- **Wi-Fi connectivity issues:** Restart your tablet and your Wi-Fi router. Forget the network in tablet settings and reconnect. Ensure you are within range of the Wi-Fi signal.
- **Slow performance:** Close unnecessary background apps. Clear cache data regularly. Consider uninstalling unused apps. Check for system updates.
- **Battery draining quickly:** Reduce screen brightness. Turn off Wi-Fi, Bluetooth, and GPS when not in use. Limit background app activity.

If problems persist, consider performing a factory reset (backup your data first) or contact customer support.

7. SPECIFICATIONS

Feature	Specification
Brand	BMAX
Model Name	BMAX I11S
Operating System	Android 15
Screen Size	11 inches
Display Type	FHD IPS TDDI Touchscreen
Resolution	1280x800 pixels
CPU	Unisoc T606 Octa-core (1.8 GHz)
RAM	4GB (expandable to 12GB via virtual memory)
Internal Storage	128GB
Expandable Storage	Up to 1TB (Micro SD)
Rear Camera	13MP (Autofocus, AI Sub-camera)
Front Camera	5MP
Battery	8000mAh Polymer Lithium
Charging Port	Type-C
Wi-Fi	2.4G/5G (802.11g)
Bluetooth	Bluetooth 5.0
Navigation	GPS+BDS+GLONASS+Galileo (4-in-1)


Audio Jack	3.5mm Headphone Jack
Security	Face Recognition
Certifications	PSE, CE, FCC & TELEC, GMS, TÜV SÜD Blue Light
Dimensions	34.1 x 20.1 x 3.4 cm
Weight	900 g

8. WARRANTY AND SUPPORT

The BMAX I11S tablet comes with a 1-year limited warranty. For warranty claims or technical support, please contact BMAX customer service through their official website or the retailer where you purchased the device. Ensure you retain your proof of purchase for warranty validation.

© 2025 BMAX. All rights reserved.

Related Documents

	BMAX MB01 Tablet PC User Manual User manual for the BMAX MB01 Tablet PC, covering appearance, features, settings, and FCC compliance information.
	BMAX B2 PLUS Mini PC User Manual and Warranty Information Comprehensive guide for the BMAX B2 PLUS Mini PC, covering setup, features, and warranty details. Includes multilingual instructions and technical specifications.




[\[pdf\]](#) User Manual Instructions Declaration of Conformity

Provided by ManualsAndMore Download User Manual Bmax Technology B MAX 25 Instructions For Use And Maintenance BMAX manualsandmore |||

Pellet Boilers Instructions for Use and Maintenance - THE PRESENT MANUAL FORMS AN INTEGRAL PART OF THE BOILER AND MUST BE KEPT FOR FUTURE REFERENCE **Bmax** Technology - a Division of Elmec Group S.r.l. Localition C D Oro 36020 - Asigliano Veneto VICENZA - ITALY TEL. 39 0444-772023 - FAX 39 0444-77...


lang:en **score:56** filesize: 3.56 M page_count: 12 document date: 2019-07-24



[\[pdf\]](#) Instructions

INSTALLATION INSTRUCTIONS FORD BAMX 5 CARSHADES FOR BMAX A s1 medias auto5 be ||| INSTALLATION INSTRUCTIONS FORD BAMX 5 DOOR 2013- FOR-**BMAX**-5-A COMPONENTS INCLUDED FIXING CLIPS CL-M04 x4 CL-M05 x2 CL-M12 x2 CL-M13 x2 FORD BAMX 5 DOOR 2013- SIDE SHADE INSTALLATION FOR-**BMAX**-5-A CL-M05 FORD BAMX 5 DOOR 2013- 2nd SIDE SHADE INSTALLATION FOR-**BMAX**-5-A CL-M04 FORD BAMX 5 ...

lang:so **score:46** filesize: 853.43 K page_count: 6 document date: 2014-04-16




[\[pdf\]](#) User Manual Specifications Guide Warranty

User Guide and Reference Manual American Musical Supply 2 The BBE BMAX 39 s manual If either of these items are found to be missing immediately contact the dealer from whom unit was p u r chased WARNING!To prevent possible speaker or amplifier damage always power up peripheral devices first wait 10 seconds then turn on Turn off Input 1 PASSIVE This jack allows for connection a bass guitar with passive pickups ACTIVE active bmax americanmusical ItemFiles bbe media

User Guide and Reference Manual i TABLE OF CONTENTS Precautions9 Congratulations on your purchase of the BBE **BMAX** Bass Guitar Pre-amp The BBE **BMAX** is an extremely versatile pre-amp which is capable of achievi...

lang:en **score:42** filesize: 673.6 K page_count: 12 document date: 2014-01-16




[pdf] User Manual Specifications Guide Warranty

Provided by ManualsAndMore Download User Manual BBE Sound BMAX And Reference manualsandmore |||

User Guide and Reference Manual i TABLE OF CONTENTS Precautions

.....9 Congratulations on your purchase of the BBE **BMAX** Bass Guitar Pre-amp The BBE **BMAX** is an extremely versatile pre-amp which is capable of achievi...

lang:en score:41 filesize: 373.85 K page_count: 12 document date: 2019-07-23




[pdf] User Manual Specifications Guide Warranty

Provided by ManualsAndMore Download User Manual BBE Sound BMAX t And Reference BMAXt manualsandmore |||

User Guide and Reference Manual i TABLE OF CONTENTS Precautions

.....9 Congratulations on your purchase of the BBE **BMAX-T** Bass Guitar Pre-amp The BBE **BMAX-T** is an extremely versatile pre-amp which is capable of ach...

lang:en score:40 filesize: 337.93 K page_count: 12 document date: 2019-07-23




[pdf] User Manual

B8P BMAX B8 Plus Mini PCB8 User Manualgeekbuying mediafire file 1yx1tkpl8tsd0c4 Manual |||

Grer les paramtres de langue d affichage dans Windows La langue d affichage que vous slectionnez mod ... e-C-Anschluss verwenden mssen, um einen Monitor anzuschlieen, schlieen Sie den Monitor bitte an Ihr **BMAX**-Gert an, bevor Sie Ihr **BMAX**-Gert einschalten. Verwalten der Anzeigespracheinstellungen in Windo...

lang:de score:40 filesize: 1.89 M page_count: 6 document date: 2024-06-25




[pdf] User Manual Installation Guide Instructions Accessories Catalog

Wall Mount and DIN Rail Brackets for VersaView 6300B BMAx Box PCs 6300T BAx1 Thin Clients

Installation Instructions Bracket Rockwell Automation Manual Allen Bradley 6300V BDINA VERSAVIEW ACCESSORIES Rexel USA 6300v in002 en p i F1E5C30C 3BE6 4C5A A0EF E56F6CBBA548 rexel cdn products |||

Installation Instructions Original Instructions Wall Mount and DIN Rail Mount Brackets for VersaView 6300B-BMAx Box PCs and 6300T-BAx1 Box Thin Clients Catalog Numbers 6300V-BDINA, 6300V-BWALLA Topic Page Required Tools for Installation 1 Remove the Factory-installed Book Mount Bracket 1 Moun...

lang:en score:38 filesize: 1.23 M page_count: 4 document date: 2020-12-18




[\[pdf\]](#) User Manual Specifications Guide Warranty

bmax manual rev3 9 2010 BBE Sound Congratulations on your purchase of the BMAX Bass Guitar Pre amp! The is an extremely versatile pre amp which capable achieving a images thomann de pics atg atgdata document

User Guide and Reference Manual i TABLE OF CONTENTS Precautions

.....9 Congratulations on your purchase of the BBE **BMAX** Bass Guitar Pre-amp The BBE **BMAX** is an extremely versatile pre-amp which is capable of achievi...

lang:en **score:38** filesize: 344.28 K page_count: 12 document date: 2010-09-08




[\[pdf\]](#) User Manual Specifications Guide Warranty

bmax t manual rev3 9 2010 BBE Sound Congratulations on your purchase of the BMAX T Bass Guitar Pre amp! The is an extremely versatile pre amp which capable achieving a bmaxt images thomann de pics atg atgdata document

User Guide and Reference Manual i TABLE OF CONTENTS Precautions

.....9 Congratulations on your purchase of the BBE **BMAX-T** Bass Guitar Pre-amp The BBE **BMAX-T** is an extremely versatile pre-amp which is capable of ach...

lang:en **score:37** filesize: 308.53 K page_count: 12 document date: 2010-09-08



[\[pdf\]](#) User Manual Instructions Troubleshooting Guide Parts List Warranty Accessories

ASSEMBLY AND OPERATING INSTRUCTIONS Powerhouse Fitness BMAXMB40 01 02 max 120 kg ~ 30 Min L B 61 H 125 BodyMax Indoor Cycle MB40 Art No BMAX Bodymax CVEB2709 Manual cdn live powerhouse fitness co uk files bodymax exercise bikes |||

ASSEMBLY AND OPERATING INSTRUCTIONS Art. No. **BMAX-MB40** max. 120 kg - 30 Min. 30 kg L 120 B 61 H 125 **BMAXMB40.01.02** BodyMax Indoor Cycle MB40 2 MB40 Content 1 GENERAL INFORMATION 7 1.1 Technical Data 7 1.2 Personal Safety 8 1.3 Set-Up Place 9 2 ASSEMBLY10 2.1 General Instruction...

lang:en **score:36** filesize: 3.88 M page_count: 36 document date: 2020-06-16



[\[pdf\]](#) User Manual

FOR BMAX 5 A indd 42826 for bmax a cdn virtasenskauppa fi assets |||

Installation Manual FORD **BMAX** FOR-**BMAX-5-A** COMPONENTS INCLUDED

SHADES FIXING CLIPS 1 8 3 6 4 5 CL-M04 x 4 CL-M12 x 2 CL-M05 x 2 CL-M13 x 2 CL-M14 x 1 CL-T01 x 1 www.carshades.com info carshades.com PAGE 1 OF 5 Side Shade A Installation FORD **BMAX** FOR-**BMAX-5-A** STEP #1 ATTACH C...

lang:de **score:35** filesize: 1.43 M page_count: 5 document date: 2019-11-05

Installation Instructions	
Original Instructions	
VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients	
Bulletin Numbers 6300B-BMx, 6300B-BMBx, 6300T-BAx1	
Summary of Changes	
This publication contains the following new or updated information. This list includes substantive updates only and is not intended to reflect all changes. Unrelated content and other updates are not included.	
Item	Change
1	Added a new chapter for installation instructions for the VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients.
2	Added a new chapter for installation instructions for the VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients.
3	Added a new chapter for installation instructions for the VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients.
4	Added a new chapter for installation instructions for the VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients.
5	Added a new chapter for installation instructions for the VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients.
6	Added a new chapter for installation instructions for the VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients.
7	Added a new chapter for installation instructions for the VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients.
8	Added a new chapter for installation instructions for the VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients.
9	Added a new chapter for installation instructions for the VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients.
10	Added a new chapter for installation instructions for the VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients.
Environment and Enclosure Information	
This publication contains the following new or updated information. This list includes substantive updates only and is not intended to reflect all changes. Unrelated content and other updates are not included.	
UL/ULC Mark Compliance	
Compliance with the UL/ULC Mark Compliance requirements for the VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients.	
European Union Directive Compliance	
This publication contains the following new or updated information. This list includes substantive updates only and is not intended to reflect all changes. Unrelated content and other updates are not included.	
Rockwell Automation	

[pdf] Installation Guide Instructions Dimension Guide

VersaView 6300B Box PCs and 6300T Thin Clients Installation Instructions 6300 box PC thin client BMAx BMBx BAx1 Rockwell Automation IN001 Literature Library Original Book Mount Bulletin Numbers 6300b in001 en p literature rockwellautomation idc groups documents in Installation Instructions Original Instructions VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients Bulletin Numbers 6300B-BMAx, 6300B-BMBx, 6300T-BAx1 Summary of Changes This publication contains the following new or updated information. This list includes substantive updates... lang:en score:34 filesize: 1.09 M page_count: 6 document date: 2020-11-02



VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients

Bulletin Numbers 6300B-BMAx, 6300B-BMBx, and 6300T-BAx1

Allen-Bradley
by ROCKWELL AUTOMATION

User Manual Original Instructions


[pdf] User Manual Instructions Diagram

VersaView 6300B Book Mount Box PCs and 6300T Thin Clients User Manual PC Client BMAx BMBx BAx1 Rockwell Automation 6300b um001 en p literature rockwellautomation idc groups documents um VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients Bulletin Numbers 6300B-BMAx, 6300B-BMBx, and 6300T-BAx1 User Manual Original Instructions VersaView 6300B Book Mount Box PCs and 6300T Book Mount Box Thin Clients User Manual Important User Information Read this document an... lang:en score:32 filesize: 5.8 M page_count: 50 document date: 2020-12-14

TECHNICAL DATA SHEET	
ValiScreen™ GPCR Cell Line	
Caution: For Laboratory Use. A research product for research purposes only.	
human Serotonin 5-HT ₆ Receptor Cell Line	
Product No.: EB-216-C	
Lot No.: 209508	
Material Provided	
Cells:	2 x 1 mL frozen aliquots EB-216-CV Clonal C1 Lot No.: 21122021 2 x 1 mL frozen aliquots EB-216-CV Clonal C2 Lot No.: 1335841 12 x 12 well plates, in freezing medium
Product Information	
Cellular Background:	5-HT ₆ -C1 cells: 1321N1 background, for GPCR assays. 5-HT ₆ -C3 cells: CHO-K1 background, for binding assays.
Cell Line Development:	Our proprietary isotonic expression platform containing the sequence coding for the human Serotonin 5-HT ₆ receptor was transcribed in CHO-K1 and 1321N1 cells. Genotype material from both cell backgrounds were screened by RT-PCR. Clonal cell lines were compared for receptor expression levels using a radioligand binding assay. The clone with the highest receptor expression level was selected. 1321N1-5-HT ₆ clones were compared for their response in a cAMP assay and the clone with the least response was selected for characterization in functional and radioligand binding assays.
DNA Sequence:	Identical to coding sequence of GenBank NM_000771.1 with the exception of a silent mutation in codon # 42 (GCC to GGC, both coding for an Alanine).
Corresponding Protein Sequence:	identical to GenBank NP_000862.1
Receptor expression level (B _{max}):	5-HT ₆ -C1 cells (1321N1): Estimated to be 7.2 pmol/mg protein; 5-HT ₆ -C3 cells (CHO-K1): Estimated to be 6.3 pmol/mg protein (both units) : 1321N1/CHO-K1
K _d for the above radioligand:	Clone C1: 0.37 nM / Clone C3: 0.55 nM
Shipping Conditions:	Shipped on dry ice. Please ensure dry ice is still present in the package upon receipt or contact customer support.
Storage Conditions:	Store in liquid nitrogen (vapor phase) immediately upon receipt.
PerkinElmer	

[pdf] Instructions Datasheet

PerkinElmer LAS human Serotonin 5-HT₆ Receptor Cell Line 22 feb 2022 — For clone C3 the Bmax and KD were measured using a radioligand binding assay A mycoplasma test according to manufacturer instructions Briefly 12 pagine es 316 c 2095508 resources perkinelmer corporate content tdlotsheet ||| TECHNICAL DATA SHEET ValiScreen GPCR Cell Line Caution: For Laboratory Use. A research product for ... mes GCA, both coding for an Alanine . Identical to GenBank NP_000862.1. Receptor expression level **BMAx** : 5-HT6-C1 cells 1321N1 : Estimated to be 2.2 pmol/mg protein; 5-HT6-C3 cells CHO-K1 : Estim... lang:en score:32 filesize: 483.62 K page_count: 12 document date: 2016-01-15




[pdf]

ELCODIS COM ELECTRONIC COMPONENTS DISTRIBUTOR BUY PARTS EQUIPMENT

ELECTRICAL ONLINE SUPPLIERS Provided By elcodis TechSpec BMAXSCAN BMAX MAX solidsignal Manuals |||

MOBILE ANTENNAS Molded Base Antennas **BMAX** Molded Base Antennas These antennas feature a rugged molded polymer base, plated spring-loaded contact pin and .100 diameter stainless steel whip for long-lasting, troublefree operation. Models are available with open or closed coil rod, and can be ordere...

lang:en score:32 filesize: 82.56 K page_count: 3 document date: 2019-01-15




[pdf] User Manual Datasheet

ams app note V1 7 1 Rudolf Pichler AS5510 Adapterboard Mouser ElectronicsS supply pin Page 5 AB Manual Revision 2 21 08 The minimum Bmax and maximum magnetic field values of the linear v1mouser datasheet 588 UG000221 00 1877349 srsltid AfmBOooTpwd

5ndJNxyK7qvMMobPkjb4KNWVOELB9SvephWWtH6zvaeL |||

User Manual AS5510 Adapterboard AS5510 10-bit Linear Incremental Position Sensor with Digital Angl ... field between North and South poles determines the maximum travel size of the magnet. The minimum -**Bmax** and maximum **Bmax** magnetic field values of the linear range must be lower or equal to one of...

lang:en score:31 filesize: 578.82 K page_count: 12 document date: 2013-10-25




[pdf] Confidentiality Request Letter

BreezeMAX TDD BST System Manual Alvarion Ltd User Technologies BMAX BA23 Base station 2300 LKT LKTBMAXBA23 bmax ba23

BreezeMAX™ TDD Modular Base Station System Manual SW Version 4.0 October 2006 P/N Rev.A Document ... on


Requirements..... 37 2.2.2 **BMAX**WMAX- BST-SH Chassis Slot Assignments 38 2.2.3 Powe...

lang:en score:31 filesize: 2.29 M page_count: 302 document date: 2006-10-08




[pdf] Confidentiality Request Letter

BreezeMAX TDD CPE Product Manual Alvarion Ltd User Technologies BMAX SU23 2300 Wireless Access Outdoor LKT LKTBMAXSU23 bmax su23
BreezeMAX™ CPEs PRO-S CPE and Si CPE Product Manual SW Version 4.0 October 2006 P/N Rev. A Docume ... ODU connects to the IDU and to the user s equipment through a 10/100BaseT Ethernet port. ODU Type **BMAX**-CPE-ODU-PRO-SA-x.x **BMAX**-CPE-ODU-PRO-SE-x.x **BMAX**-CPE-ODU-PRO-L-SA-x.x **BMAX**-CPE-ODU-PRO-L-SE-x.x ...
lang:en score:30 filesize: 1.39 M page_count: 154 document date: 2006-10-08




[pdf] Declaration of Conformity Test Report

Microsoft Word 719473 DOC Administrator Frequency Stabilities Alvarion Technologies Ltd BMAX BA23 Base station BreezeMAX 2300 LKT LKTBMAXBA23 bmax ba23
Title: BreezeMAX2300 Broadband Wireless Access System Model:**BMAX**-BST-AU-ODU-HP-2.3 FCC ID: LKT-**BMAX**-BA23 Alvarion Ltd 21A HaBarzel Street Tel Aviv 69710 ISRAEL Tel: 972-3-6456262 Fax: 972-3-6456290 www.alvarion.com Nominal voltage=115VAC Temperature -30C -20C -10C 0C 10C 20C 30C 40C 50C Freq...
lang:de score:30 filesize: 79.89 K page_count: 1 document date: 2006-10-25



[pdf]

Langbehn Michael 31 FY2024 Panasonic Partyspeaker BMAX 291KB Neue Party Lautsprecher SC BMAX10 und BMAX5 von I panasonic content dam corporate ch de about news articles fy2024 partyspeaker bmax resource |||
Party zum Mitnehmen: Die neuen Party-Lautsprecher SC-**BMAX10** und SC-**BMAX5** von Panasonic Mit kraftvollem Sound, integrierter Lichtshow und eingebautem Akku: Mit den **BMAX**-Lautsprechern kann die Party richtig losgehen Rotkreuz, 5. September 2024 Ultimativer Partyspa zum Mitnehmen 2 neue Modelle: **BMAX1**...
lang:de score:30 filesize: 290.99 K page_count: 4 document date: 2024-08-30



[\[pdf\]](#) Accessories

BMAX ECATech ecatech it 2023 08 |||


WATER HEATERS AND ACCESSORIES WATER HEATERS AND PUFFERS

6E8CA Technology SRL via dell Industria 51, 36040 Grisignano di Zocco VI Tel 0444

418388 eca ecatech.it www.ecatech.it WATER HEATERS AND ACCESSORIES

BMAX DHW water heater from heat pump from 200 to 500 L Single-coil carbon steel water...

lang:en **score:30** filesize: 282.19 K page_count: 3 document date: 2023-08-25



[\[pdf\]](#) Declaration of Conformity Test Report

Microsoft Word 06 29133 BM 2 3 High power corr doc u86421 Test Report Alvarion Technologies Ltd


BMAX BA23 Base station BreezeMAX 2300 LKT LKTBMAXBA23 bmax ba23

Test Report No. 8612329133 For ALVARION Ltd. Equipment Under Test: BreezeMAX

2300 Broadband Wireless 1487-01 Test report No: 8612329133 Title:

BreezeMAX2300 Broadband Wireless Access System Model: **BMAX**-BST-AU- ODU-HP-2.3 Page 2 of 75 Pages FCC ID: LKT-**BMAX**-BA23 Table of Contents 1 Applicant in...

lang:en **score:30** filesize: 854.12 K page_count: 75 document date: 2006-10-05



[\[pdf\]](#) Declaration of Conformity Test Report

Microsoft Word 06 37013 Alvarion Si CPE 2 3 corr doc u86421 Test Report Technologies Ltd BMAX SI23

BreezeMAX 2300 Wireless Access Indoor LKT LKTBMAXSI23 bmax si23


Test Report No. 8612337013 For ALVARION Ltd. Equipment Under Test: BreezeMAX

2300 Broadband Wireless ... No: 8612337013 Page 2 of 82 Pages Title: BreezeMax

2300 Broadband Wireless Access System Model: **BMAX**-CPE- Si- E- 2.3 FCC ID:

LKT-**BMAX**-SI23 Table of Contents 1 Applicant information.....

lang:en **score:30** filesize: 1000.1 K page_count: 82 document date: 2006-10-05




[pdf] Declaration of Conformity Test Report

Microsoft Word 06 37013 Alvarion Si CPE 2 3 corr1 doc u86421 Test Report Technologies Ltd BMAX SI23 BreezeMAX 2300 Wireless Access Indoor LKT LKTBMAXSI23 bmax si23

Test Report No. 8612337013 For ALVARION Ltd. Equipment Under Test: BreezeMAX 2300 Broadband Wireless ... No: 8612337013 Page 2 of 82 Pages Title: BreezeMax 2300 Broadband Wireless Access System Model: **BMAX**-CPE- Si- E- 2.3 FCC ID: LKT-**BMAX**-SI23 Table of Contents 1 Applicant information.....

lang:en score:30 filesize: 1000.06 K page_count: 82 document date: 2006-10-09




[pdf] Declaration of Conformity Test Report

Microsoft Word 06 37012 Alvarion BM 2 3 CPE Pro corr doc u86421 Test Report Technologies Ltd BMAX SU23 BreezeMAX 2300 Wireless Access Outdoor LKT LKTBMAXSU23 bmax su23

Test report No: 8612337012 Page 1 of 83 Pages Title: BreezeMax 2300 Broadband Wireless Access System Model: **BMAX**-CPE- ODU- PRO- SA- 2.3 FCC ID: LKT-**BMAX**- SU23 Test Report No. 8612337012 For ALVARION Ltd. Equipment Under Test: BreezeMAX 2300 Broadband Wireless Access System Outdoor Subscriber u...

lang:en score:30 filesize: 1008.35 K page_count: 83 document date: 2006-10-05




[pdf] Declaration of Conformity Test Report

Microsoft Word 719435 DOC Administrator Frequency stabilities Alvarion Technologies Ltd BMAX SI23 BreezeMAX 2300 Wireless Access Indoor CPE LKT LKTBMAXSI23 bmax si23

Title: BreezeMAX2300 Broadband Wireless Access System Model: **BMAX**-CPE-Si-E- 2.3 FCC ID: LKT-**BMAX**-SI23 Alvarion Ltd 21A HaBarzel Street Tel Aviv 69710 ISRAEL Tel: 972-3-6456262 Fax: 972-3-6456290 www.alvarion.com Nominal voltage=115VAC Temperature -30C -20C -10C 0C 10C 20C 30C 40C 50C


Frequency...

lang:de score:30 filesize: 79.08 K page_count: 1 document date: 2006-10-24




[\[pdf\]](#) Decleration of Conformity

Microsoft Word New Photos CPE Si 2 3 doc Thomas Cokenias Internal Alvarion Technologies Ltd BMAX SI23
SI23 BreezeMAX 2300 Wireless Access Indoor LKT LKTBMAXSI23 bmax si23
BreezeMAX 2300 CPE Si FCC ID: LKT-**BMAX**-SI23 BreezeMAX 2300 CPE Si with
RF covers on BreezeMAX 2300 CPE Si FCC ID: LKT-**BMAX**-SI23 BreezeMAX 2300
CPE Si FCC ID: LKT-**BMAX**-SI23 External flat panel antenna 11.5 dbi AN1366
BreezeMAX 2300 CPE Si FCC ID: LKT-**BMAX**-SI23 Back side board of integrat...
lang:en score:30 filesize: 392.89 K page_count: 5 document date: 2006-10-10



[\[pdf\]](#) Decleration of Conformity

Microsoft Word 719426 DOC Administrator Tune up procedure Alvarion Technologies Ltd BMAX SI23
BreezeMAX 2300 Wireless Access Indoor CPE LKT LKTBMAXSI23 bmax si23
5/10/06 BreezeMAX 2300 system FCC ID: LKT-**BMAX**-BA23 FCC ID: LKT-**BMAX**-
SU23 FCC ID: LKT-**BMAX**-SI23 Frequency and power determination before
shipment: Before product shipment from the factory, the units pass automatic
calibration sequence test where the unit is calibrated including power out and frequ...
lang:en score:30 filesize: 77.8 K page_count: 1 document date: 2006-10-24




[\[pdf\]](#) Decleration of Conformity

Microsoft Word 719457 DOC Administrator Tune up procedure Alvarion Technologies Ltd BMAX SU23
BreezeMAX 2300 Wireless Access Outdoor CPE LKT LKTBMAXSU23 bmax su23
5/10/06 BreezeMAX 2300 system FCC ID: LKT-**BMAX**-BA23 FCC ID: LKT-**BMAX**-
SU23 FCC ID: LKT-**BMAX**-SI23 Frequency and power determination before
shipment: Before product shipment from the factory, the units pass automatic
calibration sequence test where the unit is calibrated including power out and frequ...
lang:en score:30 filesize: 77.81 K page_count: 1 document date: 2006-10-25




[pdf] Label

Microsoft Word New Photos CPE Si 2 3 doc Thomas Cokenias External Alvarion Technologies Ltd BMAX SI23 BreezeMAX 2300 Wireless Access Indoor LKT LKTBMAXSI23 bmax si23
BreezeMAX 2300 CPE Si 28/9/06 BreezeMAX 2300 CPE Si FCC ID: LKT**BMAX**-SI23 Additional photos as asked in Tom's email sept 26 Comments 2,3,4 External view FCC ID: LKT-**BMAX**-SI23 Label location BreezeMAX 2300 CPE Si FCC ID: LKT-**BMAX**-SI23 BreezeMAX 2300 CPE Si Top view FCC ID: LKT-**BMAX**-SI23 ...
lang:en score:29 filesize: 141.13 K page_count: 3 document date: 2006-10-12



[pdf]

Uchwyt uniwersalny do drutu i bednarki z kolkiem rozporowym L 160 mm Bmax 30 Sklep internetowy stylem.pl uchwyt kolkiem l bmax 171865 upload files product |||
Uchwyt uniwersalny do drutu i bednarki z kolkiem rozporowym, L=160 mm, **Bmax=30** mm Indeks: 171865 Producent: Km Grom Kod producenta: KM60 Cena: 17.27 zł Opis Uchwyt uniwersalny do drutu i bednarki z kolkiem rozporowym, L=160 mm, **Bmax=30** mm Producent: Km Grom Uchwyt uniwersalny do prowadzenia drutu i ...
lang:en score:29 filesize: 23.97 K page_count: 1 document date: 2022-08-03



[pdf] Declaration of Conformity Product Photos

Microsoft Word 719469 DOC Administrator Test Setup Photos Alvarion Technologies Ltd BMAX BA23 Base station BreezeMAX 2300 LKT LKTBMAXBA23 bmax ba23
Aug6/06 BreezeMAX2300 Broadband Wireless Access System Model: **BMAX**-BST-AU-ODU-HP-2.3 FCC ID: LKT-**BMAX**-BA23 Test setup: AU ODU ...
lang:en score:29 filesize: 126.94 K page_count: 1 document date: 2006-10-25

Label location
BMAX-CPE-ODU-PRO-SA2.3
FCC ID: LKT-BMAX-SU23



Product label location

[\[pdf\]](#) Label

Microsoft Word 719445 DOC Administrator Label location Alvarion Technologies Ltd BMAX SU23

BreezeMAX 2300 Wireless Access Outdoor CPE LKT LKTBMAXSU23 bmax su23

Label location **BMAX**-CPE-ODU-PRO-SA2.3 FCC ID: LKT-**BMAX**-SU23 Product label location ...

lang:en **score:29** filesize: 75.45 K page_count: 1 document date: 2006-10-24

PHOTOS : BreezeMAX 2300 Subscriber unit Si, self install



Model: BMAX-CPE-SI-E-2.3
FCC ID: LKT-BMAX-SI23



Photo 1. CPE Si general view

[\[pdf\]](#) Installation Guide Declaration of Conformity

Microsoft Word Photos BMAX Si doc Alvarion External Technologies Ltd SI23 BreezeMAX 2300 Wireless Access Indoor CPE LKT LKTBMAXSI23 bmax si23

PHOTOS : BreezeMAX 2300 Subscriber unit Si. self install Model: **BMAX**-CPE-SI-E-2.3 FCC ID: LKT-**BMAX**-SI23 Photo 1. CPE Si general view Alvarion Ltd. BreezeCOM and Floware unite 21a HaBarzel St. Tel Aviv, 69710 Israel Main Line / Fax: 972 3 645 6262 / 6222 www.alvarion.com ...

lang:en **score:29** filesize: 55.44 K page_count: 1 document date: 2006-09-14

Date
04/10/06

BreezeMAX2300 Broadband Wireless Access System
Model: BMAX-CPE-ODU-PRO-SA-2.3
FCC ID: LKT-BMAX-SU23



Test setup : CPE ODU radiated

[\[pdf\]](#) Declaration of Conformity Product Photos

Microsoft Word 719453 DOC Administrator Test Setup Photo Alvarion Technologies Ltd BMAX SU23

BreezeMAX 2300 Wireless Access Outdoor CPE LKT LKTBMAXSU23 bmax su23

Date Oct/3/06 BreezeMAX2300 Broadband Wireless Access System Model:**BMAX**-CPE-ODU-PRO-SA-2.3 FCC ID: LKT-**BMAX**-SU23 Test setup : CPE ODU radio test Test setup : CPE ODU Radiated emission ...

lang:en **score:29** filesize: 219.76 K page_count: 2 document date: 2006-10-25




[pdf] Installation Guide Declaration of Conformity

Microsoft Word Photos BMAX Si doc Alvarion Internal Technologies Ltd SI23 BreezeMAX 2300 Wireless Access Indoor CPE LKT LKTBMAXSI23 bmax si23

PHOTOS : BreezeMAX 2300 Subscriber unit Si. self install Model: **BMAX-CPE-Si-E-2.3** FCC ID: LKT-**BMAX**-Si23 Photo 1. CPE Si general view Alvarion Ltd. BreezeCOM and Floware unite 21a HaBarzel St. Tel Aviv, 69710 Israel Main Line / Fax: 972 3 645 6262 / 6222 www.alvarion.com Photo2 . CPE Si internal ...

lang:it score:29 filesize: 528.28 K page_count: 5 document date: 2006-09-14



[pdf]

BMAX Stockage deau chaude sanitaire DT ecatech it 2023 08 |||

BALLONS ET VOLANTS STOCKAGES ET VOLANTS 6E8CA Technology Srl via dell'Industria 51, 36040 Grisignano di Zocco VI Tel 0444 418388 eca ecatech.it www.ecatech.it BALLONS ET VOLANTS **BMAX** Stockage d eau chaude sanitaire de pompe chaleur de 200 500 L Stockage 1 serpentin en acier au carbone ...

lang:fr score:29 filesize: 259.74 K page_count: 3 document date: 2023-06-13



[pdf] Declaration of Conformity

Microsoft Word Photos CPE BMAX2 3 doc Alvarion External Technologies Ltd BMAX SU23 BreezeMAX 2300 Wireless Access Outdoor LKT LKTBMAXSU23 bmax su23

PHOTOS : BreezeMAX 2300 Subscriber unit Model: **BMAX-CPE-ODU-PRO-SA-2.3** FCC ID: LKT-**BMAX**-SU23 Photo1. CPE external view Alvarion Ltd. BreezeCOM and Floware unite 1 of 5 21a HaBarzel St. Tel Aviv, 69710 Israel Main Line / Fax: 972 3 645 6262 / 6222 www.alvarion.com Photo2. CPE rear view Photo3...

lang:en score:29 filesize: 596.61 K page_count: 5 document date: 2006-07-27



[pdf] Declaration of Conformity Product Photos Teardown

Microsoft Word Pict BMAX AU2 3 doc Alvarion Internal Photos Technologies Ltd BA23 Base station

BreezeMAX 2300 LKT LKTBMAXBA23 bmax ba23

PHOTOS : BreezeMAX 2300 system Base station ODU Model: **BMAX-BST-AU-ODU-HP-2.3** FCC ID: LKT-**BMAX**-BA23 Photo1. Basic unit PCB open cover CS Alvarion Ltd. BreezeCOM and Floware unite 21a HaBarzel St. Tel Aviv, 69710 Israel Main Line / Fax: 972 3 645 6262 / 6222 www.alvarion.com Photo2. Basic unit PCB ...

lang:en score:29 filesize: 1.12 M page_count: 11 document date: 2006-08-07




[pdf] Declaration of Conformity Product Photos

Microsoft Word Pict BMAX AU2 3 doc Alvarion External Photos Technologies Ltd BA23 Base station

BreezeMAX 2300 LKT LKTBMAXBA23 bmax ba23

PHOTOS : BreezeMAX 2300 system Base station ODU Model: **BMAX-BST-AU-ODU-HP-2.3** FCC ID: LKT-**BMAX**-BA23 Photo1. Basic unit PCB open cover CS Alvarion Ltd. BreezeCOM and Floware unite 21a HaBarzel St. Tel Aviv, 69710 Israel Main Line / Fax: 972 3 645 6262 / 6222 www.alvarion.com Photo2. Basic unit PCB ...

lang:en score:29 filesize: 1.12 M page_count: 11 document date: 2006-08-07



Microsoft Office Outlook Memo Style Chris Harvey TCB Q and A Alvarion Technologies Ltd BMAX BA23

Base station BreezeMAX 2300 LKT LKTBMAXBA23 bmax ba23

Chris Harvey From: Sent: To: Subject: Attachments: Thomas Cokenias tom tncokenias.org Friday, Oct ... ddressed before the review can be continued. 1. The FCC ID Label exhibit uses the FCC ID: LKT-**BMAX**-BA23 where the test report and form 731 indicates FCC ID: LKT-BMA-BA23. Please clarify which...

lang:en score:28 filesize: 15.91 K page_count: 2 document date: 2006-10-17

Sheet1

FCC ID: LKT-BMAX-BA23 FCC Title: Base Station RF Hazard Distance Calculation Calculated for Table 1: 1.00 Max RF Power TX Antenna MPE distance S, mW/cm Comment P, dBm G, dBi cm at 20 cm 36.10 16.50 120.3 36.20 Outdoor mount Calculate mW/cm2 here. Enter frequency in MHz: Ca...									
Frequency (MHz)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Power (dBm)	36.10	16.50	120.3	36.20	36.10	16.50	120.3	36.20	36.10
Gain (dBi)	16.50	120.3	36.20	36.10	16.50	120.3	36.20	36.10	16.50
Distance (cm)	36.10	16.50	120.3	36.20	36.10	16.50	120.3	36.20	36.10
Power (mW/cm2)	36.10	16.50	120.3	36.20	36.10	16.50	120.3	36.20	36.10

Page 1

[pdf]

719466 XLS Administrator MPE Alvarion Technologies Ltd BMAX BA23 Base station BreezeMAX 2300

LKT LKTBMAXBA23 bmax ba23

Sheet1 Alvarion Ltd. FCC ID: LKT-**BMAX**-BA23 2.3 GHz Base Station RF Hazard Distance Calculation mW/cm2 from Table1: 1.00 Max RF PoweTX Antenna MPE distance S, mW/cm Comment P, dBm G, dBi cm at 20 cm 36.10 16.50 120.3 36.20 Outdoor mount Calculate mW/cm2 here. Enter frequency in MHz: Ca...

lang:it score:28 filesize: 64.47 K page_count: 1 document date: 2006-10-25

Sheet1

FCC ID: LKT-BMAX-SU23 FCC Title: Base Station RF Hazard Distance Calculation Calculated for Table 1: 1.00 Max RF Power TX Antenna MPE distance S, mW/cm Comment P, dBm G, dBi cm at 20 cm 19.50 14.50 14.1 0.50 Sheet1 Calculate mW/cm2 here. Enter frequency in MHz: Calculation of Limits fro...									
Frequency (MHz)	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Power (dBm)	19.50	14.50	14.1	0.50	19.50	14.50	14.1	0.50	19.50
Gain (dBi)	14.50	14.1	0.50	19.50	14.50	14.1	0.50	19.50	14.50
Distance (cm)	19.50	14.50	14.1	0.50	19.50	14.50	14.1	0.50	19.50
Power (mW/cm2)	19.50	14.50	14.1	0.50	19.50	14.50	14.1	0.50	19.50

Page 1

[pdf]

719450 XLS Administrator MPE Alvarion Technologies Ltd BMAX SU23 BreezeMAX 2300 Wireless

Access Outdoor CPE LKT LKTBMAXSU23 bmax su23

Alvarion Ltd. FCC ID: LKT-**BMAX**-SU23 2.3 GHz SiCPE RF Hazard Distance Calculation mW/cm2 from Table1: 1.00 Max RF PoweTX Antenna MPE distance S, mW/cm Comment P, dBm G, dBi cm at 20 cm 19.50 14.50 14.1 0.50 Sheet1 Calculate mW/cm2 here. Enter frequency in MHz: Calculation of Limits fro...

lang:it score:28 filesize: 64.62 K page_count: 1 document date: 2006-10-24



Box PC VersaView 6300B con montaggio a libro e box thin client VersaView 6300T con montaggio a libro

Numeri di serie 6300B-BMAx, 6300B-BMBx e 6300T-BAx1

Allen-Bradley
ROCKWELL AUTOMATION

Manuale dell'utente Traduzione delle istruzioni originali

[pdf] User Manual

Box PC VersaView 6300B con montaggio a libro e box thin client 6300T Manuale dell'utente Thin Client BMAx BMBx and BAx1 Rockwell Automation Prima di installare configurare utilizzare o effettuare la manutenzione questo prodotto leggere il presente documento i 6300b um001 it p literature rockwellautomation idc groups documents um |||

Box PC VersaView 6300B con montaggio a libro e box thin client VersaView 6300T con montaggio a libro Numeri di serie 6300B-BMAx, 6300B-BMBx e 6300T-BAx1 Manuale dell'utente Traduzione delle istruzioni originali Box PC VersaView 6300B con montaggio a libro e box thin client VersaView 6300T con mo...

lang:it score:27 filesize: 6.77 M page_count: 54 document date: 2021-05-17

Thomas N. Cokenias EMC Radio Approvals Test Consulting Services for Commercial, Military, International Governmental Use

13 October 2004

Compliance Certification Services
1211 Mission Road
Sunnyvale, CA 94089

Alvarion Applications/Reviewer
Requesting Signature:

Request for confidentiality per FCC Rule Sections 0.417 and 0.419

Approved: Alvarion Ltd.
CCS Assessment No.: AN06T6135
FCC ID: LKT-BMAX-BA23

To whom it may concern,

Request is hereby submitted, on behalf of my client Alvarion Ltd. to withhold this public review information from public access for the application for equipment certification for the FCC ID: LKT-BMAX-BA23. In particular, the following sections of the application and request are requested to be kept confidential:

Operations Description
Comments
Sensitivity Report
Sensitivity Test List

Reasons for request for confidentiality:

Alvarion has provided a confidential review of this equipment and does not want to provide the review of this equipment to the public. Disclosure of the confidential portions of this application to the public would give Alvarion information regarding its design and development.

If you have questions or need further information, please contact the undersigned.

Sincerely,



THOMAS N. COKENIAS
EMC Compliance Agent for Alvarion Ltd.

Alt: 650-738-1363 Fax: 650-738-1362 Email: thomas@tcsc.com

[pdf] Confidentiality Request Letter

Microsoft Word 719460 DOC Administrator Request for confidentiality Alvarion Technologies Ltd BMAX BA23 Base station BreezeMAX 2300 LKT LKTBMAXBA23 bmax ba23

Thomas N. Cokenias EMC Radio Approvals Test Consulting Services for Commercial, Military, Interna ... C Rule Sections 0.457 and 0.459 Applicant: Alvarion Ltd. CCS Assessment No.: AN06T6135 FCC ID: LKT-**BMAX**-BA23 To whom it may concern, Request is hereby submitted, on behalf of my client Alvarion Ltd...

lang:en score:27 filesize: 83.33 K page_count: 1 document date: 2006-10-25

[illegible]

[\[pdf\]](#) Datasheet

[\[pdf\]](#) Accessories