

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [VEVOR](#) /

› [VEVOR 600lbs Poly Garden Dump Cart Instruction Manual - Model 600lbs Poly Dump Cart](#)

VEVOR 600lbs Poly Dump Cart

VEVOR 600lbs Poly Garden Dump Cart Instruction Manual

Model: 600lbs Poly Dump Cart

Brand: VEVOR

1. IMPORTANT SAFETY INSTRUCTIONS

Read and understand all instructions before assembling and operating this product. Failure to follow all instructions may result in serious injury or property damage.

- **Do not exceed the maximum load capacity of 600 lbs (4 cu.ft).**Overloading can cause damage to the cart and lead to injury.
- Always distribute the load evenly in the cart to maintain stability.
- Keep hands and feet clear of moving parts, especially during dumping operations.
- Ensure all bolts and nuts are securely tightened before each use. Regularly check for loose fasteners.
- Do not allow children to play with or ride in the cart. This product is not a toy.
- Use caution when operating on uneven or sloped terrain to prevent tipping.
- Wear appropriate safety footwear when handling heavy loads.
- Store the cart in a dry, protected area when not in use to prevent corrosion and damage.

2. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning assembly. If any parts are missing or damaged, contact VEVOR customer service.

- Polyethylene (PP) Dump Bed
- Steel Frame Components
- 10-inch Pneumatic All-Terrain Wheels (4)
- Adjustable Handle with Cushioned Grip

- Hardware Kit (bolts, nuts, washers, cotter pins)
- Installation Wrench
- Mesh Cover and Cushion (for safe transport)

3. ASSEMBLY INSTRUCTIONS

Follow these steps carefully to assemble your VEVOR Poly Garden Dump Cart. An installation wrench is included for your convenience.



Image: Quick and Easy Assembly Steps

This image illustrates the four main steps for assembling the VEVOR garden dump cart, including attaching the handle to the bottom frame, installing the metal bracket, mounting the wheels, and attaching the main handle.

Your browser does not support the video tag.

Video: Unboxing and Assembly of Dump Cart

This video provides a visual guide to unboxing and assembling the VEVOR garden dump cart, demonstrating each step for clear understanding.

1. **Attach the Handle to the Bottom Frame:** Secure the handle attachment points to the main frame using the provided hardware.
2. **Install the Metal Bracket:** Position and fasten the metal support brackets to the underside of the poly dump bed and the main frame.
3. **Mount the Wheels:** Attach the four 10-inch pneumatic wheels to the axle assemblies, ensuring all washers and cotter pins are correctly installed.
4. **Attach the Main Handle:** Connect the adjustable pull handle to the front of the cart frame.

4. OPERATING INSTRUCTIONS

This section details how to effectively use your VEVOR Poly Garden Dump Cart for various tasks.

4.1 Loading the Cart

- Ensure the cart is on a stable, level surface before loading.
- Load materials evenly to prevent imbalance and tipping.
- Do not exceed the maximum capacity of 600 lbs or 4 cubic feet.
- For loose materials, consider using the included mesh cover to prevent spillage during transport.

4.2 Maneuvering and Transport

10 INCH PNEUMATIC TIRE

Effortlessly maneuver with full load on various terrains



Image: 10-inch All-Terrain Wheels

The large 10-inch pneumatic wheels are designed for excellent shock absorption and easy navigation across various terrains, including rock, grass, snow, and mud.




Image: 180° Adjustable Handle

This image demonstrates the 180-degree adjustable handle, which allows for flexible directional control and easier handling of the cart, featuring a soft rubber grip for comfort.

- The 10-inch pneumatic all-terrain wheels provide smooth movement over various surfaces.
- The 180° adjustable handle allows for comfortable pulling and steering.
- Always pull the cart, do not push, especially with heavy loads, to maintain control.

4.3 Quick Release Dumping System

Your browser does not support the video tag.

Video: VEVOR Poly Garden Dump Cart Heavy-duty Features

This video showcases the heavy-duty features of the VEVOR poly garden dump cart, including its quick-release dumping mechanism and robust construction.

- To dump the contents, locate the quick-release lever near the front of the cart.
- Push the lever to disengage the locking mechanism.
- Lift the front of the poly bed to tilt and unload the materials.
- Once unloaded, lower the bed back into place until the quick-release mechanism locks securely.

5. MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your dump cart.

- **Cleaning:** After each use, especially when transporting dirt or wet materials, clean the poly bed with water and mild soap. Rinse thoroughly and allow to dry to prevent material buildup and odors.
- **Tire Pressure:** Periodically check the air pressure in the pneumatic tires. Maintain the recommended PSI (usually indicated on the tire sidewall) for optimal performance and load bearing.
- **Hardware Inspection:** Regularly inspect all bolts, nuts, and pins for tightness. Tighten any loose fasteners to prevent parts from detaching during use.
- **Frame Inspection:** Check the steel frame for any signs of damage, bending, or corrosion. The scratch-resistant painted coating helps protect against rust, but touch-ups may be needed over time.
- **Storage:** Store the cart in a dry, covered area to protect it from extreme weather conditions, which can degrade materials and components.

6. TROUBLESHOOTING

If you encounter issues with your VEVOR Poly Garden Dump Cart, refer to the following common problems and solutions:

- **Difficulty Pulling/Maneuvering:**
 - Check tire pressure; under-inflated tires can increase resistance.
 - Ensure the load is not exceeding the 600 lbs capacity.
 - Verify that the wheels are free of debris and rotate smoothly.
- **Cart Tipping:**
 - Ensure the load is evenly distributed within the poly bed.
 - Avoid sharp turns or sudden movements, especially on uneven terrain.
 - Do not overload the cart.
- **Dumping Mechanism Not Engaging/Disengaging:**
 - Inspect the quick-release lever and its connecting rods for any obstructions or damage.
 - Ensure the poly bed is properly seated on the frame before attempting to lock or unlock.
- **Loose Parts/Wobbling:**

- Check all bolts, nuts, and pins throughout the frame and wheel assemblies. Tighten any loose fasteners.
- Ensure wheels are securely mounted and cotter pins are in place.

7. SPECIFICATIONS

Feature	Specification
Model Number	600lbs Poly Dump Cart
Load Capacity	600 Pounds
Capacity Volume	4 Cubic Feet
Product Dimensions (L x W x H)	74.8"D x 25"W x 21"H
Item Weight	31.3 Pounds
Material	Metal (Frame), Polypropylene (PP) (Bed), Rubber (Wheels)
Wheel Size	10 inches
Tire Type	Pneumatic (Tubeless)
Number of Wheels	4
Handle Type	Adjustable, Cushioned Grip
Special Features	Adjustable Handle, Durable, Heavy Duty, Quick Release System

8. WARRANTY AND SUPPORT

VEVOR products are designed for durability and performance. For warranty information, technical support, or assistance with your product, please refer to the official VEVOR website or contact their customer service directly. Keep your purchase receipt for warranty claims.
