HOSTACK B0DJY84KBS

HOSTACK 47.2" Buffet Cabinet with Storage Instruction Manual

Model: B0DJY84KBS

1. Introduction

This manual provides detailed instructions for the assembly, operation, and maintenance of your HOSTACK 47.2" Buffet Cabinet with Storage. Please read this manual thoroughly before beginning assembly or use to ensure proper installation and safe operation. Keep this manual for future reference. The HOSTACK Buffet Cabinet is a versatile furniture piece designed to enhance storage and organization in various rooms such as the kitchen, dining room, living room, or entryway. It features two drawers, two side cupboards with shelves, and a spacious open area.

2. Safety Information

WARNING: Failure to follow these safety instructions could result in injury or damage to the product.

- Always ensure to use proper lifting techniques when handling components to avoid injury.
- Do not exceed the maximum weight capacity for the counter space (300 lbs), shelves (44 lbs), or drawers (22 lbs) to prevent structural damage or collapse.
- Assemble the unit on a soft, clean surface to prevent scratches.
- Keep all small parts and packaging materials away from children and pets to prevent choking hazards.
- Periodically check all connections and fasteners to ensure they remain tight and secure.
- Do not stand or climb on the cabinet.
- If wall anchoring hardware is provided, it is highly recommended to secure the cabinet to a wall to prevent tipping, especially in households with children.

3. Package Contents

Before assembly, verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Top Panel (1)
- Side Panels (2)
- Bottom Panel (1)
- Back Panels (2-3, quantity may vary)
- Drawer Components (2 sets)
- Door Panels (4)
- Adjustable Shelves (3)
- Hardware Pack (screws, dowels, cam locks, hinges, drawer slides, handles, etc.)
- Instruction Manual (this document)

Note: Specific part labels (e.g., A, B, C) will be detailed in the assembly diagrams provided separately with your product.

4. Setup and Assembly

Assembly is required for this product. It is recommended that two people assemble the cabinet. Please follow the step-by-step instructions and diagrams included in your product packaging. A general overview of the assembly process is provided below:

1. **Unpack and Identify Parts:** Lay out all components on a clean, soft surface. Compare each part to the parts list in your separate assembly guide.
2. **Assemble the Base:** Attach the side panels to the bottom panel using the provided hardware.
3. **Install Internal Supports and Shelves:** Secure any fixed internal panels and install shelf supports.
4. **Assemble Drawers:** Follow the specific instructions for assembling the two drawers, including attaching drawer slides.
5. **Attach Back Panels:** Secure the back panels to the main frame.
6. **Attach Top Panel:** Fasten the top panel to the assembled frame.
7. **Install Doors:** Attach hinges to the door panels and then to the cabinet frame. Adjust hinges as needed for proper door alignment.
8. **Install Handles:** Attach handles to the drawers and doors.
9. **Final Checks:** Ensure all screws are tightened and the cabinet is stable. If applicable, install anti-tip hardware.

Tools required (not included): Phillips head screwdriver, hammer.



Image: The HOSTACK Buffet Cabinet with Storage, showcasing its use as a coffee bar station in a kitchen setting. This image illustrates the assembled product in a typical environment.




Image: A diagram illustrating the dimensions of the buffet cabinet (47.2" W x 15.7" D x 31.9" H) and the maximum weight capacities for the counter space (300 lbs), shelves (44 lbs), and drawers (22 lbs).

5. Operating Instructions

The HOSTACK Buffet Cabinet is designed for versatile storage and display. Here's how to utilize its features:

- **Drawers:** The two top drawers are ideal for storing smaller items such as cutlery, napkins, or small kitchen gadgets. Pull the handles gently to open and push to close.
- **Side Cupboards with Barn Doors:** The two side cupboards, each with barn-style doors, provide enclosed storage. Open the doors by pulling the handles. The interior shelves can be adjusted to accommodate items of various heights.
- **Open Storage Area:** The central open area is suitable for larger appliances like coffee makers, toasters, or decorative items.
- **Countertop:** The spacious top surface can be used as a coffee bar station, a display area for decor, or additional workspace. Ensure not to exceed the maximum weight capacity of 300 lbs.



Image: A close-up view of an open drawer, demonstrating its capacity to store various kitchen items like plates and bowls.



Image: The two side cupboards with their barn doors open, revealing adjustable shelves filled with various kitchen supplies and dishes, highlighting the storage versatility.

6. Maintenance and Care

To ensure the longevity and appearance of your HOSTACK Buffet Cabinet, follow these care guidelines:

- **Cleaning:** Wipe surfaces with a soft, damp cloth. Avoid harsh chemicals, abrasive cleaners, or polishes that may damage the finish.
- **Spills:** Immediately wipe up any spills to prevent staining or water damage to the engineered wood.
- **Heat and Moisture:** Avoid placing hot items directly on the surface. Use coasters or protective pads. Keep the cabinet away from excessive moisture or direct sunlight to prevent warping or fading.
- **Hardware:** Periodically check all screws and fasteners and tighten them if necessary to maintain stability.
- **Moving:** When moving the cabinet, lift it rather than dragging it to prevent damage to the legs and structure.

7. Troubleshooting

If you encounter any issues with your buffet cabinet, refer to the following common solutions:

- **Cabinet is Wobbly:**
  - Ensure all screws and fasteners are securely tightened.
  - Verify that the cabinet is placed on a level surface. Use shims if necessary.
- **Drawers do not slide smoothly:**
  - Check that the drawer slides are correctly installed and aligned.
  - Ensure no obstructions are in the drawer tracks.
- **Doors are misaligned or do not close properly:**
  - Adjust the hinges. Most hinges allow for minor adjustments to align doors horizontally, vertically, and in depth. Refer to the hinge manufacturer's instructions if specific adjustments are needed.
  - Ensure the cabinet frame is square and level.
- **Missing or Damaged Parts:**
  - Do not attempt to force assembly with incorrect or damaged parts. Contact HOSTACK customer support for replacements.

8. Specifications

Brand	HOSTACK
Model	B0DJY84KBS
Color	Black/Rustic Brown
Product Dimensions (D x W x H)	15.7" x 47.2" x 31.9"
Material	Engineered Wood
Weight Capacity (Counter Space)	300 lbs
Weight Capacity (Shelf)	44 lbs
Weight Capacity (Drawer)	22 lbs
Number of Shelves	3
Assembly Required	Yes
Mounting Type	Freestanding

9. Warranty and Support

HOSTACK stands behind the quality of its products. For any questions regarding assembly, missing parts, or product defects, please contact HOSTACK customer support directly. Refer to your purchase documentation or the seller's contact information for details on how to reach support.
Please retain your proof of purchase for any warranty claims.
For further assistance, you may visit the HOSTACK Store on Amazon.

© 2025 HOSTACK. All rights reserved.