Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

GRANDJOY 10GJ-59

GRANDJOY Shower Faucet Set (Model 10GJ-59) User Manual

10" & 6" Dual Rainfall Shower Heads System with Slide Bar & Handheld Sprayer, Brushed Nickel

Introduction

Thank you for choosing the GRANDJOY Shower Faucet Set. This manual provides essential information for the safe installation, operation, and maintenance of your new shower system. Please read these instructions thoroughly before installation and keep them for future reference.

Important Safety Information

Always follow basic safety precautions when installing or using this product to reduce the risk of injury or property damage.

- Ensure all water supply lines are turned off before beginning installation.
- Consult a qualified plumber if you are unsure about any installation steps.
- Do not overtighten connections, as this may cause damage.
- Verify local plumbing codes and regulations before installation.
- The system is equipped with an anti-scald thermostatic valve. Do not tamper with this safety feature.

Package Contents

Verify that all components are present before installation. If any parts are missing or damaged, contact GRANDJOY customer support.



Image: All components of the GRANDJOY Shower Faucet Set, including the 10" rainfall shower head, 6" rainfall shower head, handheld sprayer, valve and trim, and slide bar.

- 10" Rainfall Shower Head
- 6" Rainfall Shower Head
- Hand Shower Head
- Valve & Trim
- Slide Bar
- Mounting Hardware
- Installation Instructions

Setup and Installation

This section outlines the general steps for installing your GRANDJOY Shower Faucet Set. For detailed diagrams and specific instructions, please refer to the included installation guide.

1. **Prepare the Installation Area:** Turn off the main water supply. Clear the work area and ensure you have all necessary tools.
2. **Install the Valve Body:** Mount the thermostatic valve body within the wall according to the rough-in dimensions provided in the separate installation guide. Ensure the valve is level and securely fastened. The valve features universal 1/2" NPT tapered threads for compatibility.
3. **Connect Water Lines:** Connect the hot and cold water supply lines to the appropriate inlets on the valve body. Ensure all connections are watertight.
4. **Install Shower Heads and Handheld Sprayer:**
    - Attach the 10" rainfall shower head arm to the wall outlet and then secure the shower head.
    - Attach the 6" rainfall shower head arm to its designated wall outlet and secure the shower head.
    - Install the slide bar for the handheld sprayer.
    - Connect the handheld sprayer hose to the wall elbow and the handheld sprayer.
5. **Install Trim Plate and Handles:** Once the valve body and plumbing are secure, install the decorative trim plate and handles onto the valve.
6. **Test for Leaks:** Slowly turn on the main water supply and check all connections for leaks.



Image: Internal view of the brass pressure balance valve, highlighting standard 1/2" NPT connections and anti-scald technology for consistent water temperature and prevention of water hammer.

Operating Instructions

Your GRANDJOY Shower Faucet Set offers a versatile showering experience with multiple functions.

Temperature Control

The thermostatic valve ensures a consistent water temperature, preventing sudden changes. Use the temperature handle to adjust the water warmth to your preference. The anti-scald feature is designed to maintain a safe temperature, even with fluctuations in water pressure.

Function Selection

This system features three distinct showering functions: the 10" rainfall shower head, the 6" rainfall shower head, and the handheld sprayer. **Please note: Only one function can be used at a time.**



Image: Visual representation of the three available shower functions: the large 10-inch rainfall shower, the smaller 6-inch rainfall

shower, and the versatile handheld sprayer.

- **10" Rainfall Shower Head:** Provides a wide, immersive rainfall experience. The head features a 360° swivel and 15° tilt for optimal positioning.



Image: A person enjoying the wide coverage and natural rain sensation from the 10-inch rainfall shower head, demonstrating its adjustable angle.

- **6" Rainfall Shower Head:** Offers a more focused rainfall spray.



Image: A man showering under the 6-inch rainfall shower head, illustrating its use for a daily refreshing experience.

- **Handheld Sprayer:** Ideal for targeted rinsing, cleaning, or bathing pets. The stainless steel hose extends up to 60 inches for enhanced versatility.



Image: The handheld sprayer in use, demonstrating its flexibility and extended 60-inch stainless steel hose for tasks like pet washing.

To switch between functions, rotate the diverter knob on the trim plate to select your desired shower outlet.

Maintenance and Care

Proper care will ensure the longevity and performance of your GRANDJOY Shower Faucet Set.

- **Cleaning:** Clean the brushed nickel finish with a soft, damp cloth. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.

- **Mineral Deposits:** For shower heads, gently rub the rubber nozzles to dislodge any mineral deposits. For stubborn buildup, a solution of white vinegar and water can be used, applied with a soft cloth. Rinse thoroughly after cleaning.
- **Regular Inspection:** Periodically check all connections for any signs of leaks or wear.

Troubleshooting

If you encounter issues with your shower system, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Low Water Pressure	Partially closed shut-off valves. Clogged shower head nozzles. Debris in the valve.	Ensure all shut-off valves are fully open. Clean shower head nozzles by rubbing them or soaking in vinegar solution. Consult a plumber to inspect the valve for debris.
Inconsistent Water Temperature	Thermostatic valve calibration issue. Insufficient hot water supply.	Refer to the valve's specific calibration instructions (usually in the separate installation guide). Check your water heater settings.
Leaks from Connections	Loose connections. Damaged O-rings or seals.	Turn off water supply and gently tighten connections. Inspect and replace any damaged O-rings or seals.
Water Hammer Noise	Air in pipes. High water pressure.	Flush the system to remove air. Consider installing a water pressure regulator if pressure is consistently too high.

If the problem persists, please contact GRANDJOY customer support for assistance.

Specifications

Feature	Detail
Brand	GRANDJOY
Model Number	10GJ-59
Color	Brushed Nickel
Material	Brass, Stainless Steel
Finish Type	Brushed

Feature	Detail
Number of Handles	2
Mounting Type	Wall Mount
Included Components	10" Rainfall Shower Head, 6" Rainfall Shower Head, Hand Shower head, Valve & Trim, Slide Bar
Flow Rate	2.5 GPM (9.46 L/min)
Product Dimensions	21 x 19 x 8 inches
Item Weight	14 Pounds
UPC	810142554381

Warranty Information

GRANDJOY offers a Lifetime Limited Warranty on this product. We warrant our products to be free from defects in manufacturing, materials, and workmanship within the warranty period. This warranty is valid from the date of purchase to the original purchaser (consumer) only.
The warranty does not cover damage that occurs from inappropriate use, improper installation, or normal wear and tear. Please retain your proof of purchase for warranty claims.

Customer Support

For technical assistance, missing parts, or warranty inquiries, please contact GRANDJOY customer support. Refer to the contact information provided with your product packaging or visit the official GRANDJOY website.
Website: Visit the GRANDJOY Store on Amazon

© 2024 GRANDJOY. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DK6M4XYN

More documents and user manuals: **https://manuals.plus/**