

[manuals.plus](#) /

› [Electactic](#) /

› [Electactic 0.6 Cu.ft 24-Can Beverage Refrigerator Cooler Instruction Manual](#)

Electactic JC-18UEL-F

Electactic 0.6 Cu.ft 24-Can Beverage Refrigerator Cooler Instruction Manual

Model: JC-18UEL-F

1. SAFETY INSTRUCTIONS

Please read all safety instructions carefully before operating the appliance to prevent injury or damage.

- **Proper Placement:** Ensure the refrigerator is placed on a firm, level surface away from direct sunlight, heat sources, and moisture. Allow adequate ventilation space around the unit.
- **Power Supply:** Connect the appliance to a grounded electrical outlet with the correct voltage (115 Volts). Do not use extension cords or ungrounded adapters.
- **Ventilation:** Do not block any ventilation openings on the appliance. Maintain at least 4 inches of space around the back and sides for proper air circulation.
- **Cleaning:** Unplug the appliance before cleaning. Use a soft cloth and mild detergent. Avoid abrasive cleaners or sharp objects.
- **Children:** This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- **Flammable Materials:** Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- **Disposal:** Dispose of the appliance according to local regulations for flammable refrigerants and insulation gas.

2. PRODUCT OVERVIEW

The Electactic 0.6 Cu.ft Beverage Refrigerator Cooler is designed for efficient and quiet cooling of your favorite drinks. Its compact size makes it suitable for various spaces, while the adjustable temperature control ensures optimal chilling.

Key Features

- **Compact Design:** 0.6 Cu.ft capacity, ideal for small spaces like home offices, dorms, or

entertainment areas.

- **Adjustable Digital Temperature Control:** Easily set temperatures between 40°F and 61°F to suit different beverages.
- **High-Performance Compressor:** Provides consistent and even cooling with low noise operation ($\leq 38\text{dB}$).
- **Versatile Storage:** Accommodates up to 24 standard cans, with an adjustable shelf for flexible organization.
- **LED Interior Lighting:** Soft blue LED light illuminates the interior, enhancing visibility and aesthetics.
- **Reversible Glass Door:** The door hinge can be reversed to open from either the left or right side, adapting to your space.

Product Components



Figure 2.1: Electactic 0.6 Cu.ft Beverage Refrigerator

The refrigerator features a sleek black exterior with a glass door, a digital control panel at the top, and an adjustable wire shelf inside. The interior is illuminated by a blue LED light.

Fresh Cool Beverage Anytime!

Temperature Range:(40°F-61°F)



40°F-46°F
Pure milk



47°F-53°F
Iced cola



54°F-56°F
Champagne



57°F-61°F
Red wine

Figure 2.2: Mini Beverage Refrigerator Capacity (18L)

This image illustrates the internal capacity, showing how 6 cans (355ml) and 4 bottles (750ml) can be stored, or up to 24 cans (355ml) by adjusting the shelf configuration.

Mini Beverage Refrigerator



Figure 2.3: Smart Touch Control Panel

The control panel includes buttons to increase or decrease temperature, a digital temperature display, and a button to turn the LED light on/off (long press for 3 seconds).

Smart Touch Control



Figure 2.4: Active Cooling Technology

The refrigerator utilizes R600a refrigerant and an upgraded quiet compressor for fast cooling and efficient air circulation, ensuring stable temperatures.

3. SETUP

3.1 Unpacking

1. Carefully remove the appliance from its packaging.
2. Remove all packing materials, including foam, tape, and any protective film.
3. Inspect the refrigerator for any shipping damage. If damaged, do not plug it in and contact customer service.

3.2 Placement

- Place the refrigerator on a flat, stable surface strong enough to support the unit when fully loaded.
- Ensure there is at least 4 inches (10 cm) of space around the back and sides of the unit for proper ventilation.
- Avoid placing the unit in direct sunlight or near heat sources (e.g., oven, radiator).

3.3 Leveling

The refrigerator is equipped with adjustable leveling feet. Turn the feet clockwise or counter-clockwise to level the unit. Proper leveling ensures efficient operation and prevents vibrations.

3.4 Initial Power-On

1. After placing and leveling the unit, wait at least 2 hours before plugging it into a power outlet. This allows the refrigerant to settle.
2. Plug the power cord into a dedicated 115V/60Hz grounded electrical outlet.
3. The digital display will light up, and the unit will begin cooling.

Your browser does not support the video tag.

Video 3.1: Fresh Cool Beverage Anytime! This video provides a visual overview of the refrigerator's features and operation, including its cooling capabilities.

4. OPERATING INSTRUCTIONS

4.1 Temperature Control

The temperature can be adjusted using the touch control panel located at the top of the interior.

1. Press the 'Up' arrow button to increase the desired temperature.
2. Press the 'Down' arrow button to decrease the desired temperature.
3. The temperature range is from 40°F to 61°F. The digital display will show the set temperature.

4.2 Interior Light Control

To control the blue LED interior light:

- Press and hold the 'Down' arrow button for 3 seconds to turn the LED light ON or OFF.

5. MAINTENANCE

5.1 Cleaning

Regular cleaning helps maintain the appearance and efficiency of your beverage refrigerator.

1. **Exterior:** Wipe the exterior surfaces with a soft cloth dampened with mild soap and water. Dry thoroughly.
2. **Interior:** Clean the interior with a solution of baking soda and water (2 tablespoons of baking soda to 1 quart of water). Rinse with clean water and dry thoroughly.
3. **Shelves:** The wire shelf can be removed for easier cleaning. Wash with mild soap and water, rinse, and dry completely before reinserting.
4. **Door Seal:** Regularly clean the door gasket to ensure a tight seal. A dirty gasket can prevent the door from closing properly, leading to inefficient cooling.

5.2 Defrosting

This appliance features a frost-free defrost system, eliminating the need for manual defrosting. Any accumulated frost will melt automatically and evaporate.

6. TROUBLESHOOTING

Before contacting customer service, please check the following common issues and solutions:

Problem	Possible Cause	Solution
Appliance does not operate.	Not plugged in; Circuit breaker tripped; Temperature set too high.	Ensure plug is secure; Reset circuit breaker; Lower temperature setting.
Appliance is not cold enough.	Door opened too frequently; Door not closed properly; Warm items added recently; Poor ventilation.	Minimize door openings; Check door seal; Allow time for new items to cool; Ensure adequate space around unit.
Excessive noise.	Appliance not level; Vibrating against wall/cabinet.	Adjust leveling feet; Move unit away from contact surfaces.
Condensation inside.	High humidity; Door left open; Door seal not tight.	This is normal in humid conditions; Ensure door is closed properly; Check and clean door seal.

7. SPECIFICATIONS

Feature	Specification
Brand Name	Electactic
Model Info	JC-18UEL-F
Item Weight	21.6 pounds
Product Dimensions	14.84 x 10.94 x 16.53 inches
Capacity	0.6 Cubic Feet
Annual Energy Consumption	60 Kilowatt Hours Per Year
Installation Type	Freestanding
Special Features	LED Display, Low Noise
Color	Black
Voltage	115 Volts
Defrost System	Frost Free
Door Hinges	Right (Reversible)
Shelves	1 (Adjustable)
Certification	ETL
Included Components	1*Beverage Refrigerator, 1*Shelve

8. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation included with your

purchase or contact Electactic customer service directly. Keep your proof of purchase for any warranty claims.