

[Manuals.plus](#) /

› [SILVER CREST](#) /

› SILVER CREST SBD 60 A1 Beer Dispenser Instruction Manual

SILVER CREST SBD 60 A1

Instruction Manual

SILVER CREST SBD 60 A1 BEER DISPENSER

1. Important Safety Instructions

Please read this instruction manual carefully before using the beer dispenser. Keep these instructions for future reference.

- Always ensure the appliance is placed on a stable, level surface.
- Do not immerse the appliance, power cord, or plug in water or other liquids.
- This appliance is for indoor use only.
- Ensure adequate ventilation around the appliance, especially the cooling fan at the rear.
- Unplug the appliance from the power outlet before cleaning or when not in use.
- Do not operate the appliance if it has a damaged cord or plug, or if it malfunctions or has been damaged in any way.
- Keep children and pets away from the appliance during operation.
- Only use 5-liter pressure kegs compatible with this dispenser.

2. Product Overview

Familiarize yourself with the components of your SILVER CREST SBD 60 A1 Beer Dispenser.



Figure 2.1: Front View of the Beer Dispenser

This image shows the front of the beer dispenser, highlighting the classic tap handle, the main body, and the LED temperature display. The Silver Crest logo is visible on the front.



Figure 2.2: Rear View of the Beer Dispenser

The back of the dispenser is visible, featuring the AC and DC power input ports, the power switch, and the cooling fan vent for heat dissipation.



Figure 2.3: All Included Components

This image displays all parts included with the beer dispenser: the main cooling unit, the tap assembly, the removable drip tray, various adapters for different keg types, cleaning brushes, and both AC and DC power cables.

3. Setup

3.1 Unpacking

1. Carefully remove all components from the packaging.
2. Check for any damage during transit. If damaged, do not use the appliance and contact customer support.
3. Remove all packaging materials, including protective films and stickers.

3.2 Assembly

1. Place the main unit on a stable, flat, and dry surface, ensuring sufficient space for ventilation around the back.
2. Slide the drip tray into its designated slot at the base of the dispenser.
3. Attach the tap assembly to the main unit according to the instructions provided with the tap. Ensure it is securely fastened.
4. Connect the appropriate power cable (AC for home use, DC for 12V car use) to the rear of the unit.

3.3 Inserting a 5-Liter Keg

1. Ensure the 5-liter pressure keg is chilled to your desired serving temperature before inserting it for optimal cooling performance.
2. Open the top lid of the dispenser.

3. Prepare the keg by removing any caps or seals as per the keg manufacturer's instructions. Attach the correct adapter tube if necessary.
4. Carefully lower the keg into the dispenser's cooling chamber.
5. Connect the tap assembly to the keg's valve, ensuring a tight and secure fit to prevent leaks.
6. Close the top lid securely.

4. Operating Instructions

4.1 Powering On

Plug the power cable into a suitable electrical outlet. Switch the power button at the rear of the unit to the 'ON' position. The LED display on the front will illuminate.

4.2 Temperature Control

The dispenser features a thermoelectric cooling system designed to maintain a 5-liter beer keg at a temperature between 3 to 6 °C. The LED display shows the current internal temperature. The cooling system can cool up to 18 °C below ambient temperature.

4.3 Dispensing Beer

1. Place a glass or mug under the tap spout.
2. Pull the tap handle forward to dispense beer. For best results, tilt the glass slightly and straighten it as it fills.
3. Push the tap handle back to stop the flow.
4. Allow a few seconds between pours for the foam to settle.

5. Maintenance and Cleaning

Regular cleaning ensures optimal performance and hygiene of your beer dispenser.

5.1 Daily Cleaning

- Empty and clean the drip tray after each use or when full. Wash with warm, soapy water and dry thoroughly.
- Wipe down the exterior of the dispenser with a damp cloth. Do not use abrasive cleaners.

5.2 Deep Cleaning (After each keg or every 2-3 weeks)

1. Unplug the dispenser from the power outlet.
2. Remove the beer keg and disconnect the tap assembly.
3. Disassemble the tap components as per the tap manufacturer's instructions. Wash all parts (tap, adapters, tubes) with warm, soapy water using the provided cleaning brushes. Rinse thoroughly.
4. Clean the interior of the cooling chamber with a damp cloth and mild detergent. Wipe dry.
5. Ensure all parts are completely dry before reassembling.

5.3 Storage

When storing the dispenser for an extended period, ensure it is clean and dry. Store in a cool, dry place away from direct sunlight.

6. Troubleshooting

If you encounter issues with your beer dispenser, refer to the table below for common problems and solutions.

Problem	Possible Cause	Solution
Beer not cold enough	Keg not pre-chilled; Poor ventilation; Ambient temperature too high.	Pre-chill kegs before use; Ensure adequate space around the unit; Operate in a cooler environment.
No power / Unit not turning on	Power cord not plugged in; Power switch off; Faulty outlet.	Check power cord connection; Ensure power switch is ON; Test outlet with another appliance.
Beer not dispensing / Slow flow	Keg empty; Tap clogged; Keg not properly connected.	Replace keg; Clean tap assembly; Re-connect keg and tap securely.
Leaking from tap or connections	Loose connections; Damaged seals/gaskets.	Tighten all connections; Inspect and replace any damaged seals or gaskets.

7. Technical Specifications

Feature	Specification
Model	SBD 60 A1
Compatible Kegs	Standard 5-liter pressure kegs
Cooling System	Thermoelectric
Temperature Range	3 to 6 °C (adjustable)
Cooling Capacity	Up to 18 °C below ambient temperature
Power Supply	220-240 V, 50 Hz / 12 V DC
Dimensions (approx.)	53 x 34 x 49.5 cm (L x W x H)
Weight (approx.)	6.19 kg (unit only) / 8.68 kg (packaged)
Material	Plastic, Steel

8. Warranty and Support

8.1 Warranty Information

This SILVER CREST SBD 60 A1 Beer Dispenser comes with a standard manufacturer's warranty. Please refer to the warranty card included in your product packaging for specific terms, conditions, and duration. Keep your proof of purchase for warranty claims.

8.2 Customer Support

If you have any questions, require technical assistance, or need to report a defect, please contact the SILVER CREST customer support. Contact details can typically be found on the product packaging, the warranty card, or the official SILVER CREST website. When contacting support, please have your model number (SBD 60 A1) and proof of purchase ready.

