NineSky CT2

NineSky Dehumidifier CT2 User Manual

Model: CT2

1. Introduction

Thank you for choosing the NineSky CT2 Dehumidifier. This compact and efficient appliance is designed to remove excess moisture from the air, creating a more comfortable and healthy environment in your home. Featuring semiconductor condensation technology, auto shut-off, 7-color LED lighting, and two working modes, the CT2 is ideal for various spaces including bedrooms, bathrooms, and basements. Please read this manual thoroughly before operation to ensure proper use and maintenance.





Image: The NineSky CT2 Dehumidifier, a sleek black unit with a visible water tank window and control panel.

2. Safety Information

To reduce the risk of fire, electric shock, or injury, please observe the following safety precautions:

- Always place the dehumidifier on a stable, level surface.
- Do not block the air inlet or outlet. Ensure at least 4 inches (10 cm) of space around the unit for proper airflow.
- Do not immerse the unit, power cord, or plug in water or other liquids.
- Unplug the dehumidifier before cleaning or performing any maintenance.
- Keep out of reach of children and pets.
- Do not operate the unit if the power cord or plug is damaged.
- Use only the original power adapter provided with the unit.
- Do not use the dehumidifier in extremely dusty or humid environments where water might splash onto the unit.

3. Package Contents

Please check the package for the following items:

- NineSky CT2 Dehumidifier Unit

- Power Adapter
- User Manual

4. Setup

Follow these steps to set up your dehumidifier:

1. **Unpack:** Carefully remove the dehumidifier and all accessories from the packaging.
2. **Placement:** Place the dehumidifier on a firm, level surface in the desired location. Ensure there is adequate space around the unit for air circulation (at least 4 inches / 10 cm from walls or furniture). The unit is suitable for areas up to 1000 sq.ft., including bedrooms, closets, bathrooms, basements, garages, and kitchens.
3. **Water Tank:** Ensure the 95 OZ water tank is correctly inserted into the unit.
4. **Power Connection:** Connect the power adapter to the dehumidifier's power input port, then plug the adapter into a suitable electrical outlet.




Image: An isometric illustration showing the NineSky CT2 Dehumidifier placed in a bedroom, living room, bathroom, and locker room,

demonstrating suitable placement areas.

5. Operating Instructions

The NineSky CT2 Dehumidifier features an intuitive control panel for easy operation.

5.1 Power On/Off

Press the power button on the control panel to turn the unit on or off. The unit will start in its default operating mode.



Image: A hand pressing the illuminated power button on the NineSky CT2 Dehumidifier, indicating its one-touch start functionality.

5.2 Working Modes

The dehumidifier offers two distinct working modes:

- **High Speed Mode:** Provides rapid dehumidification for quick moisture removal. Ideal for areas with high humidity.
- **Night Mode:** Operates with minimal noise and no light, ensuring an undisturbed sleep environment.

Press the mode button to switch between High Speed Mode and Night Mode.



Image: The NineSky CT2 Dehumidifier next to a bed with a person sleeping, illustrating its quiet Sleep Mode and light-off feature for undisturbed rest.

5.3 7-Color LED Light

Enhance your room's ambiance with the integrated 7-color LED light. Press the light button to cycle through the options:

1. Display current color (static).
2. Turn off the light.
3. 7 colors switch automatically (color-changing cycle).



Image: The NineSky CT2 Dehumidifier with a vibrant, glowing ring of colors around it, demonstrating the 7 LED ambient light options.

5.4 Automatic Shut-Off

The dehumidifier is equipped with an automatic shut-off feature for safety and convenience. The unit will automatically turn off when:

- The 95 OZ water tank is full.
- The water tank is incorrectly positioned or removed.

This prevents water spills and ensures worry-free operation, especially when you are not present.



Image: Two comparative images showing the dehumidifier: one with a blue water level indicating normal operation, and another with a red water level indicating the tank is full and the unit has automatically shut off.

6. Maintenance

Regular maintenance helps ensure the longevity and optimal performance of your dehumidifier.

6.1 Cleaning the Water Tank

When the water tank is full, carefully remove it from the unit. Empty the collected water. Clean the tank with mild soap and warm water periodically to prevent mold and mildew growth. Rinse thoroughly and ensure it is completely dry before reinserting.

6.2 Cleaning the Air Inlet and Outlet

Use a soft, damp cloth to wipe down the exterior of the unit, including the air inlet and outlet grilles. Do not use abrasive cleaners or solvents. For stubborn dust, a soft brush or vacuum cleaner attachment can be used on the grilles.

6.3 Storage

If the dehumidifier will not be used for an extended period, unplug it, empty and clean the water tank, and clean the exterior. Store the unit in a cool, dry place, away from direct sunlight and extreme temperatures.

7. Troubleshooting

If you encounter issues with your dehumidifier, please refer to the following table:

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	No power supply; Power adapter not connected properly.	Check if the power adapter is securely plugged into the unit and the wall outlet. Try a different outlet.
Unit is running but not collecting water.	Room humidity is too low; Temperature is too low; Air inlet/outlet blocked.	Ensure room humidity is above 40% RH and temperature is above 41°F (5°C). Clear any obstructions from air vents.
Water tank is full or incorrectly placed.	Water tank is full; Water tank is not properly inserted.	Empty the water tank. Reinsert the water tank correctly until it clicks into place.
Unit is noisy.	Unit is not on a level surface; Air vents are blocked.	Place the unit on a flat, stable surface. Clear any obstructions from air vents.

8. Specifications

Detailed specifications for the NineSky CT2 Dehumidifier:

Feature	Detail
Brand	NineSky
Model Name	CT2
Color	Black
Floor Area Coverage	Up to 1000 Square Feet
Water Tank Capacity	95 OZ (approx. 5.9 Pounds)
Dehumidification Capacity	1 Liters per Day
Product Dimensions (D x W x H)	5.5"D x 14"W x 8.3"H
Number of Speeds	2 (High Speed, Night Mode)
Special Feature	Automatic Shutoff, 7 Colors LED Light
Item Weight	6.01 pounds (2.73 Kilograms)



Image: The NineSky CT2 Dehumidifier with its key dimensions (Height: 13.78", Width: 5.71", Depth: 8.27") clearly labeled.

9. Warranty and Support

Specific warranty information is not provided within this manual. For details regarding warranty coverage, technical support, or service inquiries, please refer to the NineSky official website or contact their customer service directly. Contact information can typically be found on the product packaging or the manufacturer's website.

© 2024 NineSky. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Answered questions about this manual

How can I get a replacement water tank for my 95 oz NineSky CT2 dehumidifier?

To obtain a replacement 95 oz water tank for your NineSky CT2 Dehumidifier, you should contact the manufacturer directly, as individual components like water tanks are typically not sold as standalone items in general...

Read full answer