

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [SIFSDSFO](#) /

› [SIFSDSFO 2-Arm Moving Head Disco Light RGBW Beam Stage Light Instruction Manual](#)

SIFSDSFO 2Arm Head STAGE LIGHT

SIFSDSFO 2-Arm Moving Head Disco Light Instruction Manual

Model: 2Arm Head STAGE LIGHT

1. INTRODUCTION

Thank you for purchasing the SIFSDSFO 2-Arm Moving Head Disco Light. This device is designed to provide dynamic lighting effects for various events. Please read this manual thoroughly before operation to ensure proper use and to maximize the product's lifespan.



Figure 1: SIFSDSFO 2-Arm Moving Head Disco Light with remote control and projected light beams.

2. SAFETY INFORMATION

- Always connect to a grounded power outlet.
- Do not expose the device to rain or moisture.
- Ensure proper ventilation to prevent overheating.
- Avoid direct eye exposure to the light beams.
- Disconnect power before cleaning or servicing.
- Minimum distance from flammable materials: 0.20m.
- Maximum external surface temperature: 120°C.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- 1 x Moving DJ Light
- 1 x Power Cable
- 1 x Fixed base & 2 Screws
- 1 x Remote control
- 1 x Instruction manual



Figure 2: Package contents of the SIFSDSFO 2-Arm Moving Head Disco Light.

4. SETUP

4.1 Mounting

The SIFSDSFO 2-Arm Moving Head Disco Light supports both bracket mount and floor mount installations. Use the provided fixed base and screws for secure mounting. Ensure the mounting surface is stable and can support the weight of the fixture.

4.2 Power Connection

Connect the provided power cable to the device's power input and then to a standard 110V AC grounded power outlet.

4.3 DMX Connection (Optional)

For advanced control, connect a DMX controller to the DMX IN port. Multiple units can be daisy-chained using the DMX OUT and DMX IN ports for synchronized control.




Figure 3: DMX IN/OUT and power connections on the device.

5. OPERATING INSTRUCTIONS

5.1 Control Panel

The device features a control panel with a digital display and buttons (MENU, UP, DOWN, ENTER) for mode selection and parameter adjustment.



Figure 4: Device control panel.

5.2 Control Modes

The SIFSDSFO 2-Arm Moving Head Disco Light offers four primary control modes:

- **Automatic Mode:** The light cycles through various pre-programmed patterns and colors.
- **Sound Control Mode:** The light reacts to ambient sound or music, changing patterns and colors in sync with the audio.
- **DMX Mode:** Allows for precise control over each function (movement, color, strobe, laser) using an external DMX controller. This mode offers 14 channels of control.
- **Master/Slave Mode:** Connect multiple units via DMX cables. One unit acts as the master, controlling all other slave units to synchronize effects.

5.3 Remote Control Functions

The included remote control provides convenient access to various functions:

- **ON/OFF:** Power on or off the unit.

- **AUTO:** Activates automatic mode with pre-set patterns.
- **VOICE:** Activates sound control mode.
- **DMX:** Switches to DMX control mode.
- **SPEED +/-:** Adjusts the speed of automatic patterns (functionality may vary).
- **MIC +/-:** Adjusts microphone sensitivity for sound control mode (functionality may vary).
- **Number Buttons (1-8):** Selects different automatic lighting effects.
- *****: Red LED auto mode.
- **#**: Green LED auto mode.
- **0**: Voice mode that cycles through elements with or without music.




Figure 5: Remote control for the SIFSDSFO 2-Arm Moving Head Disco Light.

5.4 Light Effects

The device features 2 high-quality RGBW light beads and 2 decorative light rings, along with red and green lasers. The two heads are independently controlled for forward and reverse rotation, creating a wide array of dynamic lighting effects.

LAMP BEADS

HIGH BRIGHTNESS




Figure 6: Examples of various light patterns and colors.



Figure 7: Examples of laser patterns.

Your browser does not support the video tag.

Video 1: Demonstration of the SIFSDSFO 2-Arm Moving Head Disco Light's various light and laser effects in action. This video showcases the dynamic movement and color changes of the beams and patterns.

Your browser does not support the video tag.

Video 2: A concise demonstration of the SIFSDSFO 2-Arm Moving Head Disco Light's features, including its dual-head movement and various light modes.

6. MAINTENANCE

- **Cleaning:** Regularly clean the lenses and exterior with a soft, dry cloth to maintain optimal light output. Ensure the device is unplugged before cleaning.
- **Ventilation:** Keep ventilation openings clear of dust and debris to ensure efficient heat dissipation.
- **Storage:** Store the device in a cool, dry place when not in use.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
No power	Power cable not connected; outlet not active.	Check power cable connection; test outlet with another device.
No light output	Device in standby; mode not selected.	Press ON on remote or select a mode via control panel.
Remote not working	Battery depleted; obstruction between remote and sensor.	Replace remote battery; ensure clear line of sight to the device's IR sensor.
DMX control issues	Incorrect DMX address; faulty DMX cable; incorrect mode.	Verify DMX address settings; check DMX cable connections; ensure device is in DMX mode.
Sound control not responsive	Low microphone sensitivity; insufficient sound level.	Increase MIC sensitivity via remote (if available) or increase sound volume.


8. SPECIFICATIONS

Feature	Detail
Model Number	2Arm Head STAGE LIGHT
Brand	SIFSDSFO
Light Source Type	Light Emitting Diode (RGBW)
Power Source	Corded Electric
Voltage	110 Volts
Item Weight	3.32 pounds (1.51 Kilograms)
Product Dimensions	14.5"L x 10"W x 14.5"H
Mounting Type	Bracket mount, Floor mount
Control Modes	Automatic, Sound, DMX, Master/Slave
DMX Channels	14 channels
Rotation	540° Pan, 360° Tilt (infinite rotation effect)
Material	High brightness RGBW lamp beads, Engineering plastics, Metal
Included Components	Moving DJ Light, Power Cable, Fixed base & Screws, Remote control, Instruction manual

9. WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the contact details provided with your purchase or visit the official SIFSDSFO website. Keep your purchase receipt as proof of purchase.

Related Documents - 2Arm Head STAGE LIGHT

USER MANUAL

[2-arm RGB Moving Head Light User Manual](#)

Comprehensive user manual for the 2-arm RGB Moving Head Light, covering setup, safety, operating modes (Automatic, Sound, Console/Master-Slave), DMX control, and technical specifications. Includes detailed instructions for installation and operation.



Mathematics

1. Place the light in a figure and answer us in 10 places.
2. Using mathematics, we can extend the life.
3. Situation is not the best and best study is to get the remaining offers and lighting offers others.

Please do not stop the work using your own resources to answer to change the product.

Statement

The product has will capability and some other things have been done, all of them should comply with the existing law and extend any other areas of the company are not included in our presentation and all we're responsible for any mathematics & problem-solving to update the manual.

Please longer than we will not be satisfied to reduce change.

Activities

1. I present the life of product phase to not put in the work phase and not in the place over 40.
2. Place first by the product in the no double or double phase.
3. Ask for the professional to examine the product in order to avoid the danger of an electric shock.
4. Please use the product in the work phase, the work phase is a work of the manufacturer. The use of light of the person is not higher it will be influenced the humanity if the person is a man.
5. After power off it is a work and again phase use down are 20 minutes.

HTTP://WWW.JH4H-QS.COM

[SHEHDS LED Beam 10x40W RGBW Lighting User's Manual](#)

Comprehensive user manual for the SHEHDS LED Beam 10x40W RGBW lighting fixture, detailing maintenance, operational modes, DMX channel configurations, and product specifications. Includes information on 5, 7, 14, 18, 42, and 54 channel modes.

12 storm lights



WZYBUTA Moving Head LED Stage Light: DMX Control and Operation Guide

Comprehensive guide to the WZYBUTA Moving Head LED stage light, detailing DMX channel functions, control modes (automatic, sound, console, master-slave), and setup instructions for disco, party, and club environments.



Big Dipper LM30/LM30A Mini Spider User Manual

User manual for the Big Dipper LM30/LM30A Mini Spider stage light, covering operation, maintenance, troubleshooting, and technical specifications.



Professional RGBW Moving Head Stage Light User Manual

This document provides a detailed overview of the Professional RGBW Moving Head Stage Light, including its description, menu functions, and DMX channel functionality for both 11CH and 14CH modes. It covers control modes, settings, and operational parameters for stage lighting applications.

Pattern+Bee Eye Moving Head Light

USER MANUAL

[User Manual: Pattern+Bee Eye Moving Head Light](#)

This user manual provides installation, operation, and technical parameter information for the Pattern+Bee Eye Moving Head Light. It covers safety instructions, startup modes, DMX control, and system reset procedures.

