

## ISEYOU Q8

# ISEYOU Bike Tail Light User Manual

Model: Q8

Brand: ISEYOU



## 1. INTRODUCTION

Thank you for choosing the ISEYOU Bike Tail Light. This manual provides essential information for the proper setup, operation, and maintenance of your new bike tail lights. Designed for enhanced visibility and safety, these lights are lightweight, portable, and built to withstand various weather conditions. Please read this manual thoroughly before use to ensure optimal performance and longevity of your product.



Image: Two ISEYOU Q8 Bike Tail Lights, highlighting their compact and waterproof design.

## 2. PACKAGE CONTENTS

Please verify that all items listed below are included in your package:

- 2 x Bike Tail Light (Red)
- 4 x Silicone Mounting Straps
- 1 x USB Cables (Type-C)
- 1 x User Manual



Image: All components included in the ISEYOU Bike Tail Light package.

### 3. SPECIFICATIONS

Feature	Detail
Model Number	Q8
Color	Red
Material	Acrylonitrile Butadiene Styrene
Power Source	Battery Powered (USB Rechargeable)
Water Resistance Level	IP65 Waterproof
Item Weight	24 Grams (approx. 0.847 ounces)
Mounting Type	Handlebar Mount (versatile for seat posts, backpacks, helmets)
Product Dimensions	2.04"L x 0.66"W x 1.41"H
Number of Light Modes	6
Visibility	220° wide-angle beam, up to 200 meters
Charging Time	Approx. 1.5 hours
Battery Life	5-28 hours (depending on mode)

### 4. SAFETY INFORMATION

- Always ensure the light is securely mounted before riding.
- Do not look directly into the light beam to avoid eye injury.
- Keep the device away from extreme temperatures and direct sunlight.
- Do not attempt to disassemble or modify the light, as this will void the warranty and may cause damage.
- While IP65 waterproof, avoid prolonged submersion in water.
- Charge the battery using the provided USB cable and a compatible power source (e.g., computer, power bank,

charging plug).

## 5. SETUP

### 5.1. Installation

The ISEYOU Bike Tail Light features an easy, tool-free installation process using the provided silicone mounting straps. It can be attached to various locations for optimal visibility.

1. Select a suitable mounting location such as your bike's seat post, handlebars, helmet, or backpack.
2. Wrap the silicone strap around the desired mounting point.
3. Hook the light onto the strap's grooves, ensuring it is firmly secured and facing the correct direction (rearward for tail light).



Image: Step-by-step guide for easy and secure installation of the tail light.





Image: Examples of versatile mounting options for the tail light.

## 5.2. Charging the Battery

The light is equipped with a built-in rechargeable battery. Use the provided USB-C cable for charging.

- Connect the USB-C end of the cable to the charging port on the light.
- Connect the USB-A end of the cable to a USB power source (e.g., computer, power bank, wall adapter).
- During charging, the indicator light will flash green.

- Once fully charged (approximately 1.5 hours), the indicator light will turn solid green.
- Disconnect the light from the charging cable once fully charged to preserve battery life.



Image: Illustrates the USB-C fast charging process for the tail lights.

## 6. OPERATING INSTRUCTIONS

### 6.1. Power On/Off

To turn the light on or off, press and hold the power button located on the top of the light for approximately 2 seconds.

### 6.2. Changing Light Modes

Once the light is on, short press the power button to cycle through the 6 available lighting modes:

1. **High Light:** Maximum brightness for clear visibility.
2. **Medium Light:** Balanced brightness for general use.
3. **Low Light:** Extended battery life, suitable for less demanding conditions.
4. **Slow Flash:** A steady, slow flashing pattern for attention.
5. **Warning Flash:** A more rapid flashing pattern for increased warning.
6. **Strobe Flash:** A fast, intermittent flash for high visibility in critical situations.

The light features a memory function, meaning it will remember the last used mode when turned back on.

## 6 Powerful Mode Options



Image: Overview of the six powerful light modes available.

## 7. MAINTENANCE

- **Cleaning:** Wipe the light with a soft, damp cloth to remove dirt and debris. Do not use abrasive cleaners or solvents.
- **Storage:** Store the light in a cool, dry place when not in use. If storing for an extended period, charge the battery to about 50% every 3-6 months to maintain battery health.

- **Battery Care:** Avoid fully discharging the battery frequently. Recharge promptly when the low battery indicator appears.

## 8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	Battery is depleted.	Charge the light fully.
	Power button not pressed correctly.	Press and hold the power button for 2 seconds.
Light does not charge.	Charging cable or adapter faulty.	Try a different USB-C cable or power adapter.
	Charging port is dirty.	Gently clean the charging port with a dry, soft brush.
Light is dim or flickers.	Low battery.	Recharge the light.
Light falls off during ride.	Improper installation.	Ensure the silicone strap is tightly secured and the light is properly hooked.

## 9. WARRANTY AND SUPPORT

The ISEYOU Bike Tail Light is designed for durability and performance. For any product-related inquiries, technical support, or warranty claims, please contact ISEYOU customer service through the retailer's platform or the official ISEYOU website. Please have your purchase details and model number (Q8) ready when contacting support.

