

[Manuals.plus](#) /

> [Sloosh](#) /

> SLOOSH Rectangular Above Ground Pool - 10ft x 6.8ft x 26inch Outdoor Frame Above Ground Swimming Pool Set Kiddie Pool for Kids Adults with Filter Pump

Sloosh 40938

SLOOSH Rectangular Above Ground Pool Instruction Manual

Model: 40938

PRODUCT OVERVIEW



The SLOOSH Rectangular Above Ground Pool is designed for easy setup and durable use, providing a refreshing swimming experience for families. Constructed with Fortafusion material, it offers UV, puncture, and tear resistance for long-term durability. The reinforced frame tubes, T-joints, and a 3-ply PVC support band ensure enhanced stability and strength. This pool includes an efficient 330 GPH water filter with dual suction outlets to maintain clear and fresh water.

Key Features:

- **Durable UV-Resistant Material:** Made with Fortafusion material for long-term durability.
- **Reinforced Stability:** Features reinforced frame tubes, T-joints, and a 3-ply PVC support band.
- **Tool-less Easy Assembly:** Quick and simple setup without the need for additional tools.
- **Efficient Filtration System:** 330 GPH water filter with dual suction outlets for clear water.
- **Compact and Space-Saving Design:** Ideal for smaller backyard areas.



Room for Everyone

Big enough for the whole family to play together.

10 FT (305 CM)

6.8 FT (207 CM)

26 IN (66 CM)

SLOOSH

Feature	Value
Spacious Fit	Holds 2 adults & 1 kids.
Water depth	23 inches
Water capacity	978 gal

Dimensions: 10 ft (305 cm) L x 6.8 ft (207 cm) W x 26 inches (66 cm) H. Water depth: 23 inches. Water capacity: 978 gallons.

SETUP INSTRUCTIONS

Follow these steps for a quick and easy assembly of your SLOOSH Rectangular Above Ground Pool. It is recommended to have at least two people for assembly.

Setup Video Guide

Official video guide demonstrating the setup process for the above ground pool. This video covers unpacking, liner spreading, frame assembly, and filter pump installation.

Step-by-Step Assembly

1. **Unpack and Check Parts:** Lay out all components on a flat surface near your chosen setup area. Verify each component against the part reference list provided in your product packaging to ensure all parts are present.
2. **Spread Out the Liner:** Unfold and position the pool liner in your designated setup area. Ensure the ground is flat, clean, and free of any debris or sharp objects that could damage the liner.
3. **Install Horizontal Beams & T-Joints:** Slide the horizontal beams into the designated slots of the pool liner. Align and insert these beams into the T-joints, ensuring a secure fit.
4. **Attach Caps & Secure Vertical Legs:** Attach the protective caps to the top of the vertical legs. Connect these vertical legs to the horizontal beams, ensuring they are stable and perpendicular to the ground.
5. **Insert Central Legs & Secure Bottom Strap:** Insert the central legs into the T-joints, making sure both ends are firmly in place. Then, attach and tighten the bottom tension strap beneath the legs to provide additional stability to the pool frame.
6. **Attach L-Joints:** Connect the L-joints to the adjacent horizontal tubes and vertical legs. Ensure that the leg caps are installed first before securing the pins firmly.
7. **Prepare & Install the Filter Pump:** Place the filter pump and its accessories nearby. Connect the filter pump hoses to the inlet and outlet ports on the pool liner. Ensure all connections are tight to prevent leaks.
8. **Flatten the Liner:** Once the frame is assembled, smooth out the bottom of the liner from inside the pool. Remove shoes before stepping inside to avoid damage.
9. **Fill the Pool:** Begin filling the pool with water. As the water level rises, continue to smooth out any wrinkles in the liner. Do not exceed the maximum water level indicated on the pool liner or in the manual.

3-Step Easy Setup

1

Spread Out the Liner

Unfold and position the liner to fit the pool.

2

Assemble the frame

Install horizontal and vertical beams.

3

Fill Pool

Start filling the pool with water.

Visual representation of the three main steps for pool setup.

Superior Stability

Enjoy your pool with confidence



Reinforced Steel Tubes

Enhance durability,
high-strength material.



L-Joints

Lock beams securely
for rock-solid stability.



Stability Band

Provide extra stability ,
ensuring your pool stays securely
in place during use.

Details on the reinforced stability features of the pool frame.

OPERATION

The included filter pump is essential for maintaining clean and clear pool water. It features a built-in timer, leakage protection, and high-efficiency circulation.

Filter Pump

Fast flow keeps water clear and clean.

Built-In Timer

Set runtime from 1 to 10 hours for energy-smart control.

Leakage Protection

Automatically shuts off in case of electric current leakage.

High-Efficiency Circulation

2-outlet, 1-inlet design boosts circulation for faster, cleaner filtration.



Overview of the filter pump's key operational features.

- **Starting the Filter Pump:** When the water in the pool becomes dirty or cloudy, plug in the filter pump. Turn it on and set the desired runtime using the built-in timer. The pump will circulate water through the filter cartridge, removing debris and impurities.
- **Circulation System:** The pump utilizes a 2-outlet, 1-inlet design to boost circulation for faster and cleaner filtration.
- **Safety Feature:** The leakage protection automatically shuts off the pump in case of electric current leakage, ensuring user safety.



Illustration of the pool's dual inlet and single outlet ports for efficient water flow.

MAINTENANCE

Regular maintenance is crucial to ensure the longevity of your pool and the cleanliness of its water.

- **Filter Cartridge Cleaning/Replacement:** Check the filter cartridge regularly (e.g., every few days, depending on usage). Rinse the cartridge with a garden hose to remove accumulated debris. Replace the cartridge every 2-4 weeks, or when it can no longer be effectively cleaned.
- **Water Chemistry:** Test your pool water regularly using a pool test kit. Maintain proper pH levels (7.4-7.6), chlorine levels (1-3 ppm), and alkalinity. Adjust with appropriate pool chemicals as needed.
- **Skimming and Vacuuming:** Use a pool skimmer net to remove leaves, insects, and other floating debris from the water surface daily. Periodically vacuum the pool bottom to remove settled dirt and debris.
- **Liner Cleaning:** Gently wipe down the pool liner with a soft brush or cloth to prevent algae buildup. Avoid abrasive cleaners or tools that could damage the liner.
- **Winterization:** Before freezing temperatures arrive, drain the pool completely. Clean and dry the liner

and frame components thoroughly. Store the pool and all accessories in a dry, protected area to prevent damage.



3-Layer Durability

Reinforced for superior strength, durability, and puncture resistance.

Understanding the durable 3-layer construction of the pool liner is key to proper care.

TROUBLESHOOTING

This section addresses common issues you might encounter with your pool and provides potential solutions.

Problem	Possible Cause	Solution
Water is cloudy/dirty	Clogged filter cartridge, insufficient filtration time, improper water chemistry.	Clean or replace filter cartridge. Increase filter pump runtime. Test and adjust water chemistry (chlorine, pH).

Problem	Possible Cause	Solution
Filter pump not working	Power supply issue, clogged impeller, air in the system.	Check power connection and circuit breaker. Disconnect power and inspect impeller for debris. Bleed air from the pump system.
Water leaking from connections	Loose hose clamps, damaged O-rings/gaskets.	Tighten all hose clamps. Inspect and replace any damaged O-rings or gaskets.
Pool frame unstable/sagging	Improper assembly, uneven ground, missing components.	Ensure all frame components are correctly assembled and securely connected. Verify the ground is level before setup. Contact support if parts are missing.

SPECIFICATIONS

Attribute	Value
Brand	Sloosh
Product Dimensions	120"L x 81.6"W x 26"H
Shape	Rectangular
Color	Gray
Included Components	Filter Pump
Manufacturer	Joyin US Corp
UPC	840332683799
Assembly Required	Yes
Item Weight	46.6 pounds
ASIN	B0DL6633BM
Item model number	40938

WARRANTY AND SUPPORT

For detailed warranty information and customer support, please refer to the documentation included with your product packaging or visit the official Sloosh website. Keep your purchase receipt as proof of purchase for any

warranty claims.

Contact Information:

- **Manufacturer:** Joyin US Corp
- **Brand:** Sloosh
- **Online Store:** [Sloosh Store on Amazon](#)