

Uwell CALIBURN G3 PRO KOKO kit

Uwell Caliburn G3 Pro Koko Kit User Manual

MODEL: CALIBURN G3 PRO KOKO KIT

Brand: Uwell

1. INTRODUCTION

Thank you for choosing the Uwell Caliburn G3 Pro Koko Kit. This device is designed for an optimal vaping experience, offering a powerful 1250mAh integrated battery, a versatile 5-35W output range, and a clear 1.8-inch TFT color screen. It supports both automatic and air-activated modes and is compatible with 3ml Caliburn G3 POD cartridges (0.4/0.9ohm) for both RDL (Restricted Direct Lung) and MTL (Mouth-to-Lung) vaping styles. This manual provides detailed instructions for setup, operation, maintenance, and troubleshooting to ensure you get the most out of your device.

Note: This product does not contain nicotine or any tobacco liquids/refills. It is intended for use with nicotine-free e-liquids only.



Image 1.1: Uwell Caliburn G3 Pro Koko Kit and its packaging.

2. PACKAGE CONTENTS

Please check the package contents to ensure all items are present:

- 1x Uwell Caliburn G3 Pro Koko Device
- 1x 0.4Ω Caliburn G3 Integrated Coil Cartridge (Side fill)
- 1x 0.9Ω Caliburn G3 Integrated Coil Cartridge (Side fill)
- 1x Type-C Charging Cable
- 1x User Manual

3. PRODUCT FEATURES

- **Integrated 1250mAh Battery:** Provides long-lasting power for extended vaping sessions.
- **5-35W Output:** Adjustable wattage for a customized vaping experience.
- **1.8" TFT Color Screen:** Displays vaping details clearly with customizable dynamic themes.
- **Adjustable Airflow:** Side airflow adjustment allows precise control over your draw.
- **Dual Activation Modes:** Choose between automatic (draw-activated) or button-activated vaping.
- **Caliburn G3 Pod Compatibility:** Compatible with all Caliburn G3 Pod cartridges, supporting RDL to MTL vaping.
- **3ml Cartridge Capacity:** Easy side-filling system for convenience.
- **Pro-focus 3.0 Technology:** Ensures perfect flavor with every puff.
- **Type-C Charging:** Fast and efficient charging.

4. SETUP GUIDE

4.1 Initial Charging

Before first use, fully charge the device. Connect the included Type-C charging cable to the device's charging port and plug the other end into a suitable USB power source. The screen will indicate the charging status.

4.2 Installing and Filling the Pod Cartridge

1. Remove the pod cartridge from the device.
2. Locate the silicone stopper on the side of the pod.
3. Open the stopper and fill the pod with your preferred e-liquid. Ensure not to overfill.
4. Securely close the silicone stopper.
5. Insert the filled pod back into the device. It will snap into place magnetically.
6. Allow the coil to prime for 5-10 minutes after filling a new pod to prevent dry hits.



Image 4.1: Exploded view showing cartridge, device, filler plug, lanyard hole, button, Type-C charging port, and airflow adjustment valve.



Image 4.2: The device is compatible with various Caliburn G3 cartridges, supporting both RDL and MTL vaping with side and top refill options.

5. OPERATING INSTRUCTIONS

5.1 Basic Operations

- **Power On/Off:** Press the fire button **5 times** rapidly to turn the device on or off.
- **Lock/Unlock Button Function:** Press the fire button **2 times** rapidly to lock or unlock the button function. This prevents accidental firing while allowing draw-activated vaping.
- **Power Adjustment:** Press the fire button **3 times** rapidly to enter wattage adjustment mode. Use the button to cycle through wattage values from 5W to 35W. Press and hold to confirm the selection.
- **Brightness & Theme Selection:** Press the fire button **4 times** rapidly to access the menu settings for brightness and theme selection.





			
PRESS TWICE	PRESS ③ Times	PRESS ④ Times	PRESS ⑤ Times
AUTO MODE & AIR ACTIVATION	POWER ADJUSTMENT	BRIGHTNESS & THEME SELECTION	POWER ON/OFF
<p><i>Press the button twice to lock / unlock the button function</i></p>	<p><i>Press the button three times to adjust the device wattage from 5W to 35W</i></p>	<p><i>Press the button four times to access the menu settings</i></p>	<p><i>Press the button five times to turn on/off the device</i></p>

Image 5.1: Button functions: Double press for auto mode/air activation, three presses for power adjustment, four presses for brightness & theme selection, five presses for power on/off.

5.2 Airflow Adjustment

The device features a side airflow adjustment slider. Move the slider to increase or decrease the airflow to achieve your desired draw tightness, from a loose RDL to a tight MTL.

PRO BATTERY. VAPE ALL DAY

1250 mAh

High-performance battery

4 days

Vaping on a single charge

20 mins

Charge up to 80% (5V/2A)



G POD PLATFORM (GPP) COMPATIBILITY

Compatible with all CALIBURN G3 cartridges that are versatile from freebase to nic salt.



side refill

0.4 Ω	0.6 Ω	0.9 Ω	1.2 Ω
← RDL	35W MAX Output		→ MTL

top refill

*The cartridges all belong to UWELL CALIBURN G3 series.

GPP
G POD PLATFORM
[Learn More >>](#)

Image 5.2: Adjust the side slider to control airflow for a customized draw.

5.3 Vaping

Once the device is charged and the pod is filled and primed, you can begin vaping. Depending on your selected mode:

- **Automatic Mode:** Simply inhale from the mouthpiece.
- **Button-Activated Mode:** Press and hold the fire button while inhaling.

UWELL



CALIBURN G3 PRO KOKO Pod System

Image 5.3: The device produces vapor with a simple draw or button press.

6. MAINTENANCE

6.1 Cleaning

Regularly clean the device, especially the pod connection area, to prevent e-liquid buildup and ensure optimal performance. Use a dry cloth or cotton swab. Do not use harsh chemicals or immerse the device in water.

6.2 Pod Replacement

Replace the pod cartridge when you notice a burnt taste, reduced vapor production, or a change in flavor. Pods are consumable items and their lifespan depends on usage habits and e-liquid type.

6.3 Charging Best Practices


To prolong battery life, avoid overcharging or completely draining the battery. Use the provided Type-C cable and a standard 5V/2A charging adapter.

7. TROUBLESHOOTING

- **Device Not Turning On:** Ensure the device is charged. Press the fire button 5 times rapidly to power on.
- **No Vapor Production:** Check if the pod is properly inserted. Ensure the device is powered on and not locked. Check e-liquid level and replace the pod if the coil is burnt.
- **Burnt Taste:** This usually indicates a dry coil. Refill the pod immediately. If the taste persists, replace the pod cartridge. Ensure you prime new pods for 5-10 minutes after filling.
- **Leaking:** Ensure the silicone stopper on the pod is securely closed. Avoid overfilling the pod.
- **Screen Issues:** If the screen is unresponsive or displaying errors, try turning the device off and on again. If the issue persists, contact customer support.

8. TECHNICAL SPECIFICATIONS

SPECIFICATIONS



Material: PCTG, Zinc Alloy

Dimensions:
85.15 mm × 49.5 mm × 19.5 mm (INT./FDA)
79.15 mm × 49.5 mm × 19.5 mm (TPD/CRC)

Display Screen: 1.8" TFT Color Screen

Net Weight: Approx. 91 g

E-liquid Capacity: 3 ml (INT./FDA)
2 ml (TPD/CRC)

Output Power: Maximum 35 W

Cartridge:
0.4 Ω CALIBURN G3 Integrated Coil Cartridge
0.9 Ω CALIBURN G3 Integrated Coil Cartridge

Battery Capacity: 1250 mAh

LIGHT IT UP. DIM IT DOWN

Tailor your view with 'DAY' mode for vibrant brightness and 'NIGHT' mode for a softer glow. Adjust to fit every moment.

DAY

NIGHT




Image 8.1: Visual representation of specifications and display modes (Day/Night).

Parameter	Value
Brand	Uwell
Product Name	Caliburn G3 Pro KOKO Kit

Battery Capacity	Integrated 1250mAh
Charging	Type-C
Output Power	35W max
Screen	1.8" TFT Color Screen
Airflow	Adjustable Airflow
Compatible Cartridges	0.4Ω/0.9Ω Caliburn G3 Integrated Coil Cartridge (Side fill)
Cartridge Capacity	3ml
Filling	Side filling
Material	PCTG, Zinc Alloy
Product Dimensions (L x W x H)	85.15mm x 49.5mm x 19.5mm
Net Weight	Approx. 91g




9. WARRANTY AND SUPPORT




Uwell products are manufactured to the highest quality standards. For warranty information and customer support, please refer to the warranty card included in your product packaging or visit the official Uwell website. Keep your purchase receipt as proof of purchase for any warranty claims.

If you encounter any issues not covered in this manual, please contact Uwell customer service or your authorized retailer for assistance.

© 2024 Uwell. All rights reserved.

Related Documents - CALIBURN G3 PRO KOKO kit

	<p>Uwell Caliburn G4 Pod System User Manual and Instructions</p> <p>Comprehensive user manual for the Uwell Caliburn G4 Pod System, detailing setup, operation, features, warnings, and warranty information. Learn how to use your Caliburn G4 safely and effectively.</p>
	<p>Uwell Caliburn G3 Pro Koko User Manual and Guide</p> <p>Comprehensive user manual for the Uwell Caliburn G3 Pro Koko pod system, covering setup, operation, features, safety, and troubleshooting. Learn how to use your device for optimal vaping experience.</p>
	<p>Uwell Caliburn G3 Lite Koko Pod System User Manual</p> <p>User manual for the Uwell Caliburn G3 Lite Koko Pod System, detailing specifications, instructions for use, charging, safety warnings, and warranty information.</p>

	<p>Uwell Caliburn Koko Prime Kit User Manual and Instructions</p> <p>Comprehensive user manual for the Uwell Caliburn Koko Prime pod system kit. This guide provides detailed instructions on setup, operation, maintenance, and safety features to ensure an optimal vaping experience.</p>
	<p>Návod k obsluze E-cigarety Uwell Caliburn G Pod</p> <p>Podrobný návod k obsluze elektronické cigarety Uwell Caliburn G Pod, včetně nastavení, provozu, údržby, bezpečnostních pokynů a technických specifikací.</p>
	<p>UWELL CALIBURN X Pod System User Manual</p> <p>A comprehensive user manual for the UWELL CALIBURN X Pod System, detailing its specifications, features, instructions for use, safety precautions, and warranty information.</p>