DICTAC LB-05

DICTAC Twin Loft Bed with LED Lights (Model LB-05) Instruction Manual

Model: LB-05 | Brand: DICTAC

1. Introduction

This manual provides detailed instructions for the assembly, operation, maintenance, and troubleshooting of your DICTAC Twin Loft Bed with LED Lights, Model LB-05. Please read this manual thoroughly before assembly and use to ensure safe and correct operation.



Image 1.1: DICTAC Pink Twin Loft Bed with desk setup underneath.

2. Safety Information

Adherence to these safety guidelines is crucial for preventing injury and ensuring the longevity of your loft bed.

- Always assemble the bed according to the provided instructions to ensure structural stability.
- Do not exceed the maximum weight capacity of 400 pounds (approximately 181 kg).
- Exercise caution when using the ladder to prevent falls. Ensure secure footing.
- The top bunk is equipped with 12-inch full-length guardrails. Ensure the top of the mattress is at least 5 inches (127mm) from the edge of the guardrail.
- Recommended mattress thickness is 4-6 inches for optimal safety with the guardrails.
- Utilize the provided anti-tipping accessories to secure the bed to a wall, enhancing stability and safety.



Image 2.1: Guardrail height and recommended mattress thickness.

Image 2.2: Anti-tipping device and buckle design for stability.

3. Package Contents

Before beginning assembly, verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.

- Metal Loft Bed Frame Components
- Guardrails (Full-length)
- Ladder
- Slats
- LED Lights Kit

- Easy Assembly Tools (Hex key, etc.)
- Installation Manual (this document)
- Anti-Tipping Device

4. Assembly Instructions

Assembly requires two adults. Follow the detailed step-by-step guide provided in the separate assembly instruction booklet included with your package. Ensure all connections are tightened securely before use.

Key Assembly Features:

- **Reinforced Framework:** The bed utilizes thickened square metal tubes for enhanced stability and durability.
- **Sturdy Triangle Construction:** Additional triangular supports are integrated into the design to minimize wobbling.
- **Buckle Design:** Slats feature a buckle design for simplified installation and noise-free support.
- **Easy-to-Climb Ladder:** Designed with wide, comfortable pedals to prevent foot discomfort during ascent and descent.
- **Anti-Tipping Device:** Securely attach the bed to the wall using the provided anti-tipping hardware.



Image 4.1: Reinforced square metal tubing for frame construction.



Image 4.2: Ladder design with wide steps and integrated clothes rail.

5. Operating Instructions (LED Lights)

Your DICTAC Loft Bed includes vibrant RGB LED lights that can be customized for various effects.

Controlling the LED Lights:

The LED lights can be controlled via a dedicated mobile application or the included remote control.

- **Color Customization:** Choose from over 60,000 colors to match your preference.
- **Brightness Adjustment:** Adjust the light intensity to your desired level.
- **Flashing Modes:** Select from various dynamic flashing modes.
- **Timing Function:** Set schedules for the lights to turn on or off automatically.
- **Music Sync Mode:** The LED lights can change color and flashing patterns in rhythm with music or ambient sounds.



Image 5.1: Loft bed with RGB LED lights and control options.

6. Maintenance

Regular maintenance will help preserve the appearance and structural integrity of your loft bed.

- **Cleaning:** Wipe down metal surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Fastener Check:** Periodically check all bolts and screws to ensure they remain tight. Re-tighten as necessary to maintain stability.
- **LED Lights:** Ensure the LED light strips are free from dust and debris. If a light strip malfunctions, contact customer support for replacement or troubleshooting. Do not attempt to repair electrical components yourself.
- **Weight Distribution:** Distribute weight evenly on the bed to prevent undue stress on the frame.

7. Troubleshooting

This section addresses common issues you might encounter with your loft bed.

Common Issues and Solutions:

Problem	Possible Cause	Solution
Bed feels wobbly or unstable	Loose fasteners; bed not secured to wall.	Ensure all bolts and screws are securely tightened. Attach the anti-tipping device to a wall stud.
Squeaking noises	Loose connections; friction between metal parts.	Check and tighten all fasteners. Ensure slats are properly seated in the buckle design.
LED lights not working	Power connection issue; remote/app not paired; faulty light strip.	Verify power adapter is plugged in. Check connections to the LED strip. Re-pair remote/app if necessary. If issue persists, contact support.
Missing parts during assembly	Packaging error.	Refer to the package contents list and contact customer support immediately for replacement parts.

8. Specifications

Detailed product specifications for the DICTAC Twin Loft Bed, Model LB-05.

Size: Twin

Product Dimensions (L x W x H): 77.4" x 43.32" x 72.25" (196.6 cm x 110 cm x 183.5 cm)

Under-bed Clearance: 59.25" (150.5 cm)

Special Features: 59.25" vertical DIY space under the bed, Easy Assemble, No Box Spring Needed, Squeak Resistant, With Led Lights

Color: Pink

Finish Type: Powder Coated

Compatible Mattress Size: Twin (Recommended thickness: 4-6 inches)

Brand: DICTAC

Assembly Required: Yes

Form Factor: Loft

Item Weight: 59.4 pounds (26.9 kg)

Maximum Weight Capacity: 400 pounds (181 kg)




Image 8.1: Detailed product dimensions.

9. Warranty and Support

DICTAC is committed to providing quality products and customer satisfaction.

Warranty Information:

Please refer to the warranty card included in your package for specific warranty terms and conditions. Generally, DICTAC products are covered against manufacturing defects for a specified period from the date of purchase.

Customer Support:

If your loft bed frame arrives damaged, scratched, or with missing parts, or if you encounter any other issues, please do not hesitate to contact DICTAC customer service. Our team is available to assist you with any concerns.
For support, please refer to the contact information provided on your purchase receipt or the DICTAC official website.
When contacting support, please have your model number (LB-05) and purchase details ready.

© 2024 DICTAC. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question