



[Manuals.plus](#) /

> [YITAHOME](#) /

> YITAHOME 30 Inch Floating Bathroom Vanity with Sink Combo Instruction Manual (Model MAYIHvSa7U)

YITAHOME MAYIHvSa7U

YITAHOME 30 Inch Floating Bathroom Vanity with Sink Combo Instruction Manual

Model: MAYIHvSa7U

[Installation](#) [Operation](#) [Maintenance](#) [Safety Information](#) [Package Contents](#) [Troubleshooting](#) [Setup & Specifications](#) [Support](#)

INTRODUCTION

This manual provides essential instructions for the safe and efficient installation, operation, and maintenance of your YITAHOME 30 Inch Floating Bathroom Vanity with Sink Combo. Please read this manual thoroughly before assembly and retain it for future reference.

SAFETY INFORMATION

WARNING: When installing, secure the vanity to the wall with screws at stud locations to ensure stability and prevent tipping.

- Always use appropriate tools and safety gear during installation.
- Ensure all connections for plumbing are secure and leak-free.
- Do not overload the vanity; the maximum weight capacity is 150 pounds.
- Keep small parts away from children during assembly.
- Professional installation is recommended for optimal safety and performance.

PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning assembly. If any parts are missing or damaged, contact customer support.

- Vanity Cabinet (Solid Wood)
- Ceramic Sink Basin (Integrated with Countertop)

- Gold Metal Handles (2)
- Drain Assembly (Press-type)
- Mounting Hardware (Screws, wall anchors)
- Instruction Manual



Image: Complete YITAHOME 30 Inch Floating Bathroom Vanity with Sink Combo, showcasing its wall-mounted design and two soft-closing cabinets in a bathroom environment.

SETUP & INSTALLATION

This vanity is designed for wall-mounted installation. Follow these steps carefully.

1. **Prepare Wall:** Identify stud locations on the wall where the vanity will be mounted. Ensure the wall can support the vanity's weight (54 lbs empty, up to 150 lbs capacity). Mark the desired height and position.
2. **Mark Mounting Points:** Hold the vanity cabinet against the wall at the marked position and use a level to ensure it is straight. Mark the drilling points for the mounting hardware.

3. **Drill Holes:** Drill pilot holes at the marked locations. If mounting into studs, use appropriate wood screws. If mounting into drywall without studs, use heavy-duty wall anchors suitable for the vanity's weight.
4. **Mount Vanity Cabinet:** Securely attach the vanity cabinet to the wall using the provided mounting hardware. Double-check for stability by gently pulling on the cabinet.
5. **Install Sink & Countertop:** The ceramic sink basin is integrated with the countertop. Carefully place the countertop onto the vanity cabinet. Apply a bead of silicone sealant (not included) around the edges where the countertop meets the cabinet and the wall to prevent water infiltration.
6. **Install Drain Assembly:** Install the press-type drain into the sink basin according to its specific instructions. Connect the plumbing (P-trap, supply lines) to the sink and wall outlets. Ensure all connections are tightened to prevent leaks. *Note: Faucet is not included and must be purchased separately. The sink is pre-drilled for a three-hole faucet.*
7. **Attach Handles:** Install the gold metal handles onto the soft-closing cabinet doors using the provided screws.
8. **Final Check:** Turn on the water supply and thoroughly check all plumbing connections for any leaks. Test the soft-closing mechanism of the cabinet doors.



Image: Detail view of the vanity's cabinet doors and integrated ceramic sink, highlighting the gold metal handles and smooth surface, useful for assembly reference.

OPERATION

The YITAHOME bathroom vanity is designed for daily use in a bathroom environment.

- **Cabinet Doors:** The vanity features two soft-closing cabinet doors. Gently push the doors to close them; the soft-close mechanism will engage to prevent slamming and reduce noise.
- **Sink Usage:** The ceramic sink is designed for standard bathroom use. Its smooth, self-cleaning glaze surface and curved design help prevent water splashes.
- **Storage:** Utilize the two spacious cabinets for storing toiletries, cleaning supplies, and other bathroom essentials. The ample storage space helps maintain an organized environment.

MAINTENANCE

Regular cleaning and proper care will extend the lifespan and maintain the aesthetic appearance of your vanity.

- **Ceramic Sink:** Clean the ceramic sink basin regularly with a mild, non-abrasive cleaner and a soft cloth or sponge. Rinse thoroughly with water and wipe dry to prevent water spots and mineral buildup. Avoid harsh chemicals, abrasive scrubbers, or steel wool that can damage the glaze.
- **Wood Cabinet:** Wipe the solid wood cabinet surfaces with a soft, damp cloth. For tougher stains, use a mild wood cleaner specifically designed for finished wood. Avoid excessive moisture. Promptly wipe up any water spills or splashes to prevent water damage, as the sealed edges provide moisture resistance but are not entirely waterproof against standing water.
- **Metal Handles:** Clean the gold metal handles with a soft, dry cloth. Avoid abrasive cleaners or chemical sprays that may scratch or dull the finish.
- **General Care:** Ensure proper ventilation in the bathroom to minimize humidity, which can affect wood products over time. Periodically check all connections and hardware for tightness.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Vanity feels unstable or wobbly after installation.	Improper wall mounting; screws not in studs or anchors insufficient.	Re-check wall mounting. Ensure screws are securely fastened into wall studs or use appropriate heavy-duty anchors for drywall. Consult a professional if unsure.
Water leaks from plumbing connections.	Loose connections or damaged seals/washers.	Tighten all plumbing connections. Check washers and seals for damage and replace if necessary. Apply plumber's tape to threaded connections.
Cabinet doors do not close softly or are misaligned.	Hinge adjustment needed or obstruction.	Adjust the soft-closing hinges according to their specific instructions (usually small screws on the hinge body). Check for any obstructions preventing the doors from closing properly.
Water spots or stains on sink/cabinet surfaces.	Hard water residue or uncleaned spills.	Clean regularly with a mild cleaner and wipe dry. For hard water spots, use a vinegar solution. Promptly wipe up spills on wood surfaces to prevent damage.

PRODUCT SPECIFICATIONS

Feature	Detail
Brand	YITAHOME
Model Number	MAYIHvSa7U
Product Dimensions (D x W x H)	18.3"D x 30.1"W x 17.8"H
Sink Basin Dimensions	10.4" x 18.9" x 4.7" (depth)
Material	Solid Wood (Cabinet), Ceramic (Sink), Metal (Handles)
Color	Black (Cabinet), White (Sink), Gold (Handles)
Mounting Type	Wall Mount

Feature	Detail
Item Weight	54 Pounds
Weight Capacity	Up to 150 lbs
Number of Doors	2 (Soft-closing)
Faucet Compatibility	Pre-drilled Three Holes (Faucet not included)
Assembly Required	Yes

CUSTOMER SUPPORT & WARRANTY

For any questions, missing parts, or assistance with your YITAHOME product, please contact our customer support team.

Contact Information: Please refer to the contact details provided with your purchase documentation or visit the official YITAHOME website for support.

Warranty: Specific warranty details are typically included with your product packaging or available on the manufacturer's website. Please retain your proof of purchase for warranty claims.

