

Manuals.plus /

> [Sakugi](#) /

> Sakugi Over The Sink Dish Drying Rack User Manual

Sakugi snTT

Sakugi Over The Sink Dish Drying Rack User Manual

Model: snTT | Brand: Sakugi

1. INTRODUCTION

This manual provides comprehensive instructions for the assembly, operation, and maintenance of your Sakugi Over The Sink Dish Drying Rack. Please read this manual thoroughly before assembly and use to ensure proper installation and to maximize the product's lifespan and functionality. This dish drying rack is designed to provide an efficient and organized solution for drying dishes and kitchenware over your sink, optimizing countertop space.

2. PRODUCT OVERVIEW

The Sakugi Over The Sink Dish Drying Rack is an adjustable, 3-tier, XX-large capacity unit constructed from premium 304 stainless steel. It is designed to fit over most household sinks, providing ample space for various kitchen items. Its over-the-sink design facilitates direct water drainage, preventing water accumulation on countertops.

Key Features:

- **Large Capacity:** Accommodates a variety of tableware including bowls, dishes, knives, wine glasses, cutting boards, sponges, and brushes.
- **Adjustable Size:** Width can be adjusted from 31.5 inches to 39.5 inches to fit most single and double bowl sinks. Ensure your sink width is less than 39.5 inches and faucet height is less than 21 inches.
- **Quality Material:** Made from 304 stainless steel with a protective coating for rust and corrosion resistance.
- **Efficient Water Drainage:** Over-the-sink placement allows water to drain directly into the sink.
- **Multipurpose Design:** Includes a utensil holder, cutting board holder, knife holder, sponge basket, and five utility hooks for comprehensive storage.
- **Anti-Slip Suction Cups:** Provides stability and prevents movement on the countertop.



Figure 2.1: Fully assembled Sakugi Over The Sink Dish Drying Rack, showcasing its capacity and organization over a double sink.



Figure 2.2: Illustration highlighting the extra-large capacity and various designated baskets for different kitchen items.



Figure 2.3: Detail of the rack's construction, emphasizing the rust-proof 304 stainless steel material and protective coating.



Anti-Slip Suction Cups

Figure 2.4: Detail of the anti-slip suction cups located at the base of the support legs, designed to enhance stability.

3. PARTS LIST

Before assembly, please verify that all components listed below are present and undamaged. If any parts are missing or damaged, please contact customer support.



Figure 3.1: Detailed diagram of all included parts and their respective quantities.

Part	Description	Quantity
A	Support Bar	2
B	Support Frame	2
C	Side Bar	2
D	Middle Bar	3
E	Storage Basket	1
F	Storage Basket	1
G	Plate Basket	1
H	Bowl Basket	1
I	Fruit Basket	1
J	Sponge Basket	1
K	Knife Holder	1
L	Utensil Holder	1
M	Cutting Board Holder	1
N	Utility Hook	5
O	Suction Cup	4
P	Hex Key	1
Q	Long Screw	12
R	Short Screw	4

Part	Description	Quantity
S	Thumb Screw	6

4. SETUP AND ASSEMBLY

Assembly of the Sakugi Over The Sink Dish Drying Rack is designed to be straightforward. Follow these steps carefully. No nuts are required; screws are sufficient for secure assembly.

Pre-Assembly Check:

- Ensure your sink width is between 31.5 inches and 39.5 inches.
- Ensure the height from your countertop to the bottom of your faucet is less than 21 inches.
- Verify that there is at least 42.5 inches of vertical space above the countertop for the rack.




Figure 4.1: Important dimensions for proper installation of the dish drying rack.

Assembly Steps:

- 1. Assemble the Base Frame:** Connect the two Support Frames (B) using the two Support Bars (A). Secure them with Long Screws (Q) and the Hex Key (P).
- 2. Attach Side Bars:** Insert the two Side Bars (C) into the designated slots on the Support Frames (B). Secure with Long Screws (Q).
- 3. Install Middle Bars:** Attach the three Middle Bars (D) to the Support Frames (B) at your desired heights. These bars provide the foundation for the baskets. Secure with Long Screws (Q).
- 4. Adjust Width:** The main frame is adjustable. Loosen the Thumb Screws (S) on the adjustable sections, slide the frame to your desired width (31.5" to 39.5"), and then tighten the Thumb Screws (S) to secure the adjustment.
- 5. Place Baskets:** Position the Storage Baskets (E, F), Plate Basket (G), Bowl Basket (H), Fruit Basket (I), and Sponge Basket (J) onto the Middle Bars (D) as desired. These can be rearranged based on your needs.

6. **Attach Holders:** Mount the Knife Holder (K), Utensil Holder (L), and Cutting Board Holder (M) to the Side Bars (C) or Support Frames (B) using the Short Screws (R) or by hanging them directly if designed for such.
7. **Add Utility Hooks:** Hang the five Utility Hooks (N) on any convenient bar for additional storage.
8. **Secure Suction Cups:** Attach the four Suction Cups (O) to the bottom of the Support Frames (B) to enhance stability on your countertop.


Ensure all screws are tightened securely before placing items on the rack. The smooth, waterproof, and fingerprint-proof black coating ensures easy cleaning.

5. OPERATING INSTRUCTIONS

The Sakugi Over The Sink Dish Drying Rack is designed for intuitive use, providing an organized space for drying your kitchenware.

Adjusting the Rack Width:

To adjust the width of the rack, locate the adjustable sections on the main frame. Loosen the Thumb Screws (S) on these sections, slide the frame to expand or contract it to fit your sink, and then firmly tighten the Thumb Screws (S) to lock the desired width in place.



Adjustable Width

suitable for most single and double bowl sinks

Figure 5.1: Visual guide for adjusting the rack's width to fit different sink sizes.

Loading Kitchenware:

- **Plates and Bowls:** Place plates vertically in the Plate Basket (G) and bowls in the Bowl Basket (H) for efficient drying.
- **Utensils and Knives:** Use the Utensil Holder (L) for forks, spoons, and other small utensils. The Knife Holder (K) is designed for safe storage of knives.
- **Cutting Boards:** The Cutting Board Holder (M) provides a dedicated space for drying cutting boards.
- **Sponges and Soaps:** The Sponge Basket (J) is ideal for drying sponges, brushes, and holding dish soap.
- **Other Items:** Storage Baskets (E, F) and the Fruit Basket (I) can be used for various other kitchen items, including fruits, vegetables, or additional drying space for pots and pans.
- **Utility Hooks:** Hang cups, dishcloths, or other small items on the Utility Hooks (N).

Automatic Drainage:

The rack's position directly over the sink ensures that water dripping from washed items flows directly into your sink, eliminating the need for a separate drip tray and keeping your countertop dry.



Efficient Water Drainage

ensures automatic quick drying of tableware

Figure 5.2: The design ensures efficient water drainage directly into the sink.

6. MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your dish drying rack.

Cleaning Instructions:

- Wipe the rack regularly with a soft, damp cloth to remove water spots, dust, and food residue.
- For stubborn stains, use a mild dish soap solution and a soft sponge. Rinse thoroughly with a damp cloth and

dry immediately to prevent water marks.

- Avoid using abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the protective coating and stainless steel finish.
- The waterproof and fingerprint-proof coating simplifies cleaning and helps maintain a pristine appearance.

Rust Prevention:

While the rack is made from rust-resistant 304 stainless steel with a protective coating, ensuring proper drying after cleaning and avoiding prolonged exposure to highly acidic or alkaline substances will further prevent any potential corrosion.

7. TROUBLESHOOTING

If you encounter any issues with your dish drying rack, please refer to the following common problems and solutions:

- **Rack is unstable or wobbly:**
Solution: Ensure all screws, especially the Long Screws (Q) and Thumb Screws (S), are fully tightened. Verify that the four Suction Cups (O) are firmly pressed onto a clean, dry, and smooth countertop surface.
- **Rack does not fit over the sink:**
Solution: Double-check your sink's width and faucet height against the product's adjustable range (31.5"-39.5" width, faucet height less than 21"). Adjust the rack's width as described in Section 5. If dimensions are incompatible, the product may not be suitable for your sink.
- **Water is pooling on the countertop:**
Solution: Ensure the rack is positioned directly over the sink opening so that all dripping water falls into the sink basin. Check for any obstructions preventing water from draining freely.
- **Baskets or holders are loose:**
Solution: Re-secure any baskets or holders by ensuring they are correctly hooked onto the bars or that their respective screws (Short Screws R) are tightened.

If the problem persists after attempting these solutions, please contact Sakugi customer support for further assistance.

8. SPECIFICATIONS

Feature	Detail
Brand	Sakugi
Model Number	snTT
Material	304 Stainless Steel
Color	Black
Product Dimensions (Adjustable)	12"D x 31.5"-39.5"W x 30.5"H
Mounting Type	Over-the-Sink

Feature	Detail
Special Features	Adjustable Width, Auto-Drainage System, Large Capacity, Multifunctional Accessories, Rust-Proof
Item Weight	9.24 pounds
Size	XX-Large (3 Tier)

9. WARRANTY AND SUPPORT

For warranty information, product support, or to report missing/damaged parts, please contact Sakugi customer service directly. Keep your purchase receipt as proof of purchase.

© 2024 Sakugi. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0DLNHQLT6>

More documents and user manuals: <https://manuals.plus/>