Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

onerbl FFCL2015-2

onerbl AC-DC Adapter Instruction Manual

MODEL: FFCL2015-2

For DCA Model ADJZ2035 18V(20V Max) Cordless Electric Drill Sets

Introduction

This manual provides instructions for the safe and efficient use of your onerbl AC-DC Adapter, Model FFCL2015-2. This adapter is designed to provide power to and charge the battery of compatible devices, specifically the DCA Model ADJZ2035 18V(20V Max) 2Ah 36Wh Li-ion Battery Portable Cordless Electric Drill Set. Please read this manual thoroughly before use and retain it for future reference.

Important Safety Information

- Use only with compatible devices as specified in this manual.
- Do not expose the adapter to moisture, rain, or extreme temperatures.
- Do not disassemble or modify the adapter.
- Ensure the power outlet voltage matches the adapter's input specifications (100-240V AC).
- Disconnect the adapter from the power outlet when not in use or during electrical storms.
- Keep out of reach of children.
- Do not use if the adapter or cable is damaged.
- This adapter features short circuit protection.

Package Contents

Verify that all items are present in your package.

- 1 x onerbl AC-DC Adapter (Model FFCL2015-2)

Product Overview

The onerbl AC-DC Adapter converts alternating current (AC) from a wall outlet to direct current (DC) required by your compatible device. It is designed for reliable power delivery and battery charging.



Figure 1: Front and side view of the onerbl AC-DC adapter, showing input specifications and plug type.




Figure 2: Dimensions of the onerbl AC-DC adapter and its 76-inch cable.

Setup

1. **Inspect the Adapter:** Before first use, visually inspect the adapter and its cable for any signs of damage. Do not use if damaged.
2. **Connect to Device:** Locate the power input port on your DCA Model ADJZ2035 drill set or its battery charger. Insert the barrel connector of the onerbl AC-DC adapter firmly into this port.
3. **Connect to Power Outlet:** Plug the two-prong (Type A) plug of the adapter into a standard 100-240V AC electrical wall outlet.
4. **Verify Connection:** Ensure both connections are secure. The device should now receive power or begin charging its battery.



Figure 3: The onerbl AC-DC adapter connected to a power strip.

Operating Instructions

Once properly connected, the adapter will supply power to your device or charge its battery.

- **Charging:** When connected to a compatible battery charger, the adapter will facilitate the charging process. Refer to your device's manual for specific charging indicators and times.
- **Direct Power:** If your device can operate directly from AC power without a battery, the adapter will provide the necessary DC power.
- **Disconnection:** To disconnect, first unplug the adapter from the wall outlet, then disconnect the barrel connector from your device.

Maintenance

- **Cleaning:** Disconnect the adapter from all power sources before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.

- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures when not in use. Avoid tightly coiling the cable to prevent damage.
- **Cable Care:** Do not bend, twist, or pull the cable excessively. Avoid placing heavy objects on the cable.

Troubleshooting

Problem	Possible Cause	Solution
Device not receiving power/charging.	Adapter not properly connected.	Ensure the adapter is securely plugged into both the wall outlet and the device.
	Wall outlet is not active.	Test the wall outlet with another device or try a different outlet.
	Adapter or cable is damaged.	Inspect the adapter and cable for visible damage. Discontinue use if damaged.
Adapter feels warm during use.	Normal operation.	A slight warmth is normal. If it becomes excessively hot or emits smoke/odor, disconnect immediately and discontinue use.

Specifications

Model: FFCL2015-2

Input: 100-240V AC, 0.3A, 50/60Hz

Output: 21V DC, 1.5A (31.5 Watts)

Connector Type: Barrel Connector

Cable Length: Approximately 76 inches

Special Feature: Short Circuit Protection

Compatible Devices: DCA Model ADJZ2035 18V(20V Max) 2Ah 36Wh Li-ion Battery Portable Cordless Electric Drill Set

Manufacturer: Shenzhen Waweis Technology Co., Ltd

Warranty and Support

For warranty information or technical support, please refer to the documentation provided with your purchase or contact the retailer.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DLNTS9KV

More documents and user manuals: **https://manuals.plus/**