

Pulsar XG35

Pulsar Axion Compact Thermal Imaging Monocular XG35 User Manual

1. INTRODUCTION

Welcome to the user manual for your Pulsar Axion Compact Thermal Imaging Monocular XG35. This device is engineered to deliver advanced thermal imaging capabilities within a portable and ergonomic design. Please review this manual thoroughly to understand the features, proper operation, and maintenance procedures for your monocular.



Image 1.1: The Pulsar Axion Compact Thermal Imaging Monocular XG35.

2. KEY FEATURES

The Pulsar Axion Compact Thermal Imaging Monocular XG35 incorporates several advanced features for enhanced performance:

- **High-Resolution Thermal Sensor:** Features a 12-micron microbolometer and a 640x400 AMOLED display for superior image clarity and detail.
- **Compact and Lightweight Design:** Engineered for portability and ease of use, fitting comfortably in hand or pocket.
- **Eight Color Modes:** Offers a variety of viewing options to adapt to different environments and user preferences, enhancing visibility and target identification.
- **Robust Durability:** Designed with a wide operating temperature range (-13°F to +104°F) and an IPX7 waterproof rating for reliable performance in harsh conditions.
- **Extended Detection Range:** Capable of detecting heat signatures up to 1750 yards.
- **Long Battery Life:** Equipped with an APS 5 Li-Ion battery providing up to 7 hours of continuous use.
- **Stream Vision 2 App Support:** Compatible with the Stream Vision 2 application for remote control, streaming, and firmware updates via iOS and Android devices.



Image 2.1: The Axion XG35 Compact monocular, emphasizing its portability.




Image 2.2: Illustration of the monocular's compact size, fitting into a pocket.

3. PACKAGE CONTENTS

Upon opening the package, verify that all the following components are present:

- Pulsar Axion Compact Thermal Imaging Monocular XG35
- APS 3 Battery
- Power Adapter
- Carrying Case
- User Manual (this document)

4. SETUP

4.1. Battery Installation

Locate the battery compartment on the monocular. Insert the APS 3 battery, ensuring correct orientation according to the markings inside the compartment. Close the compartment securely.

4.2. Charging the Battery

Connect the provided power adapter to the charging port on the monocular and then plug the adapter into a standard electrical outlet. The charging indicator will illuminate. A full charge typically takes several hours. Ensure the battery is fully charged before first use for optimal performance.



| APS 5 LI-ION BATTERY
up to 7 hours of Continuous use

Image 4.1: Illustration of the APS 5 Li-Ion battery, indicating its capacity.

4.3. Power On/Off

To power on the device, press and hold the power button (typically located on the top panel) until the display illuminates. To power off, press and hold the power button again until the display shuts down.

5. OPERATING INSTRUCTIONS

5.1. Basic Controls

Familiarize yourself with the buttons on the top panel of the monocular. These typically include:

- **Power Button:** For turning the device on/off and sometimes for quick menu access.
- **Menu Button:** To access the main settings and options.
- **Zoom/Magnification Buttons:** To adjust the digital magnification level.
- **Color Palette Button:** To cycle through different thermal color modes.

5.2. Focus Adjustment

To achieve a clear and sharp image, rotate the objective lens (front lens) to adjust the focus for objects at

different distances. Additionally, adjust the eyepiece diopter for your individual vision by rotating the eyepiece until the on-screen information is sharp.

5.3. Color Modes

The XG35 offers eight distinct color palettes to optimize viewing for various scenarios. Press the dedicated color mode button to cycle through:

- White Hot
- Black Hot
- Red Hot
- Red Monochrome
- Rainbow
- Ultramarine
- Violet
- Sepia



Image 5.1: Visual representation of the eight available color palettes.

5.4. Stream Vision 2 App Integration

Enhance your monocular's functionality by connecting it to the Stream Vision 2 mobile application. Download the app from your device's app store (iOS and Android compatible). The app allows for remote control of the monocular, live streaming of thermal footage, and convenient firmware updates.



Image 5.2: A smartphone displaying the Stream Vision 2 app interface connected to a thermal device.

6. MAINTENANCE

6.1. Cleaning

To maintain optimal performance, keep the monocular clean. Use a soft, lint-free cloth to gently wipe the

optical surfaces (lenses). For stubborn smudges, a specialized optical cleaning solution can be applied to the cloth, not directly to the lens. Avoid using abrasive materials, harsh chemicals, or excessive force, as these can damage the coatings.

6.2. Storage

When not in use, store the Pulsar Axion Compact Thermal Imaging Monocular XG35 in its provided carrying case. Ensure the device is powered off and stored in a dry, cool environment, away from direct sunlight and extreme temperatures. Remove the battery if storing for extended periods to prevent potential leakage.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your monocular.

- **Device not powering on:** Ensure the APS 3 battery is correctly installed and fully charged. Connect the power adapter to confirm if the issue is battery-related.
- **Poor image quality or blurry display:** Adjust the objective lens for focus and the eyepiece diopter for your vision. Clean the lenses if they are dirty.
- **Battery draining quickly:** Ensure the device is completely powered off when not in use. Extreme cold temperatures can reduce battery life. If the battery is old or appears damaged, consider replacing it.
- **No image or display issues:** Try restarting the device. If the problem persists, ensure the battery is charged and properly seated.

If you encounter issues not covered here or if troubleshooting steps do not resolve the problem, please refer to the Warranty & Support section for contact information.

8. SPECIFICATIONS

The following table outlines the key specifications for the Pulsar Axion Compact Thermal Imaging Monocular XG35:

Specification	Value
Model Name	Axion XG35
Part Number	PL77509
Sensor Resolution	640x480 (12-micron)
Display Type	AMOLED
Magnification	2.5-20x
Detection Range	1750 yards
Battery Type	APS 3 Li-Ion
Operating Temperature	-13°F to +104°F
Waterproof Rating	IPX7
Material	Magnesium Alloy
Item Weight	0.77 Pounds

Specification	Value
Item Dimensions (LxWxH)	5.8 x 2 x 2.8 inches
Manufacturer	Sellmark Corporation
Date First Available	November 1, 2024



Image 8.1: Key specifications including magnification, display, and IPX7 rating.



640x480

Uncooled 12 μm Sensor

Image 8.2: Detailed view of the monocular's sensor specifications.



DETECTION RANGE
1750 Yards detection range

Image 8.3: Illustration of the 1750-yard detection range capability.


9. WARRANTY & SUPPORT

9.1. Warranty Information

The Pulsar Axion Compact Thermal Imaging Monocular XG35 is covered by a **5-year manufacturer warranty**. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims.

9.2. Customer Support

For technical assistance, troubleshooting, or to initiate a warranty claim, please contact Pulsar customer support. You can find up-to-date contact information and additional resources on the official Pulsar website: www.pulsarnv.com.

 AXION XQ30 PRO/XG30/XG35 COMPACT Handbuch	Pulsar Axion Compact Wärmebildkamera Handbuch Umfassendes Handbuch für die Pulsar Axion Compact Wärmebildmonokulare (Modelle XQ30 Pro, XG30, XG35). Enthält detaillierte Informationen zu Spezifikationen, Bedienung, Funktionen, Wartung und Fehlerbehebung für Nacht- und Tageseinsätze.
 PULSAR AXION COMPACT Manual	Pulsar Axion Compact XG35 Thermal Imager User Manual - Features, Specs & Operation Explore the Pulsar Axion Compact XG35 thermal imager with this comprehensive user manual. Learn about its advanced features, technical specifications, operational guides, and troubleshooting tips for optimal night vision and thermal detection.
 Manual Axion XQ30 Pro/XG30/XG35 Compact	Pulsar Axion XQ30 Pro/XG30/XG35 Compact Thermal Monocular Manual User manual for the Pulsar Axion Compact series thermal monoculars, including models XQ30 Pro, XG30, and XG35. This guide covers specifications, features, operation, battery charging, and maintenance.
 PULSAR AXION 2 Manual	Pulsar Axion 2 XG35 Thermal Imaging Monocular User Manual Comprehensive user manual for the Pulsar Axion 2 XG35 thermal imaging monocular, detailing specifications, features, operation, maintenance, and troubleshooting. Learn how to use this advanced device for hunting, observation, and security.
 PULSAR Thermal Imaging Monocular AXION 2 Quick Start Guide	Pulsar Axion 2 Thermal Imaging Monocular Quick Start Guide Get started quickly with the Pulsar Axion 2 thermal imaging monocular. This guide provides essential setup and operational information for this advanced thermal imager, designed for observation and detection in various conditions.
 AXION XQ30 PRO/XG30/XG35 COMPACT manual	Pulsar Axion XQ30 Pro/XG30/XG35 Compact Manual Manual oficial de Pulsar para los monoculares térmicos Axion XQ30 Pro, XG30 Compact y XG35 Compact. Cubre especificaciones técnicas, componentes, operación, carga de batería, configuración y solución de problemas para estos dispositivos de visión térmica.



Axion 2 Manual

[\[pdf\]](#) User Manual Quick Start Guide Instructions Troubleshooting Guide Specifications

Axion 2 Instruction Manual Pulsar XG35 Optics Trade optics trade static eu media instructions |||

Axion 2 Manual Content Specifications About the device Description Package

Contents Features Compo ... order. ** Reception range may vary depending on

various factors: obstacles, other Wi-Fi networks. **XG35** Model SKU Microbolometer

Type Resolution, Pixels Pixel Pitch, m Frame Rate, Hz Optical Characte...

lang:en **score:52** filesize: 3.73 M page_count: 61 document date: 2022-07-04



Talion Manual

[\[pdf\]](#) User Manual Quick Start Guide Instructions Specifications

Talion Pulsar XG35 Thermal Imaging Riflescope Instruction Manual Optics Trade optics trade static eu media instructions |||

Talion Manual Content Specifications About the device Description Package Contents

Features Compon *** The reception range may vary depending on various

factors: obstacles, other Wi-Fi networks. **XG35** Model SKU without mount SKU with

Weaver U mount SKU with Weaver USQD mount SKU with Weav...

lang:en **score:51** filesize: 10.08 M page_count: 92 document date: 2022-09-06



Talion Manual

[\[pdf\]](#) User Manual Quick Start Guide Instructions Specifications Guide

Talion Jul 17 2023 — Insert the APS 5T battery 9 along guide into 5 charger* Before using riflescope especially for hunting follow instructions Instruction Manual Pulsar XQ35 Pro Optics Trade optics trade static eu media |||

Talion Manual Content Specifications About the device Description Package Contents Features Compon *** The reception range may vary depending on various factors: obstacles, other Wi-Fi networks. **XG35** Model SKU without mount SKU with Weaver U mount SKU with Weaver USQD mount SKU with Weav...
lang:en score:49 filesize: 5.68 M page_count: 96 document date: 2023-07-16



[\[pdf\]](#) User Manual Quick Start Guide Installation Guide Instructions Guide

QG AXION 2 LRF XQ 165x105 indd Instruction manual Pulsar Axion XG35 Real Battery Life Optics Trade Blog Manual XQ35 optics trade static eu media instructions |||

Thermal Imaging Monocular AXION 2 LRF English Franais Deutsch Espaol Italiano Quick Start Guide ... kg/oz Laser Rangefinder Max. Measurement Range, m/y** LRF XQ35 77479 384x288 px 17 m, 50 Hz LRF **XG35** 77477 640x480 px 12 m, 50 Hz 2-8 10.78 1300 / 1421.7 F35 / 1.0 2.5-20 12.5x9.4 1750 / 1913...
lang:it score:46 filesize: 4.15 M page_count: 44 document date: 2022-04-05



Axion 2 LRF Manual

[\[pdf\]](#) User Manual Quick Start Guide Instructions Troubleshooting Guide Specifications

Instruction Manual Pulsar Axion 2 LRF XQ35 Pro Thermal Imaging Monocular Optics Trade optics trade static eu media instructions |||

Axion 2 LRF Manual Content Specifications About the device Description Package Contents Features C ... Depends on the characteristics of the object under observation and environmental conditions. LRF **XG35** Model SKU Microbolometer Type Resolution, Pixels Pixel Pitch, m NETD, mK Frame Rate, Hz Optical...
lang:en score:42 filesize: 9.64 M page_count: 72 document date: 2023-01-18




[\[pdf\]](#) Quick Start Guide Guide

QG Oryx LRF indd Pulsar XG35 Quick Start GuidePulsar Natur og FritidPulsar Guidenatur og fritid no 2025 09 Guide |||

Thermal Imaging Monocular ORYX LRF **XG35** Quick Start Guide English Français Deutsch Español Italiano v.1024 o-pa EN Attention Oryx thermal imaging monoculars require a license if exported outside your country. Electromagnetic compliance. This product complies with EU Standard EN...

lang:fr **score:41** filesize: 3.29 M page_count: 60 document date: 2024-12-06




[\[pdf\]](#) User Manual Quick Start Guide Instructions Troubleshooting Guide Specifications

Axion 2 LRF Instruction Manual Optics Trade optics trade static eu media instructions |||

Axion 2 LRF Manual Content Specifications About the device Description Package Contents Features C ... *** Depends on the characteristics of the object under observation and environmental conditions. **XG35** Model SKU Microbolometer Type Resolution, Pixels Pixel Pitch, m Frame Rate, Hz Optical Characte...

lang:en **score:40** filesize: 4.03 M page_count: 67 document date: 2022-07-11



[Pulsar Axion 2 Thermal Imaging Monocular Quick Start Guide](#)

Get started quickly with the Pulsar Axion 2 thermal imaging monocular. This guide provides essential setup and operational information for this advanced thermal imager, designed for observation and detection in various conditions.

lang:it **score:40** filesize: 4 M page_count: 44 document date: 2022-04-05



[\[pdf\]](#) Quick Start Guide Guide

QG Axion XG30 35 Compact indd XG35 Quick Guide naturogfrid no 2024 09 |||

Quick Start Guide Thermal Imaging Monoculars AXION XG30/**XG35** COMPACT English Français Deutsch Español Italiano EN Attention Axion thermal imaging monoculars require a license if exported outside your country. Electromagnetic compatibility. This product complies with the requirements of European ...

lang:fr **score:39** filesize: 5.51 M page_count: 48 document date: 2024-07-16



[\[pdf\]](#) User Manual Quick Start Guide Installation Guide Instructions Guide

QG Talion 165x105 red indd Pulsar Vision 06 02982 XQ38 XG35 with mounts quick guide EN FR DE ES IT RU PRINT pulsarvision app 2024 04 |||

Thermal Imaging Rifle Scope TALION XQ38 **XG35** Quick Start Guide English Français Deutsch Español Italiano EN Install the Stream Vision 2 application to download files, update firmware, control the device by remote control and broadcast images from your device to a smartphone or a tablet via WiFi. De...

lang:it **score:39** filesize: 11.37 M page_count: 68 document date: 2022-10-27



[\[pdf\]](#) User Manual Quick Start Guide Specifications Guide Warranty

Talion Battery Installation External Power Supply Quick User Manual Warranty card Insert the APS 5T battery 9 along guide into 5 charger* pulsar nv usa support manuals 2966 talion m38 |||

Talion Manual Content Specifications About the device Description Package Contents Features Compon *** The reception range may vary depending on various factors: obstacles, other Wi-Fi networks. **XG35** Model SKU without mount SKU with Weaver U mount SKU with Weaver USQD mount SKU with Weav...

lang:en **score:38** filesize: 10.28 M page_count: 93 document date: 2023-06-25



[\[pdf\]](#) Quick Start Guide Guide

QG Talion XQ35 PRO XG35 165x105 new display indd Pulsar Vision 06 03067 Pro with mounts quick guide EN FR DE ES IT RU PRINT public pulsarvision app 2024 04 |||

Quick Start Guide Thermal Imaging Riflescope TALION XQ35 PRO **XG35** English Franais Deutsch Espaol Italiano EN Attention Talion thermal imaging riflescopes require a license if exported outside your country. Electromagnetic compatibility. This product complies with the requirements of European s...

lang:fr **score:37** filesize: 5.18 M page_count: 72 document date: 2024-12-10



[\[pdf\]](#) User Manual Quick Start Guide Troubleshooting Guide Specifications

Download manual Axion 2 User Manuals Pulsar Vision PULSAR AXION LRF XG35 discontinued pulsarvision app manuals |||

PULSAR AXION 2 Manual Specifications About the device Description Package Contents Features Componen ... es and Disclaimers Specifications You can learn more about the main parameters here. Model LRF **XG35** SKU 77477 Microbolometer Type uncooled Resolution, Pixels 640x480 Pixel Pitch, m 12 Se...

lang:en **score:35** filesize: 6.08 M page_count: 68 document date: 2025-08-01



[\[pdf\]](#) Quick Start Guide Specifications Guide

QG Oryx LRF indd Predator Hunter Outdoors Imaging Monoculars Pulsar XG35 Page 19 English Specifications Model SKU 77504 Microbolometer 640x480 px @ 12 µm System NETD 06 03078 quick guide EN FR DE ES IT RU PRINT public 2 predatorhunteroutdoors 2025 |||

Thermal Imaging Monocular ORYX LRF **XG35** Quick Start Guide English Franais Deutsch Espaol Italiano v.1024 o-pa EN Attention Oryx thermal imaging monoculars require a license if exported outside your country. Electromagnetic compliance. This product complies with EU Standard EN 55032:2015, Class...

lang:fr **score:34** filesize: 1.76 M page_count: 60 document date: 2025-06-20

PULSAR AXION COMPACT Manual

Specifications
About the device
Description
Package Contents
Features
Components and Controls
Power Supply
Precautions
Recommendations for Battery Use
Battery Charging
Battery Installation
External Power Supply
Getting Started
Powering on and Image Settings
Button Operation
Interface
Status Bar
Quick Menu
Main Menu
Enter the Main Menu
Amplification Level
Colour Modes
Smoothing Filter
User Mode
Display Settings
PIP Mode
Wi-Fi Settings
Microphone
Calibration Mode
General Settings
Defective Pixel Repair
Restore Default Pixel Map
Device Information
Functions
Video Recording And Photography

[\[pdf\]](#) User Manual Quick Start Guide Troubleshooting Guide Specifications

PULSAR AXION COMPACT Manualpulsar axion compact xg35 manualcdn webshopapp shops 39297
files 481211279 pulsar manual |||

PULSAR AXION COMPACT Manual Specifications About the device Description
Package Contents Features Co ... missing The supplied USB cable is broken Legal
Compliances and Disclaimers Specifications Model **XG35** Compact SKU 77509
Microbolometer Type uncooled Resolution, Pixels 640480 Pixel Pitch, m...
lang:en **score:32** filesize: 6.76 M page_count: 57 document date: 2025-08-11



Axion 2 Manual

[\[pdf\]](#) User Manual Quick Start Guide Troubleshooting Guide Specifications

Axion 2 manual Pulsar Thermal Imaging Scope XQ35 Pro pulsar thermal imaging scope axion xg35
kamera express nl media ce3ce218 347b 4885 80a2 4c5ecdadf8d9 |||

Axion 2 Manual Content Specifications About the device Description Package
Contents Features Compo ... order. ** Reception range may vary depending on
various factors: obstacles, other Wi-Fi networks. **XG35** Model SKU Microbolometer
Type Resolution, Pixels Pixel Pitch, m NETD, mK Frame Rate, Hz Optical...
lang:en **score:32** filesize: 9.35 M page_count: 67 document date: 2023-05-07



Naudotojo vadovas
Oryx LRF XG35

[\[pdf\]](#) User Manual

docId E02F025E2CA0703C0D03665E18BF9036 Aliaksandr Karabyin Pulsar Oryx LRF Vision Manual
XG35 lt pulsarvision app 2024 12 |||

Naudotojo vadovas Oryx LRF **XG35** Specifikacijos Modelis LRF **XG35** SKU: 77504
Mikrobolometras Tipas neapsaldomas Skiriamoji geba, pikseliai 640480 px Pikseli
zingsnis, m 12 Jutiklis NETD, mK 40 Sistemos NETD, mK 20 Kadr daznis, Hz 50
Optins charakteristikos Optinis priartinimas...
lang:tl **score:32** filesize: 3.13 M page_count: 59 document date: 2025-06-05



Handbuch Oryx LRF XG35

[\[pdf\]](#) User Manual

docId 8BE433DFB0B8A9EDAA61C1D0C22B984D Aliaksandr Karabyin Pulsar Oryx LRF Vision Manual XG35 de pulsarvision app 2024 12 |||

Handbuch Oryx LRF **XG35** Spezifikationen Modell LRF **XG35** SKU 77504
Mikrobolometer Typ ungekühlt Auflösung, Pixel 640x480 px Pixelabstand, mm 12 Sensor NETD, mK 40 System NETD, mK 20 Bildfrequenz, Hz 50 Optische Merkmale
Optische Vergrößerung, x 2.5 Sanfter Digitalzoom 2.5-20 Dig...
lang:de **score:31** filesize: 3.06 M page_count: 59 document date: 2025-06-05



Manuale d'uso
Oryx LRF XG35

[\[pdf\]](#) User Manual

docId 60318296C7EDE042229B30B3A78294DD Aliaksandr Karabyin Pulsar Oryx LRF VisionManual XG35 itpulsarvision app 2024 12 Manual it |||

Manuale d'uso Oryx LRF **XG35** Specifiche tecniche Modello SKU: Microbolometro
Tipo Risoluzione, pixel Pixel Pitch, mm Sensore NETD, mK Sistema NETD, mK
Frequenza dei fotogrammi, Hz Caratteristiche ottiche Ingrandimenti ottici, x Zoom
digitale fluido Zoom Digitale fluido, x Messa a fuoco dell'obiettivo...
lang:it **score:31** filesize: 3.12 M page_count: 61 document date: 2025-06-05

PULSAR AXION 2 Manual

Specifications
About the device
Description
Features
Package Contents
Power supply
Recommendations for Use
Precautions
External Power Supply
Battery Installation
Battery Charging
Components and Controls
Getting started
Button Operation
Powering on and Image Settings
Interface
Main menu
Device Information
Defective Pixel Repair
Restore Default Pixel Map
Defective Pixel Repair
General Settings
Calibration Mode
Microphone
Wi-Fi Settings
Wi-Fi Activation
PIP Mode
PIP Mode
Icon Brightness
User Mode
User Mode
Smoothing Filter
Colour Modes
Smoothing Filter
Colour Modes
Amplification Level
Enter the Main Menu
Status Bar
Quick Menu

[Pulsar Axion 2 XG35 Thermal Imaging Monocular User Manual](#)

Comprehensive user manual for the Pulsar Axion 2 XG35 thermal imaging monocular, detailing specifications, features, operation, maintenance, and troubleshooting. Learn how to use this advanced device for hunting, observation, and security.

lang:en **score:31** filesize: 6.53 M page_count: 75 document date: 2024-09-27



Manual del usuario
Oryx LRF XG35

[pdf] User Manual
docId DF6DD00B0537154089144D8BD49AED7D Aliaksandr Karabyin Pulsar Oryx LRF Vision Manual
XG35 es pulsarvision app 2024 12 |||
Manual del usuario Oryx LRF**XG35** Especificaciones Modelo SKU Microbolmetro
Tipo Resolucin, pxeles Tamao del Pixel m Sensor NETD, mK Sistema NETD, mK
Frecuencia de imagen, Hz Caracterstics pticas Aumentos pticos, x Aumento digital
suave Zoom Digital, x Enfoque del objetivo, mm Apertura relativa D/...
lang:es score:31 filesize: 3.13 M page_count: 60 document date: 2025-06-05

PULSAR AXION COMPACT
Manual

Specifications
About the device
Description
Package Contents
Features
Components and Controls
Power Supply
Precautions
Recommendations for Battery Use
Battery Charging
Battery Installation
External Power Supply
Getting Started
Powering on and Image Settings
Button Operation
Interface
Status Bar
Quick Menu
Main Menu
Enter the Main Menu
Amplification Level
Colour Modes
Smoothing Filter
User Mode
Display Settings
PIP Mode
Wi-Fi Activation
Wi-Fi Settings
Microphone
Calibration Mode
General Settings
Defective Pixel Repair
Defective Pixel Repair
Restore Default Pixel Map
Device Information
Functions

Pulsar Axion Compact XG35 Thermal Imager User Manual - Features, Specs & Operation
Explore the Pulsar Axion Compact XG35 thermal imager with this comprehensive user manual. Learn about its advanced features, technical specifications, operational guides, and troubleshooting tips for optimal night vision and thermal detection.
lang:en score:31 filesize: 6.75 M page_count: 57 document date: 2024-12-01

PULSAR AXION COMPACT
Manual

Specifications
About the device
Description
Package Contents
Features
Components and Controls
Power Supply
Precautions
Recommendations for Battery Use
Battery Charging
Battery Installation
External Power Supply
Getting Started
Powering on and Image Settings
Button Operation
Interface
Status Bar
Quick Menu
Main Menu
Enter the Main Menu
Amplification Level
Colour Modes
Smoothing Filter
User Mode
Display Settings
PIP Mode
Wi-Fi Activation
Wi-Fi Settings
Microphone
Calibration Mode
General Settings
Defective Pixel Repair
Defective Pixel Repair
Restore Default Pixel Map
Device Information
Functions

[pdf] User Manual Quick Start Guide Troubleshooting Guide Specifications
PULSAR AXION COMPACT Manual Sep 20 2024 — Open the lens cover 7 after calibration is completed
SA mode Semi Automatic The user independently determines need for according to XG35 manual
pulsarvision app manuals |||
PULSAR AXION COMPACT Manual Specifications About the device Description
Package Contents Features Co ... missing The supplied USB cable is broken Legal
Compliances and Disclaimers Specifications Model **XG35** Compact SKU 77509
Microbolometer Type uncooled Resolution, Pixels 640480 Pixel Pitch, m...
lang:en score:31 filesize: 6.74 M page_count: 60 document date: 2024-10-14



Manuale
Axion XQ30 Pro/XG30/XG35 Compact

[pdf] User Manual

docId FCE6EF409478354AF473EC04002ECD1C Aliaksandr Karabyin Pulsar Axion Compact
VisionManual XQ30 Pro XG30 XG35 itpulsarvision app 2024 09 Manual it |||

Manuale Axion XQ30 Pro/XG30/**XG35** Compact Specifiche tecniche Modello XQ30
Pro SKU: 77506 Microbolometro Tipo non raffreddato Risoluzione, pixel 384288 Pixel
Pitch, m 17 Sensore NETD, mK 25 Sistema NETD, mK 20 Frequenza dei 50
fotogrammi, Hz Caratteristiche ottiche Ingrandim...

lang:it score:31 filesize: 1.97 M page_count: 54 document date: 2025-06-18

PULSAR AXION 2 Manual

Specifications
About the device
Description
Package Contents
Features
Components and Controls
Power Supply
Precautions
Recommendations for Battery Use
Battery Charging
Battery Installation
External Power Supply
Getting started
Powering on and Image Settings
Button Operation
Interface
Status Bar
Quick Menu
Main menu
Enter the Main Menu
Amplification Level
Colour Modes
Smoothing Filter
User Mode
Icon Brightness
PIP Mode
Wi-Fi Activation
Wi-Fi Settings
Microphone
Calibration Mode
General Settings
Defective Pixel Repair
Defective Pixel Repair
Restore Default Pixel Map
Device Information
Functions
Video Recording and Photography
Discrete Digital Zoom
PIP Function

[pdf] User Manual Quick Start Guide Troubleshooting Guide Specifications

PULSAR AXION 2 Manual Rotate the lens focus ring 7 to on object being observed Enter main menu with
a long press of MENU 4 button and select desired XG35 discontinued manual pulsarvision app manuals

|||
PULSAR AXION 2 Manual Specifications About the device Description Package
Contents Features Componen ... iances and Disclaimers Specifications You can learn
more about the main parameters here. Model **XG35** SKU 77476 Microbolometer Type
uncooled Resolution, Pixels 640480 Pixel Pitch, m 12 Se...

lang:en score:31 filesize: 5.73 M page_count: 65 document date: 2025-06-01



Pulsar Axion Compact XG35 Specification
Axion Compact XG35

Specifications	
Sensor	640x480 @ 12µm (640x512 x 480 µm)
Optical lens	F10x-11.0
Magnification, x	2.5 ~ 30 (all digital zoom)
FOV (pixel) degrees - HxV (mm)	12.5x7.9 (21.3x 13.1)
Detection range	1750 m
Sensor	
Type	uncooled
Resolution, pixels	640x480
Resolution, µm	12
NETD, mK	<40
Frame rate, Hz	30
Optics	
Objective lens	F10x-11.0
Magnification, x	2.5 ~ 30 (all digital zoom)
FOV (pixel) degrees - HxV (mm)	12.5x7.9 (21.3x 13.1)
Display	
Type	640x512
Resolution, pixels	640x480
Range performance	
Detection range, m	1750 m
Video recorder	
Video (photo resolution, pixel)	640x480
Video (photo format)	H.264 / H.265
Video memory (GB)	32

[pdf] Specifications Dimension Guide

cc102 full Axion Compact XG35 specifications Pulsar Clifton Cameras pulsar axion compact xg35
cliftoncameras co uk |||

Pulsar Axion Compact **XG35** Specification Specifications Axion Compact **XG35**
Sensor: Objective lens: Magnification, x: FOV HxV degrees / m 100m: Detection
range: Sensor Type: Resolution, pixels: Pixel pitch, m: NETD, mK: Frame rate, Hz:
Optics Objective lens: Magnification, x: FOV HxV degrees / ...

lang:en score:30 filesize: 132.76 K page_count: 2 document date: 2024-09-30



Handbuch
Axion XQ30 Pro/XG30/XG35 Compact

[\[pdf\]](#) User Manual

docId BE3C43B0410295790B6AAEBA517122D8 Aliaksandr Karabyin Pulsar Axion Compact
VisionManual XQ30 Pro XG30 XG35 depulsarvision app 2024 09 Manual de |||

Handbuch Axion XQ30 Pro/XG30/**XG35** Compact Spezifikationen Modell SKU:.
Mikrobolometer Typ Auflsung, Pixel Pixelabstand, m Sensor NETD, mK System
NETD, mK Bildfrequenz, Hz Optische Eigenschaften Optische Vergrerung, x Sanfte
digitale Vergrerung Digitalzoom, x Relative Blende, D/f Minimale Distanz ...
lang:de **score:30** filesize: 1.98 M page_count: 56 document date: 2025-06-18



Manuel Oryx LRF XG35

[\[pdf\]](#) User Manual

docId 184FCC121278ED2BC03B8E5F1E9E33CE Aliaksandr Karabyin Pulsar Oryx LRF VisionManual
XG35 frpulsarvision app 2024 12 Manual fr |||

Manuel Oryx LRF **XG35** Spcifications Modle LRF **XG35** SKU : 77504 Microbolomtre
Type non refroidi Rsolution, pixels 640480 px Taille des pixels m 12 Capteur NETD,
mK 40 Systme NETD, mK 20 Taux de rafraichissement, Hz 50 Caractristiques
optiques Grossissement optique, x 2.5 Agra...
lang:fr **score:30** filesize: 3.14 M page_count: 62 document date: 2025-06-05

PULSAR AXION 2 Manual

Specifications
About the device
Description
Package Contents
Features
Power supply
Recommendations for Use
Precautions
External Power Supply
Battery Installation
Battery Charging
Components and Controls
Getting started
Button Operation
Powering on and Image Settings
Interface
Main menu
Device Information
Defective Pixel Repair
Restore Default Pixel Map
Defective Pixel Repair
General Settings
Calibration Mode
Rangefinder
Microphone
Wi-Fi Settings
Wi-Fi Activation
Icon Brightness
Colour Modes
Amplification Level
Enter the Main Menu
Status Bar
Quick Menu
Functions
USB Connection
Installing the Device on a Tripod
Stadiametric Rangefinder
Wi-Fi Function
Display-Off Function

[\[pdf\]](#) User Manual Quick Start Guide Troubleshooting Guide Specifications

PULSAR AXION 2 Manual Sep 7 2024 — Solution Relocate smartphone or tablet into the Wi Fi signal
line of sight The image quality during device operation at below zero temperatures is worse LRF XG35
manual pulsarvision app manuals |||

PULSAR AXION 2 Manual Specifications About the device Description Package
Contents Features Power su ... Technical Inspection Troubleshooting Legal
Compliances and Disclaimers Specifications Model LRF **XG35** SKU 77477
Microbolometer Type uncooled Resolution, Pixels 640480 Pixel Pitch, m 12 NE...
lang:en **score:30** filesize: 4.83 M page_count: 71 document date: 2024-09-26

PULSAR ORYX LRF Manual

Specifications
About the device
Description
Package contents
Components and controls
Features
Power supply
Precautions
Recommendations for battery use
Battery charging
Battery installation
External power supply
Getting started
Powering on and image settings
Button operation
Interface
Status bar
Quick menu
Main menu
Enter the main menu
Amplification levels
Colour palette
Smoothing filter
User mode
Display settings
Image stabilization
PIP mode
Wi-Fi settings
Microphone
Rangefinder
Calibration mode
General settings
Defective pixel repair
Device information
Functions
Video recording and Photography
Laser rangefinder
Discrete digital zoom
Display-off function

[\[pdf\]](#) User Manual Quick Start Guide Troubleshooting Guide Specifications

Pulsar Oryx XG35 LRF User Manual DownloadPulsar Thermal Monocular one handed thermal Wolf

EyesPULSAR ORYX manual wolfeyescdn shopify s files 1 0708 0420 9914 PULSAR wolfeyes v 1761610003 |||

www.wolfeyes.com.au PULSAR ORYX LRF Manual Specifications About the device Description Package conte ... ef, mm/inch Exit Pupil Diameter, mm/inch Angular Field of View Horizontal x Vertical , degree LRF **XG35** 77504 uncooled 640 480 px 12 40 20 50 2.5 2.5-20 x1, x2, x4, x8 35 1.0 5 / 5.47 15 / 0.59 ...

lang:en score:30 filesize: 8.28 M page_count: 62 document date: 2025-05-07



Handbuch
Talion XQ38/XG35/XQ35 Pro

[Pulsar Talion XQ38/XG35/XQ35 Pro Handbuch - Wärmebildzielfernrohr](#)

Umfassendes Handbuch für das Pulsar Talion Wärmebildzielfernrohr. Erfahren Sie mehr über technische Daten, Funktionen, Bedienung und Wartung der Modelle XQ38, XG35 und XQ35 Pro für Jagd und professionelle Anwendungen.

lang:de score:30 filesize: 4.54 M page_count: 98 document date: 2025-07-17

PULSAR TALION Manual

Specifications
About the device
Description
Package contents
Features
Components and controls
Power supply
Precautions
Recommendations for battery use
Battery charging
Battery installation
External power supply
Getting Started
Mounting on the rifle
Powering on and Image Settings
Button operation
Zeroing
How to zero
Add new distance
Zeroing parameters settings
Windage/elevation
Magnification (When zeroing)
Freeze
Name distance
Change primary distance
Delete distance
Interface
Status bar
Quick menu
Main menu
Enter the main menu
Reticle & Zeroing
Zeroing profile
Reticle type
Reticle colour
Reticle brightness
Smoothing filter
Colour modes
User mode

[\[pdf\]](#) User Manual Quick Start Guide Specifications

PULSAR TALION Manual XG35 manual pulsarvision app manuals 15 ago 2024 — Always use the APS 5 charger supplied with device or purchased separately to charge 5T Battery Pack The of any other may |||

PULSAR TALION Manual Specifications About the device Description Package contents Features Component ... does not work Incorrect readings of SPOA Legal compliances and disclaimers Specifications Model **XG35** SKU without mount 76563 SKU with Weaver U mount 76563U SKU with Weaver USQD mount 7...

lang:en score:30 filesize: 8.34 M page_count: 99 document date: 2024-11-18

PULSAR TALION Manual

Specifications

About the device

- Description
- Package contents
- Components and controls
- Features

Power supply

- Precautions
- Recommendations for battery use
- Battery charging
- Battery installation
- External power supply

Getting Started

- Mounting on the rifle
- Button operation
- Powering on and Image Settings

Zeroing

- How to zero
- Add new distance
- Zeroing parameters settings
- Windage/elevation
- Magnification (When zeroing)
- Freeze
- Name distance
- Change primary distance
- Delete distance

Interface

- Status bar
- Quick menu
- Main menu
- Enter the main menu
- Smoothing filter
- Colour modes
- User mode
- Display settings
- Bluetooth
- Wi-Fi settings
- Microphone
- Ballistics

[pdf] User Manual Quick Start Guide Troubleshooting Guide Specifications

PULSAR TALION Manual Lockout Lock XQ38 XG35 Click value mm@100 m when magnifying x 17 mm

2 5x 8 5 4 25 10x 21 2x 10 4x 8x 6 16x Page 28 pulsar pu 76563 talion xg35 thermal imaging rifle scope

user manual lockout lock files get id 12339 |||

PULSAR TALION Manual Specifications About the device Description Package contents Components and con ... ct readings of SPOA Maintenance Technical inspection Technical maintenance Specifications Model **XG35** SKU without mount 76563 SKU with Weaver U mount 76563U SKU with Weaver USQD mount 7...

lang:en score:30 filesize: 11.12 M page_count: 123 document date: 2024-09-04

PULSAR TALION Manual

Specifications

About the device

- Description
- Package contents
- Features
- Components and controls

Power supply

- Precautions
- Recommendations for battery use
- Battery charging
- Battery installation
- External power supply

Getting Started

- Mounting on the rifle
- Powering on and Image Settings
- Button operation

Zeroing

- How to zero
- Add new distance
- Zeroing parameters settings
- Windage/elevation
- Magnification (When zeroing)
- Freeze
- Name distance
- Change primary distance
- Delete distance

Interface

- Status bar
- Quick menu
- Main menu
- Enter the main menu
- Reticle & Zeroing
- Zeroing profile
- Reticle type
- Reticle colour
- Reticle brightness
- Smoothing filter
- Colour modes
- User mode

[pdf] User Manual Quick Start Guide Specifications

PULSAR TALION XG35 USER MANUAL EN Pulsar Talion Thermal Imaging Riflescopes Long Range

Detection and H BOARS BUCKS manual v 1733983542 cdn shopify s files 1 0822 2428 3990 |||

PULSAR TALION Manual Specifications About the device Description Package contents Features Component ... does not work Incorrect readings of SPOA Legal compliances and disclaimers Specifications Model **XG35** SKU without mount 76563 SKU with Weaver U mount 76563U SKU with Weaver USQD mount 7...

lang:en score:29 filesize: 8.35 M page_count: 99 document date: 2024-12-01



AXION XQ30 PRO/XG30/XG35 COMPACT
naudotojo vadovas

[Pulsar Axion XQ30 Pro/XG30/XG35 Compact Naudotojo Vadovas](#)

Išsamus Pulsar Axion Compact serijos termovizorių (XQ30 Pro, XG30, XG35) naudotojo vadovas. Sužinokite apie specifikacijas, funkcijas, valdiklius, baterijos įkrovimą, naudojimą ir trikčių šalinimą.

lang:id score:29 filesize: 1.7 M page_count: 56 document date: 2025-09-11

PULSAR TALION Manual

- Specifications
- About the device
 - Description
 - Package contents
 - Features
 - Components and controls
- Power supply
 - Precautions
 - Recommendations for battery use
 - Battery charging
 - Battery installation
 - External power supply
- Getting Started
 - Mounting on the rifle
 - Powering on and Image Settings
 - Button operation
- Zeroing
 - How to zero
 - Add new distance
 - Zeroing parameters settings
 - Windage/elevation
 - Magnification (When zeroing)
 - Freeze
 - Name distance
 - Change primary distance
 - Delete distance
- Interface
 - Status bar
 - Quick menu
 - Main menu
 - Enter the main menu
 - Reticle & Zeroing
 - Zeroing profile
 - Reticle type
 - Reticle colour
 - Reticle brightness
 - Smoothing Filter
 - Colour modes
 - User mode

[pdf] User Manual Quick Start Guide Specifications

Pulsar Talion XG35 User ManualPulsar XG35 Compact Power Scope Long Battery Wolf EyesPULSAR TALION manual wolfeyescdn shopify s files 1 0708 0420 9914 PULSAR wolfeyes v 1761634438 ||| www.wolfeyes.com.au PULSAR TALION Manual Specifications About the device Description Package content ... ect readings of SPOA Legal compliances and disclaimers www.wolfeyes.com.au Specifications Model **XG35** SKU without mount 76563 SKU with Weaver U mount 76563U SKU with Weaver USQD mount 7... lang:en score:29 filesize: 7.64 M page_count: 100 document date: 2025-10-28



cliftoncameras

Pulsar Axion 2 LRF XG35 Specification

Sensor: 640x480, 12μm, 40mK NETD
Frame Rate: 50Hz Refresh Rate
Detection Range: 1750m
Lens: 35mm f1.0
Magnification: 2.5x-20.0x
FOV: 12.5° x 9.4°
Viewfinder: 1024 x 768 AMOLED
Rangefinder: 1000m 1m ...

[pdf] Specifications

Emma Lawson Pulsar Axion 2 LRF XG35 full specifications 2 Clifton Cameras pulsar axion lfr xg35 specification cliftoncameras co uk ||| Pulsar Axion 2 LRF **XG35** Specification Pulsar Axion 2 LRF XG3 Sensor: 640x480, 12m, 40mK NETD Frame Rate: 50Hz Refresh Rate Detection Range: 1750m Lens: 35mm f1.0 Magnification: 2.5x 20.0x FOV: 12.5 x 9.4 Viewfinder: 1024 x 768 AMOLED Rangefinder: 1000m 1m ... lang:en score:29 filesize: 103.88 K page_count: 1 document date: 2024-01-24

PULSAR AXION 2 Manual

- Specifications
- About the device
 - Description
 - Package Contents
 - Features
 - Components and Controls
- Power Supply
 - Precautions
 - Recommendations for Battery Use
 - Battery Charging
 - Battery Installation
 - External Power Supply
- Getting started
 - Powering on and Image Settings
 - Button Operation
- Interface
 - Status Bar
 - Quick Menu
 - Main menu
 - Enter the Main Menu
 - Amplification Level
 - Colour Modes
 - Smoothing Filter
 - User Mode
 - Icon Brightness
 - PIP Mode
 - Wi-Fi Activation
 - Wi-Fi Settings
 - Microphone
 - Calibration Mode
 - General Settings
 - Defective Pixel Repair
 - Defective Pixel Repair
 - Restore Default Pixel Map
 - Device Information
- Functions
 - Video Recording and Photography
 - Discrete Digital Zoom
 - PIP Function

lang:en score:29 filesize: 5.73 M page_count: 65 document date: 2025-07-02

PULSAR AXION COMPACT Manual

- Specifications
 - About the device
 - Description
 - Package Contents
 - Features
 - Components and Controls
 - Power supply
 - Precautions
 - Recommendations for Battery Use
 - Battery Charging
 - Battery Installation
 - External Power Supply
 - Getting Started
 - Powering on and Image Settings
 - Button Operation
 - Interface
 - Status Bar
 - Quick Menu
 - Main Menu
 - Enter the Main Menu
 - Amplification Level
 - Colour Modes
 - Smoothing Filter
 - User Mode
 - Display Settings
 - PIP Mode
 - Wi-Fi Settings
 - Microphone
 - Calibration Mode
 - General Settings
 - Defective Pixel Repair
 - Restore Default Pixel Map
 - Device Information
- Functions
 - Video Recording And Photography



AXION XQ30 PRO/XG30/XG35 COMPACT
Handbuch

www.wolfeyes.com.au

PULSAR AXION COMPACT Manual

- Specifications
 - About the device
 - Description
 - Package Contents
 - Features
 - Components and Controls
 - Power Supply
 - Precautions
 - Recommendations for Battery Use
 - Battery Charging
 - Battery Installation
 - External Power Supply
 - Getting Started
 - Powering on and Image Settings
 - Button Operation
 - Interface
 - Status Bar
 - Quick Menu
 - Main Menu
 - Enter the Main Menu
 - Amplification Level
 - Colour Modes
 - Smoothing Filter
 - User Mode
 - Display Settings
 - PIP Mode
 - Wi-Fi Settings
 - Microphone
 - Calibration Mode
 - General Settings
 - Defective Pixel Repair
 - Restore Default Pixel Map
 - Device Information
- Functions
 - Video Recording And Photography

[\[pdf\]](#) User Manual Quick Start Guide Troubleshooting Guide Specifications

PULSAR AXION COMPACT Manual 20 set 2024 — The device will switch to operation from the external power source while APS3 battery be gradually recharged An icon of a appear on pulsar axion compact xg35 thermal imaging monocular user manual pass co uk files get id 12443 |||

PULSAR AXION COMPACT Manual Specifications About the device Description Package Contents Features Co ... missing The supplied USB cable is broken Legal Compliances and Disclaimers Specifications Model **XG35** Compact SKU 77509 Microbolometer Type uncooled Resolution, Pixels 640480 Pixel Pitch, m... lang:en score:28 filesize: 4.76 M page_count: 57 document date: 2024-09-24

[Pulsar Axion Compact Wärmebildkamera Handbuch](#)

Umfassendes Handbuch für die Pulsar Axion Compact Wärmebildmonokulare (Modelle XQ30 Pro, XG30, XG35). Enthält detaillierte Informationen zu Spezifikationen, Bedienung, Funktionen, Wartung und Fehlerbehebung für Nacht- und Tageseinsätze.

lang:de score:28 filesize: 1.71 M page_count: 59 document date: 2025-09-11

[\[pdf\]](#) User Manual Quick Start Guide Troubleshooting Guide Specifications

Pulsar Axion Compact XG35 user manualPulsar Thermal Imaging Monocular Durable Wolf EyesPULSAR AXION COMPACT manual wolfeyescdn shopify s files 1 0708 0420 9914 PULSAR wolfeyes v 1761610005 |||

www.wolfeyes.com.au PULSAR AXION COMPACT Manual Specifications About the device Description Package ... USB cable is broken Legal Compliances and Disclaimers www.wolfeyes.com.au Specifications Model **XG35** Compact SKU 77509 Microbolometer Type uncooled Resolution, Pixels 640 480 Pixel Pitch,...

lang:en score:28 filesize: 6.29 M page_count: 56 document date: 2025-10-27



Manuale utente
Talion XQ38/XG35/XQ35 Pro

[Manuale Utente Pulsar Talion XQ38/XG35/XQ35 Pro](#)

Guida completa per l'utente dei cannocchiali termici Pulsar Talion XQ38, XG35 e XQ35 Pro. Include specifiche tecniche, istruzioni per l'uso, la ricarica della batteria e le caratteristiche distintive.

lang:it **score:28** filesize: 4.52 M page_count: 96 document date: 2025-07-17



Axion 2 LRF **Manual**

[\[pdf\] User Manual Quick Start Guide Troubleshooting Guide Specifications](#)

Axion 2 LRF pulsar nv XG35 Model SKU 77477 Microbolometer Type uncooled Resolution Pixels 640x480 Pixel Pitch μm 12 Frame Rate Hz 50 Optical Characteristics Magnification x 5 glo support manuals 2966 axion lrf m36 |||

Axion 2 LRF Manual Content Specifications About the device Description Package Contents Features C ... *** Depends on the characteristics of the object under observation and environmental conditions. **XG35** Model SKU Microbolometer Type Resolution, Pixels Pixel Pitch, m Frame Rate, Hz Optical Characte...

lang:en **score:28** filesize: 4.03 M page_count: 67 document date: 2022-06-25



Axion 2 **Manual**

[\[pdf\] User Manual Quick Start Guide Troubleshooting Guide Specifications](#)

Axion 2 aktinion gr MANUAL XQ35 PRO Model Pro SKU 77501 Microbolometer Type uncooled Resolution Pixels 384x288 Pixel Pitch μm 17 NETD mK 25 Frame Rate Hz 50 Optical Θερμική απεικόνιση PULSAR XG35 image data |||

Axion 2 Manual Content Specifications About the device Description Package Contents Features Compo ... order. ** Reception range may vary depending on various factors: obstacles, other Wi-Fi networks. **XG35** Model SKU Microbolometer Type Resolution, Pixels Pixel Pitch, m NETD, mK Frame Rate, Hz Optical...

lang:en **score:28** filesize: 9.4 M page_count: 67 document date: 2023-01-06



Naudotojo vadovas
Talion XQ38/XG35/XQ35 Pro

[Pulsar Talion XQ38/XG35/XQ35 Pro Naudotojo vadovas](#)

Comprehensive user manual for Pulsar Talion thermal imaging scopes (XQ38, XG35, XQ35 Pro). Covers technical specifications, features, operation, mounting, zeroing, video recording, Stream Vision 2 integration, and troubleshooting.

lang:id **score:27** filesize: 4.62 M page_count: 98 document date: 2025-07-17



Talion Manual

[\[pdf\] User Manual Quick Start Guide Specifications](#)

Talion Pulsar NV 2 juil 2022 — Built in 3 axis accelerometer gyroscope slope angle indication levels of sensitivity enhancement Normal High Ultra calibration modes manual pulsar nv deu en support manuals 2966 talion m38 |||

Talion Manual Content Specifications About the device Description Package Contents Features Compon *** The reception range may vary depending on various factors: obstacles, other Wi-Fi networks. **XG35** Model SKU without mount SKU with Weaver U mount SKU with Weaver USQD mount SKU with Weav...

lang:en **score:27** filesize: 10.09 M page_count: 92 document date: 2022-09-11



Talion Manual

[\[pdf\] User Manual Quick Start Guide Specifications Warranty](#)

Talion Pulsar 25 gen 2023 — APS5 battery charger Power adapter USB Type C cable with A Carrying case Lens cleaning cloth Quick User Manual Warranty card pulsar nv glo support manuals 2966 talion m38 |||

Talion Manual Content Specifications About the device Description Package Contents Features Compon *** The reception range may vary depending on various factors: obstacles, other Wi-Fi networks. **XG35** Model SKU without mount SKU with Weaver U mount SKU with Weaver USQD mount SKU with Weav...

lang:en **score:27** filesize: 10.28 M page_count: 93 document date: 2023-02-26


PULSAR TALION Manual

Specifications
About the device
Description
Package contents
Features
Components and controls
Power supply
Precautions
Recommendations for battery use
Battery charging
Battery installation
External power supply
Getting Started
Mounting on the rifle
Powering on and Image Settings
Button operation
Zeroing
How to zero
Add new distance
Zeroing parameters settings
Windage/elevation
Magnification (When zeroing)
Freeze
Name distance
Change primary distance
Delete distance
Interface
Status bar
Quick menu
Main menu
Enter the main menu
Reticle & Zeroing
Zeroing profile
Reticle type
Reticle colour
Reticle brightness
Smoothing filter
Colour modes
User mode

[\[pdf\]](#) User Manual Quick Start Guide Specifications

PULSAR TALION Manual XQ38 discontinued manual pulsarvision app manuals |||

PULSAR TALION Manual Specifications About the device Description Package contents Features Component ... he sensor. Model Click value, mm 100 m when magnifying, x XQ38 17 mm 2.5 8.5 mm 5 4.25 mm 10 **XG35** 21 mm 2 10.5 mm 4 5.25 mm 8 2.6 mm 16 One-shot Freeze Zeroing function: Using the Freez...
lang:en **score:27** filesize: 8.32 M page_count: 98 document date: 2024-11-19



[\[pdf\]](#) User Manual Quick Start Guide Troubleshooting Guide Specifications

Axion 2 Pulsar NV giorni fa — 2thermal imaging monoculars are designed for use both at night time and Manual calibration has been performed with the lens cover open Solution pulsar nv gbr support manuals 2966 axion m35 |||

Axion 2 Manual Content Specifications About the device Description Package Contents Features Compo ... order. ** Reception range may vary depending on various factors: obstacles, other Wi-Fi networks. **XG35** Model SKU Microbolometer Type Resolution, Pixels Pixel Pitch, m NETD, mK Frame Rate, Hz Optical...
lang:en **score:27** filesize: 4.98 M page_count: 69 document date: 2023-10-31



[Pulsar Oryx LRF XG35 Quick Start Guide](#)

A concise guide to getting started with the Pulsar Oryx LRF XG35 thermal imaging monocular, covering its features, components, and basic operation.

lang:fr **score:27** filesize: 3.28 M page_count: 60 document date: 2025-02-04