

Evenflo CS360212463

Evenflo Revolve360 Extend All-in-One Rotational Car Seat Instruction Manual

Model: CS360212463

INTRODUCTION

The Evenflo Revolve360 Extend All-in-One Rotational Car Seat is designed to provide safety and convenience for your child through various growth stages. This car seat offers extended rear-facing capabilities, transitions to forward-facing, and converts into a booster seat, accommodating children from 4 to 120 lbs. Its innovative 360-degree rotation feature simplifies placing and removing your child from the vehicle.

This manual provides essential information for proper installation, operation, maintenance, and troubleshooting to ensure the safe and effective use of your Evenflo Revolve360 Extend car seat.

SAFETY INFORMATION

Always read and understand all instructions and warnings in this manual and on the car seat itself before use. Failure to follow these instructions could result in serious injury or death.

- Ensure the car seat is correctly installed and secured in your vehicle according to the instructions.
- Always secure your child in the harness system, ensuring straps are snug and the chest clip is at armpit level.
- Never leave your child unattended in the car seat.
- Do not use accessories or parts not approved by Evenflo.
- The Evenflo Revolve360 Extend meets or exceeds all applicable federal safety standards, including side-impact and rollover testing.

SETUP

Installation

The Evenflo Revolve360 Extend features the Sure360™ Safety Installation System with LockStrong™ and Tether360™ for a secure, one-time installation. A bead-level indicator assists in achieving proper leveling.

1. Place the car seat base firmly on the vehicle seat.

2. Attach the lower connectors (LATCH) to your vehicle's lower anchors.
3. Engage the LockStrong™ arm to tighten the installation, ensuring the car seat is secure and does not move more than 1 inch side-to-side or front-to-back at the belt path.
4. For forward-facing, attach the Tether360™ strap to the vehicle's top tether anchor and tighten.
5. Verify the bead-level indicator shows the correct recline angle for your child's mode.



SURE360™ SAFETY INSTALLATION SYSTEM

Figure 1: Sure360 Safety Installation System. This image displays the car seat base with the Sure360 Safety Installation System, highlighting the LockStrong and Tether360 components for secure installation.

Harness and Headrest Adjustment

The car seat features a no-rethread harness with 14 adjustable positions, allowing the harness and headrest to grow with your child without manual re-threading.

- To adjust, locate the adjustment lever at the top of the headrest.
- Squeeze the lever and slide the headrest up or down to the desired position.
- Ensure the shoulder straps are at or just below the child's shoulders for rear-facing, and at or just above the child's shoulders for forward-facing.

Leg Rest Attachment

A zip-on, ergonomic leg rest is included to provide additional comfort for growing legs.

- Locate the zipper around the front edge of the car seat's base.
- Align the leg rest with the zipper and securely attach it.
- The leg rest can be reversed for different comfort preferences.



ZIP ON THE LEG REST

Figure 2: Zip-on Leg Rest. This image illustrates how to attach or detach the ergonomic leg rest using the zipper mechanism on the car seat.

OPERATING

360-Degree Rotation

The car seat features a one-hand, 360-degree rotation mechanism, making it easy to get your child in and out of the car from either side.

- To rotate the seat, lift the rotation lever located at the front of the seat.
- Rotate the seat towards the car door to easily place or remove your child.
- Once your child is secured, rotate the seat back to the desired rear-facing or forward-facing position until it clicks and the lock indicator shows green.



Figure 3: 360-Degree Rotation. This image demonstrates the car seat's ability to rotate fully, simplifying child placement and removal.

Usage Modes

The Evenflo Revolve360 Extend offers three modes of use to adapt to your child's growth:

- **Rear-Facing Mode:** For children weighing 4 to 50 lbs. Child safety experts recommend keeping children rear-facing as long as possible.
- **Forward-Facing Mode:** For children weighing 22 to 65 lbs.
- **Booster Mode:** For children weighing 40 to 120 lbs.



Figure 4: Three Modes of Use. This image visually represents the extended rear-facing (4-50 lbs), forward-facing (30-65 lbs), and booster (40-120 lbs) configurations of the car seat.

On-the-Go Recline

The car seat allows for easy recline adjustments without needing to reinstall the seat or disturb your child.

- Locate the recline adjustment handle, typically at the front or side of the seat.
- Squeeze the handle and adjust the seat to one of the 6 available recline positions.
- Ensure the recline position is appropriate for your child's age, weight, and mode of use.



EASY- ADJUST RECLINE

Figure 5: Easy-Adjust Recline. This image highlights the mechanism for adjusting the car seat's recline angle without requiring reinstallation.

Product Overview Video

Video 1: Evenflo Revolve360 Extend Product Overview. This official video from Evenflo Company Inc. provides a comprehensive overview of the Revolve360 Extend car seat's features and functionality, including its rotational capabilities and various modes of use.

MAINTENANCE

Quick Clean Cover

The Quick Clean Cover is designed for easy removal and washing, simplifying maintenance.

- To remove the cover, unzip it from the car seat frame.
- Machine wash the seat pad separately in cold water on a delicate cycle.
- Tumble dry for 10 to 15 minutes on low heat.
- Reattach the cover by zipping it back onto the car seat frame.



EASY-WASH QUICK CLEAN COVER

Figure 6: Quick Clean Cover. This image demonstrates the ease of removing the car seat's cover for cleaning, highlighting its zippered design.

General Cleaning

- DO NOT lubricate or immerse in water any part of this child restraint, unless rinsing is permitted.
- Plastic and metal parts may be wiped clean with mild soap and water and dried with a soft cloth.
- The harness can be wiped clean with mild soap and water. Allow harness to air dry.

TROUBLESHOOTING

If you encounter any issues with your Evenflo Revolve360 Extend car seat, please refer to the detailed troubleshooting section in the full product manual or contact customer support.

- **Installation Issues:** Ensure all LATCH connectors and tethers are correctly attached and tightened. Check the bead-level indicator for proper recline.
- **Harness Adjustment:** Verify the no-rethread harness is moving freely and is not twisted. Ensure the adjustment lever is fully engaged.
- **Rotation Mechanism:** Confirm the rotation lever is fully lifted before attempting to rotate the seat. Ensure no obstructions are preventing movement.

SPECIFICATIONS

Feature	Specification
Product Dimensions	21 x 25.9 x 19.8 inches
Item Model Number	CS360212463
Minimum Weight Recommendation	4 Pounds
Maximum Weight Recommendation	120 Pounds
Minimum Height Recommendation	17 Inches
Maximum Height Recommendation	57 Inches
Material Type	Polyester (100% polyester)
Number of Reclining Positions	6
Harness Type	5-Point
Item Weight	29.6 pounds
Installation Type	Latch

SUPPORT

ParentLink® Customer Service




Evenflo offers ParentLink® customer service experts to assist with product inquiries and installation support.

- Access online chat support for real-time assistance.
- Receive live video support with a certified car seat safety technician for proper vehicle installation guidance.

For further assistance, please visit the [Evenflo Store](#) or refer to the full product manual.

Related Documents - CS360212463

<div><div><div>evenflo</div><div>EN</div></div><div>All4Stages Slim</div><div>4-in-1 Car Seat Owner's Manual</div><div>Keep instructions for future use.</div><div><div>REAR-FACING</div><div>FORWARD-FACING WITH HARNESS</div><div>HIGH-BACK BOOSTER BACKLESS BOOSTER</div></div><div><div>⚠WARNING!</div><div>To reduce the risk of serious injury or death, read this owner's manual prior to installing and using this child seat.</div><div>© 2024 Evenflo Company, Inc. 25701832 09/24</div></div></div>	<div>Evenflo All4Stages Slim 4-in-1 Car Seat Owner's Manual</div> <div>Comprehensive owner's manual for the Evenflo All4Stages Slim 4-in-1 Car Seat, detailing rear-facing, forward-facing with harness, and booster modes. Includes safety warnings, installation instructions, and child usage requirements.</div>
<div><div><div>evenflo</div><div>Triumph™</div><div>Child Restraint System</div></div><div><div>Owner's Manual</div><div>Keep for future use.</div></div><div><div>Rear-facing*</div><div>2.3 to 16 kg (5 to 40 lbs)</div><div>46 to 94 cm (19 to 37 in.)</div><div>Forward-facing*</div><div>10 to 29.4 kg (22 to 65 lbs)</div><div>71 to 127 cm (28 to 50 in.)</div><div>At least 2 years old</div></div><div><div>* See page 4 for complete requirements.</div><div>Para instrucciones en Español, llamar al 1-800-233-5921</div><div><div>⚠WARNING:</div><div>To reduce the risk of serious injury or death, read this owner's manual prior to installing and using this child restraint.</div><div>© 2018 Evenflo Company, Inc. 25703443 1/18</div></div></div></div>	<div>Evenflo Triumph Child Restraint System Owner's Manual & Installation Guide</div> <div>Comprehensive owner's manual and installation guide for the Evenflo Triumph Child Restraint System. Provides detailed instructions for rear-facing and forward-facing installation, safety warnings, features, and maintenance for optimal child safety.</div>
<div><div><div>evenflo</div><div>Sonus 65™</div><div>Child Restraint System</div></div><div><div>Owner's Manual</div><div>Keep instructions for future use.</div></div><div><div>Rear-facing*</div><div>2.3 to 16 kg (5 to 40 lbs)</div><div>46 to 92 cm (18 to 40 in.)</div><div>Forward-facing with Harness*</div><div>10 to 29.4 kg (22 to 65 lbs)</div><div>71 to 127 cm (28 to 50 in.)</div><div>At least 2 years old</div></div><div><div>* See page 4 for complete requirements.</div><div>Para instrucciones en Español, llamar al 1-800-233-5921</div><div><div>⚠WARNING!</div><div>To reduce the risk of serious injury or death, read this owner's manual and warnings prior to installing and using this child restraint.</div><div>© 2019 Evenflo Company, Inc. 25703618 3/19</div></div></div></div>	<div>Evenflo Sonus 65TM Child Restraint System: Owner's Manual & Installation Guide</div> <div>Comprehensive owner's manual for the Evenflo Sonus 65TM Child Restraint System. Learn about rear-facing and forward-facing installation, safety warnings, child requirements, and care instructions for safe travel.</div>

<div><p>evenflo SafeMax™ Infant Car Seat Rear-facing Child Restraint System</p><p>Owner's Manual Keep for future use</p><p>Rear-facing* 15 to 25 lb (4 to 11 kg) 43 to 51 cm (17 to 20 in.) * See page 1 for complete requirements.</p><p>Para instrucciones en Español, llamar al 1-800-235-9921.</p><p>WARNING: To reduce the risk of serious injury or death, read this owner's manual prior to installing and using this child restraint.</p><p>© 2014 Evenflo Company, Inc. 23701027 4/14</p></div>	<p>Evenflo SafeMax Infant Car Seat Owner's Manual</p> <p>Comprehensive owner's manual for the Evenflo SafeMax Infant Car Seat, covering rear-facing installation with and without the convenience base, securing the child, adjustments, aircraft use, care, and safety warnings. It includes detailed steps, diagrams described textually, and important safety information for parents and caregivers.</p>
<div><p>evenflo LiteMax™ Rear-facing Child Restraint System</p><p>Owner's Manual Keep for future use</p><p>Rear-facing* 15 to 25 lb (4 to 11 kg) 43 to 51 cm (17 to 20 in.) * See inside cover for complete requirements.</p><p>Para instrucciones en Español, llamar al 1-800-235-9921.</p><p>WARNING: To reduce the risk of serious injury or death, read this owner's manual prior to installing and using this child restraint.</p><p>© 2016 Evenflo Company, Inc. 23701068 8/16</p></div>	<p>Evenflo LiteMax Rear-facing Child Restraint System Owner's Manual</p> <p>Comprehensive owner's manual for the Evenflo LiteMax rear-facing child restraint system, covering installation, usage, safety warnings, and maintenance.</p>
<div><p>evenflo LiteMax™ 35 Rear-facing Child Restraint System</p><p>Owner's Manual Keep for future use.</p><p>Para instrucciones en Español, llamar al 1-800-235-9921.</p><p>WARNING: To reduce the risk of serious injury or death, read this owner's manual prior to installing and using this child restraint.</p><p>©2015 Evenflo Company, Inc. 23701448 10/15</p></div>	<p>Evenflo LiteMax 35 Rear-Facing Child Restraint System Owner's Manual</p> <p>This owner's manual provides essential safety and installation instructions for the Evenflo LiteMax 35 rear-facing child restraint system. Learn how to properly secure your child and ensure safe travel.</p>