

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [OVE Decors](#) /

› [OVE Decors Bel 60-inch W x 81-inch H Frameless Sliding Shower Door Alcove Shower Kit Instruction Manual](#)

OVE Decors Bel 60-in W x 81-in H Frameless Sliding Shower Door Alcove Shower Kit

OVE Decors Bel 60-inch W x 81-inch H Frameless Sliding Shower Door Alcove Shower Kit Instruction Manual

INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your OVE Decors Bel 60-inch W x 81-inch H Frameless Sliding Shower Door Alcove Shower Kit. Please read all instructions carefully before beginning installation to ensure proper function and safety. Keep this manual for future reference.



This image displays the OVE Decors Bel 60-inch W x 81-inch H Frameless Sliding Shower Door Alcove Shower Kit, featuring an oil-rubbed bronze frame and clear glass panels, installed in a contemporary bathroom setting. The shower includes a rain shower head and a handheld shower, with a built-in niche for toiletries. The door operates with a smooth sliding mechanism.

SAFETY INFORMATION

- Always wear safety glasses during installation.
- Handle glass panels with extreme care. Tempered glass, while strong, can shatter if struck at the edges.
- Ensure the installation surface is level and structurally sound.
- Use appropriate tools and follow all local building and plumbing codes.
- Two people are recommended for safe handling and installation of glass panels.
- Do not overtighten screws, as this may damage components or glass.

PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, contact OVE Decors customer service.

- Frameless Sliding Shower Door (78-3/4-in H)
- Shower Base (designed for 60-in alcove space)
- Side Panel (30-5/16-in W x 78.75-in H, 5/16-in (8mm) thick tempered glass)
- Oil Rubbed Bronze Rolling Mechanism System
- Oil Rubbed Bronze Hardware for Installation
- Oversized Vertical Oil Rubbed Bronze Bar Handles (23-5/8 long)
- Stainless Steel Corner Top Bar (for added support)
- Installation Guide and Template

SETUP AND INSTALLATION

This section outlines the general steps for installing your OVE Decors Bel shower kit. Refer to the detailed installation guide included in your package for specific measurements and diagrams.

1. **Preparation:** Clear the installation area. Ensure the alcove space is clean, level, and plumb. Verify that the shower base is properly installed and sealed according to its specific instructions.
2. **Measure and Mark:** Carefully measure the alcove opening. Use the provided template to mark drilling locations for the wall profiles and top track. The adjustable rail width and reversible design allow for left or right-hand installation.
3. **Install Wall Profiles:** Secure the oil-rubbed bronze wall profiles to the wall using appropriate fasteners. Ensure they are plumb and securely anchored.
4. **Install Top Track and Corner Bar:** Assemble and install the top rolling track. If converting to a 32-inch deep corner shower with the side panel, install the stainless steel corner top bar for additional support.
5. **Install Fixed Glass Panels:** Carefully place the fixed glass panels into the wall profiles and secure them according to the detailed instructions. Ensure proper alignment and use shims if necessary.
6. **Install Sliding Door:** Attach the rolling mechanism hardware to the sliding door panel. Carefully lift and hang the sliding door onto the top track. The premium engineered rolling mechanism system with soft-close technology ensures easy and quiet operation.
7. **Install Handles:** Attach the oversized 23-5/8 long vertical oil rubbed bronze bar handles to the sliding door.
8. **Seal and Finish:** Apply a high-quality silicone sealant to all exterior joints where the shower kit meets the wall and shower base to prevent leaks. Allow the sealant to cure completely before using the shower.

OPERATING INSTRUCTIONS

The OVE Decors Bel shower door is designed for smooth and quiet operation.

- To open or close the sliding door, gently grasp the vertical bar handle and slide the door along the top track.
- The soft-close technology will engage as the door approaches its fully open or closed position, providing a controlled and quiet stop.
- Avoid forcing the door or applying excessive pressure, as this can damage the rolling mechanism.

MAINTENANCE

Regular cleaning and maintenance will ensure the longevity and appearance of your shower kit.

- **Glass Cleaning:** Clean glass panels regularly with a soft cloth and a non-abrasive glass cleaner. Avoid cleaners containing harsh chemicals, abrasives, or scouring pads, as these can damage the glass or its protective coating.
- **Hardware Cleaning:** Wipe down oil-rubbed bronze hardware with a soft, damp cloth. Do not use abrasive cleaners or solvents, which can strip the finish. The premium protective coating helps maintain a spotless shine.
- **Track Maintenance:** Periodically clean the top rolling track to remove any soap scum or debris that could impede smooth operation. Use a soft brush or cloth.
- **Sealant Inspection:** Regularly inspect the silicone sealant around the shower kit for any signs of wear, cracking, or mold. Reapply sealant as needed to prevent leaks.

TROUBLESHOOTING

| Problem | Possible Cause | Solution |
|-----------------------------------|---|--|
| Door does not slide smoothly | Debris in track, misaligned rollers, or damaged track. | Clean the top track. Inspect rollers for damage or misalignment and adjust as necessary. |
| Water leaks from shower enclosure | Improperly applied or deteriorated sealant, gaps in installation. | Inspect all sealed joints. Clean and reapply silicone sealant where needed. Ensure all components are properly seated. |
| Door does not close completely | Obstruction in track, misaligned door, or issues with soft-close mechanism. | Check for obstructions in the track. Verify door alignment and adjust if necessary. Contact customer support if soft-close mechanism appears faulty. |

SPECIFICATIONS

- **Model:** Bel Frameless Sliding Shower Door Alcove Shower Kit
- **Dimensions (Door):** 60-inch W x 78-3/4-inch H
- **Dimensions (Side Panel):** 30-5/16-inch W x 78.75-inch H
- **Glass Thickness:** 5/16-inch (8mm) tempered glass
- **Hardware Finish:** Oil-Rubbed Bronze
- **Handle Length:** 23-5/8 inches
- **Features:** Soft-close technology, reversible design, adjustable rail width
- **ASIN:** B0DM2X7JND
- **Date First Available:** November 5, 2024

WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the warranty card included with your product or visit the official OVE Decors website. Do not attempt to repair damaged components yourself, as this may void your warranty and pose a safety risk. Contact qualified professionals for assistance.

