

Hikiddo B0DM4WSSCZ

Hikiddo 24V 10Ah Electric Police Car Ride-On Toy Instruction Manual

Model: B0DM4WSSCZ

1. IMPORTANT SAFETY INFORMATION

Please read this manual thoroughly before assembly and operation. Keep these instructions for future reference. This product is designed for children aged 3-8 years, with a maximum weight capacity of 110 lbs (50 kg). Adult supervision is required at all times.

- Always ensure children wear appropriate safety gear, including a helmet and seatbelt.
- Operate the vehicle only on flat, dry surfaces away from traffic, pools, or steep inclines.
- Do not allow children to operate the vehicle near stairs, hills, or roads.
- Regularly inspect the vehicle for damage, loose parts, or worn components.

2. PRODUCT OVERVIEW

The Hikiddo 24V 10Ah Electric Police Car is a 2-seater ride-on toy designed for an engaging play experience. It features powerful 4x200W motors, a switchable 2WD/4WD system, and a top speed of 5mph. The realistic design includes flashing lights, police decals, sirens, a working megaphone, and Bluetooth connectivity for music.



Image: The Hikiddo 24V 10Ah Electric Police Car in black, showcasing its robust design and police-themed features.

3. SETUP AND ASSEMBLY

Follow these steps for proper assembly of your Hikiddo Electric Police Car. Refer to the assembly video for visual guidance.

1. **Unboxing:** Carefully remove all components from the packaging.
2. **Wheel Installation:** Attach the wheels to the axles, ensuring all washers and nuts are securely fastened. Connect the motor wires.
3. **Steering Wheel Assembly:** Connect the steering column wires and secure the steering wheel.
4. **Front Bumper Attachment:** Secure the front bumper to the vehicle chassis.
5. **Mirror Installation:** Attach the side mirrors to the designated slots.
6. **Windshield/Light Bar:** Connect the wiring for the light bar and secure the windshield assembly.
7. **Seat Installation:** Place the seats into position and secure them with screws.
8. **Battery Connection:** Connect the main battery terminal.

9. **Initial Charge:** Charge the battery for 8-12 hours before first use.

Video: Detailed installation guide for the Hikiddo SUV Police Car, demonstrating step-by-step assembly for children aged 3-8.

4. OPERATING INSTRUCTIONS

4.1 Driving Modes

The vehicle offers switchable 2WD and 4WD modes. Use 2WD for smooth surfaces and 4WD for rougher terrains to optimize performance and battery life. The switch is located on the dashboard.

4.2 Parental Remote Control

Parents can control the vehicle using the included remote control. This feature allows for 3 speed settings, direction control, and emergency braking, ensuring safety and interactive play, especially for younger children.



Simulated Megaphone

Add more driving fun for kiddos

Image: A parent operating the Hikiddo Electric Police Car using the remote control, guiding children during playtime.

4.3 Entertainment Features

- **Bluetooth Connectivity:** Connect your smartphone via Bluetooth to play music or stories through the vehicle's speakers.
- **Megaphone:** Use the working microphone to amplify your voice, adding to the police role-play experience.
- **Siren and Lights:** Activate the realistic siren sounds and flashing police lights for an authentic experience.

Video: Demonstrates the functionality and entertainment features of the Hikiddo Ride on Police Car, highlighting its interactive elements.

5. MAINTENANCE

Proper maintenance ensures the longevity and safe operation of your ride-on toy.

- **Battery Charging:** After each use, store the toy in a dry place and charge the battery if necessary. Do not overcharge.
- **Cleaning:** Wipe the vehicle with a damp cloth. Avoid using harsh chemicals or abrasive cleaners.
- **Storage:** Store the vehicle indoors in a dry, cool place when not in use. Protect it from direct sunlight and moisture.
- **Inspection:** Periodically check all screws, connections, and moving parts for tightness and wear.

6. TROUBLESHOOTING

If you encounter any issues, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Vehicle does not move	Low battery; Loose battery connection; Motor wire disconnected.	Charge battery; Check and secure battery terminals; Reconnect motor wires.
Lights or sounds not working	Loose wiring; Damaged component.	Check all electrical connections; Contact customer support if component is damaged.
Remote control not responding	Remote battery low; Not paired correctly.	Replace remote batteries; Re-pair remote control with vehicle (refer to pairing instructions in separate remote manual).

7. SPECIFICATIONS

- **Product Dimensions:** 47.24 x 30.7 x 27.55 inches
- **Battery:** 24V 10Ah
- **Motors:** 4x200W
- **Max Speed:** Up to 5mph
- **Weight Capacity:** 110 lbs (50 kg)
- **Recommended Age:** 3 - 8 years
- **Seating:** 2-seater, 19 inches wide
- **Features:** Switchable 2WD/4WD, Parental Remote Control, Flashing Lights, Sirens, Megaphone, Bluetooth, USB

8. WARRANTY AND SUPPORT

Hikiddo offers a 30-day return policy for this product. For any questions, technical assistance, or warranty claims, please contact Hikiddo customer service. You may also consider purchasing extended protection plans for additional coverage.

- **Return Policy:** 30 days (refund/replacement)
- **Protection Plans:** Available (e.g., 2-Year Protection Plan, Complete Protect)
- **Manufacturer:** Hikiddo

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0DM4WSSCZ>

More documents and user manuals: <https://manuals.plus/>