

[Manuals.plus](#) /

› [Aumotop](#) /

› Aumotop Manual Pedal Kit Stainless Steel Transmission Set Instruction Manual

Aumotop Aumotop1amfbru384

Aumotop Manual Pedal Kit Stainless Steel Transmission Set Instruction Manual

INTRODUCTION

This instruction manual provides comprehensive guidance for the installation, operation, and maintenance of your Aumotop Manual Pedal Kit. Designed for specific vehicle models, this stainless steel and rubber pedal set enhances both the aesthetics and functionality of your vehicle's interior. Please read all instructions carefully before proceeding with installation to ensure proper fitment and safe use.

PRODUCT OVERVIEW

The Aumotop Manual Pedal Kit is a 3-piece set designed to replace your vehicle's existing manual transmission pedals. Each pedal features a durable stainless steel surface with integrated rubber inserts for improved grip and a refined appearance.



Image: The complete Aumotop 3-piece manual pedal kit, featuring stainless steel construction with black rubber grip inserts for the clutch, brake, and accelerator pedals.

Key Features:

- **Material:** High-quality stainless steel and sturdy rubber.
- **Design:** Glossy polished surface for an enhanced interior aesthetic.
- **Installation:** Designed for easy, no-drilling installation.
- **Compatibility:** Specifically designed for compatible car models (e.g., 13-18, 08-18, and others).

SETUP AND INSTALLATION

Follow these steps for a secure and proper installation of your Aumotop Manual Pedal Kit. This kit is suitable only for left-hand drive vehicles.

Tools Required:

- Clean cloth
- Mild cleaning solution (optional)

Installation Steps:

1. **Prepare the Installation Area:** Before beginning, ensure the car's pedal surfaces are clean and dry. Remove any dirt, dust, or debris that may hinder proper fitment.
2. **Remove Existing Pedal Covers (if applicable):** For some vehicles, existing rubber pedal covers may need to be removed. Carefully peel off the old covers from the clutch, brake, and accelerator pedals.
3. **Install the New Pedal Covers:**



Image: The reverse side of an Aumotop pedal, illustrating the flexible rubber backing designed for secure, no-drilling installation over existing pedals.

- Align each new Aumotop pedal cover with its corresponding pedal (clutch, brake, accelerator).
 - Starting from one edge, firmly press the new pedal cover onto the existing pedal. The rubber backing is designed to stretch and grip the pedal securely without the need for drilling.
 - Work your way around the edges, ensuring the entire pedal cover is fully seated and all rubber grips are engaged.
4. **Verify Secure Fitment:** After installing all three pedals, firmly press on each pedal several times to ensure they are securely attached and do not slip.

Important Note: This product is designed for a snug fit. If you encounter difficulty, ensure the pedal is correctly oriented and apply firm, even pressure. Do not force the pedals if they are not aligning correctly, as this may indicate an incompatibility or incorrect orientation.

OPERATING INSTRUCTIONS

Once installed, the Aumotop Manual Pedal Kit functions identically to your vehicle's original pedals. The stainless steel surface and rubber inserts provide enhanced grip and a comfortable feel during driving. No special operating procedures are required beyond standard vehicle operation.

MAINTENANCE

To maintain the appearance and longevity of your Aumotop Manual Pedal Kit, follow these simple maintenance guidelines:

- **Cleaning:** Regularly wipe the pedal surfaces with a clean, damp cloth to remove dirt and dust. For stubborn grime, a mild automotive interior cleaner can be used. Avoid abrasive cleaners or harsh chemicals that could damage the stainless steel finish or rubber.
- **Inspection:** Periodically inspect the pedals for any signs of wear, damage, or loosening. Ensure the rubber inserts remain firmly in place and provide adequate grip. If any issues are observed, refer to the troubleshooting section or contact support.

TROUBLESHOOTING

If you encounter any issues with your Aumotop Manual Pedal Kit, please consult the following common problems and solutions:

- **Pedals feel loose after installation:**
 - Ensure the pedal covers are fully seated and all edges of the rubber backing are securely wrapped around the original pedals.
 - Re-press firmly on all sides of the pedal cover.
 - Verify that the original pedal surface was clean and dry before installation.
- **Pedals do not fit my vehicle:**
 - Confirm that your vehicle model and year are listed as compatible with this Aumotop pedal kit.
 - Ensure your vehicle is a left-hand drive model, as this kit is not compatible with right-hand drive vehicles.
 - Double-check that you are attempting to install the correct pedal cover on the corresponding pedal (clutch, brake, accelerator).
- **Rubber inserts are damaged or missing:**
 - Contact Aumotop customer support for assistance or replacement parts.

SPECIFICATIONS

Technical specifications for the Aumotop Manual Pedal Kit:



Image: A detailed view of a single Aumotop pedal, highlighting the brushed stainless steel finish and the textured black rubber inserts designed for optimal grip.

Attribute	Detail
Material	Stainless Steel + Rubber
Color	Silver (Stainless Steel) with Black (Rubber)
Quantity	3 Pieces (Clutch, Brake, Accelerator)
Item Model Number	Aumotop1amfbru384
Manufacturer	Aumotop
Country of Origin	China
Parcel Dimensions	15 x 9 x 7 cm
Package Weight	178 g

Aumotop is committed to providing high-quality products. For information regarding warranty coverage, returns, or technical support, please refer to the retailer's policy where the product was purchased or visit the official Aumotop website. Please have your model number (Aumotop1amfbru384) and purchase details ready when contacting support.