

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Eshoma](#) /
- › [Eshoma 60 Inch Electric Fireplace with Mantel Instruction Manual](#)

Eshoma 60 Inch Electric Fireplace with Mantel

Eshoma 60 Inch Electric Fireplace with Mantel Instruction Manual

Model: 60 Inch Electric Fireplace with Mantel



1. IMPORTANT SAFETY INFORMATION

Please read and understand this entire manual before attempting to assemble, operate, or install this electric fireplace. Failure to follow these instructions may result in electric shock, fire, property damage, or personal injury.

- Always disconnect the power cord from the outlet before cleaning, performing maintenance, or relocating the fireplace.
- Do not operate any fireplace with a damaged cord or plug, or if the heater malfunctions or has been dropped or damaged in any manner.
- Do not run power cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Arrange cord away from traffic area and where it will not be tripped over.
- This fireplace is hot when in use. To avoid burns, do not let bare skin touch hot surfaces. Keep combustible materials, such as furniture, pillows, bedding, papers, clothes, and curtains at least 3 feet (0.9 m) from the front of the fireplace.
- Do not insert or allow foreign objects to enter any ventilation or exhaust opening as this may cause an electric shock or fire, or damage the fireplace.
- This fireplace is not intended for use in bathrooms, laundry areas, and similar indoor locations. Never locate fireplace where it may fall into a bathtub or other water container.

2. PRODUCT OVERVIEW

The Eshoma 60 Inch Electric Fireplace with Mantel provides a realistic flame effect and efficient heating for rooms up to 500 sq. ft. It features a durable wood mantel with a white marble finish, enhanced LED lighting, and multiple control options.

Key Features:

- **Enhanced LED Lights & Flame Effects:** 15 color options for ambient lighting and 12 realistic 3D flame effects.

- **Elegant Marble Design:** Classic mantel with a luxurious white marble finish.
- **Powerful & Efficient Heating:** 750W/1500W power, 5100BTU heat output, capable of heating up to 500 sq. ft.
- **Durable Construction:** Sturdy mantel frame designed for long-term use.
- **User-Friendly Controls:** Intuitive pushbutton operation and remote control.
- **Integrated Timer:** Adjustable timer from 1 to 8 hours.

Product Dimensions:

- **Mantel Dimensions:** 60 inches (W) x 9 inches (D) x 35.8 inches (H)
- **Fireplace Insert Dimensions:** 42.8 inches (W) x 5.3 inches (D) x 19 inches (H)



Figure 2.1: Front view of the Eshoma 60 Inch Electric Fireplace with Mantel, showcasing its white marble finish and realistic flame effect.

3. SETUP AND INSTALLATION

The Eshoma Electric Fireplace with Mantel is designed for quick and hassle-free installation. It typically arrives in two

separate packages: one for the mantel frame and one for the electronic fireplace insert.

3.1 Unpacking and Inspection

1. Carefully open both packages and remove all components.
2. Inspect all parts for any damage that may have occurred during shipping. Contact customer support immediately if any damage is found.
3. Ensure all listed components are present before beginning assembly. Refer to the packing list provided with your product.



Figure 3.1: Detailed product dimensions for both the mantel and the fireplace insert, crucial for planning placement and assembly.

3.2 Assembly Steps

Follow the detailed assembly instructions provided in the separate assembly guide included with your product. Key components include:

- **Pine Wood Mantel:** Forms the main structure of the fireplace surround.
- **Marble Back Panel:** Provides the aesthetic marble finish.

- **15 Colors LED Strip:** Integrated lighting for ambient effects.
- **Stable Base:** Ensures the fireplace mantel is securely supported.



Figure 3.2: Illustration of key structural and aesthetic components of the fireplace mantel.

3.3 Placement Considerations

- Choose a flat, stable surface for placement.
- Ensure there is adequate clearance from combustible materials (at least 3 feet).
- Locate near a grounded electrical outlet.
- The large countertop (approximately 11.81 inches deep) can accommodate various items, including televisions.



Figure 3.3: The spacious countertop provides versatile placement options for various items.

4. OPERATING INSTRUCTIONS

The Eshoma Electric Fireplace offers convenient control via both a remote control and integrated pushbuttons on the unit.

4.1 Control Methods



Figure 4.1: Overview of the remote control and the pushbutton panel on the fireplace unit.

- **Power ON/OFF:** Turns the unit on or off.
- **Heating (750W/1500W):** Activates the heater. Select between low (750W) and high (1500W) heat settings.
- **Temperature Set (62°F-82°F):** Adjusts the desired room temperature.
- **Flame Brightness (5 Options):** Adjusts the intensity of the flame effect.
- **Flame Color (12 Options):** Changes the color of the main flame effect.
- **LED Strip Color (15 Options):** Changes the color of the ambient LED lighting strip.
- **Timer (1-8H):** Sets an automatic shut-off timer.

4.2 Flame and LED Effects

Customize your ambiance with a variety of flame and LED strip color options, along with adjustable brightness levels.



12 Flame Colors



15 Colors LED Strip



62°F-82°F



1-8H Timer



500 Sq.Ft./5100BTU



<38 dB



12 Flame Colors




Figure 4.2: Visual representation of the diverse flame and LED strip color options.



Figure 4.3: Examples of the 12 available crystal flame bed colors.



Figure 4.4: Examples of the 12 available log flame bed colors.



Figure 4.5: The five adjustable brightness levels for the flame effect.

4.3 Heating Function

Activate the heating function to warm your room. The unit operates at a low noise level (less than 38dB) to ensure minimal disturbance.



Figure 4.6: The fireplace features quiet operation and a programmable timer for convenience.

5. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your electric fireplace.

5.1 Cleaning

- **Exterior:** Wipe the mantel and fireplace exterior with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Air Intake/Outlet:** Periodically vacuum the air intake and outlet vents to prevent dust buildup, which can affect heating efficiency. Ensure the unit is unplugged before cleaning these areas.
- **Glass Panel:** Clean the glass panel with a soft cloth and a non-abrasive glass cleaner.

5.2 Storage

If storing the fireplace for an extended period, unplug the unit and store it in a dry, dust-free location. It is recommended to use the original packaging for protection.

6. TROUBLESHOOTING

Refer to the following table for common issues and their solutions.

Problem	Possible Cause	Solution
Fireplace does not turn on.	No power to the unit.	Check if the power cord is securely plugged into a grounded outlet. Verify the circuit breaker is not tripped.
No heat output.	Heater function is off or thermostat setting is too low.	Ensure the heater function is activated via remote or control panel. Increase the thermostat setting.
Flame effect is not working.	Flame effect is turned off or bulb needs replacement.	Activate the flame effect. If still not working, contact customer support for bulb replacement instructions.
Remote control not working.	Batteries are dead or remote is out of range.	Replace batteries in the remote control. Ensure you are within effective range of the fireplace.

7. SPECIFICATIONS

Feature	Detail
Brand	Eshoma
Model Name	60 Inch Electric Fireplace with Mantel
Product Dimensions (Mantel)	60"W x 9"D x 35.8"H
Fireplace Insert Dimensions	42.8"W x 5.3"D x 19"H
Material	Wood (Mantel)
Finish Type	Painted (White Marble Finish)
Power Source	AC/DC
Heat Output	5100 BTU
Heating Coverage	Up to 500 sq ft
Power Consumption	750W/1500W (0.75 Kilowatts)
Special Features	Adjustable Flame, Adjustable Thermostat, LED Flame, Multicolor Flame, Timer
Installation Type	Freestanding
Ventilation Type	Vent Free
Item Weight	137.2 Pounds
UPC	014679482838

Feature	Detail
ASIN	B0DM94R7T6

8. WARRANTY AND SUPPORT

8.1 Limited Warranty

This Eshoma Electric Fireplace with Mantel comes with a limited warranty. Please refer to the warranty card included in your packaging for specific terms, conditions, and duration of coverage. The warranty typically covers manufacturing defects and malfunctions under normal use.

8.2 Customer Support

For technical assistance, troubleshooting not covered in this manual, or warranty claims, please contact Eshoma customer support. Contact information can typically be found on the product packaging, warranty card, or the official Eshoma website.

When contacting support, please have your model name (60 Inch Electric Fireplace with Mantel) and ASIN (B0DM94R7T6) available for faster service.

