

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Bebesit](#) /
- › [Bebesit Coche Travel System Sunset Instruction Manual](#)

Bebesit Sunset

Bebesit Coche Travel System Sunset Instruction Manual

Brand: Bebesit | Model: Sunset

1. INTRODUCTION

Welcome to your Bebesit Coche Travel System Sunset. This versatile and compact travel system is designed to provide comfort and safety for your child from birth up to 25 kg. It includes a stroller, a detachable car seat that converts into a bassinet, and an ISOFIX base, offering a complete solution for your child's mobility needs.

2. SAFETY INFORMATION

Always prioritize your child's safety. Read and understand all instructions before use.

- Ensure all locking mechanisms are engaged before placing a child in the stroller or car seat.
- Never leave your child unattended in the stroller or car seat.
- Always use the 5-point safety harness to secure your child.
- Do not overload the storage basket; adhere to the maximum weight limit specified.
- Ensure the car seat is correctly installed with the ISOFIX base according to ECE R44/04 safety standards.
- Avoid placing hot liquids or heavy objects on the handle or canopy.
- Regularly inspect the product for any signs of wear, damage, or loose parts. Discontinue use if any damage is found.

3. SETUP AND ASSEMBLY

3.1 Unpacking

Carefully remove all components from the packaging. Verify that all parts are present according to the packing list.

3.2 Stroller Assembly

Follow these steps to assemble your stroller:

1. **Attach the Wheels:** The premium wheels with suspension are designed for easy attachment. Push each wheel onto its axle until it clicks securely into place.
2. **Unfold the Frame:** Release the folding latch (typically located on the side of the frame) and extend the frame upwards until it locks into the fully open position. Ensure both sides are securely locked.
3. **Install the Canopy:** Attach the 3-panel canopy with visor to the designated points on the stroller frame.

3.3 Car Seat and ISOFIX Base Installation

The car seat is designed for infants from 0 to 11 kg and includes an ISOFIX base for secure installation in your vehicle.

1. **Attach the Car Seat to the Stroller Frame:** Align the car seat with the stroller's attachment points and press down firmly until it locks securely.
2. **Install the ISOFIX Base in Your Vehicle:** Refer to your vehicle's owner's manual for the location of ISOFIX anchor points. Extend the ISOFIX connectors from the base and push them onto the vehicle's anchors until they click and the indicators turn green. Ensure the support leg is extended to the vehicle floor and is stable.
3. **Secure the Car Seat to the ISOFIX Base:** Place the car seat onto the installed ISOFIX base, ensuring it clicks securely into place. Verify the connection by gently pulling up on the car seat.



Figure 3.1: This image displays the main components of the Bebesit Travel System: the stroller, the detachable car seat, and the ISOFIX base for secure vehicle installation.



Figure 3.2: Detailed view of the Bebesit car seat and its accompanying ISOFIX base, highlighting compliance with ECE R44/04 safety standards for secure installation.

4. OPERATING INSTRUCTIONS

4.1 Adjusting the Stroller

The stroller offers multiple recline positions and a convertible bassinet feature for your child's comfort.

- **Reclining the Seat:** Locate the recline mechanism (usually a lever or strap on the back of the seat). Adjust the seat to your desired position, from upright to fully flat for bassinet mode.
- **Converting to Bassinet:** For newborns, the seat can be fully flattened and adjusted to function as a comfortable bassinet. Ensure the seat is fully reclined and any footrest is extended to create a flat surface.

Reclinable



Figure 4.1: This image demonstrates the stroller seat fully reclined and adapted to function as a practical bassinet, suitable for infants.

4.2 Using the Safety Harness

Always secure your child with the 5-point safety harness for maximum safety.

1. Place your child in the seat.
2. Bring the shoulder straps over the child's shoulders and the waist straps around their hips.
3. Connect the buckle pieces and insert them into the central buckle until you hear a click.
4. Adjust the straps to ensure a snug fit, leaving no more than one finger's width of slack between the strap and your child's body.



Figure 4.2: This image highlights various features of the stroller, including the secure 5-point safety harness, easily removable front wheels, a convenient under-seat storage basket, and a detachable foot cover.

4.3 Folding the Stroller

The stroller features an ultra-compact folding mechanism for easy storage and transport.

1. Ensure the seat is in the upright position and the canopy is folded back.
2. Locate the folding release mechanism (refer to your specific model's diagram, often on the handle or side of the frame).
3. Follow the specific folding steps to collapse the stroller into its compact form. Ensure all parts are securely latched.



Coche Travel System Sunset



Figure 4.3: This image shows the Bebesit Travel System stroller in its compact folded state, highlighting its dimensions (57 cm high, 30 cm long, 40 cm wide) for easy storage and transport.

4.4 Using the Brake System

The stroller is equipped with a centralized brake system on the rear wheels for secure parking.

- To engage the brake, press down firmly on the brake pedal located between the rear wheels until it locks.
- To release the brake, lift the pedal upwards. Always ensure the brake is engaged when parking the stroller.

Manillar
ajustable



Convertible
en moisés



Toldo
3 paneles
con visor



Freno
centralizado en
ruedas traseras



Figure 4.4: This image illustrates several key features of the stroller, including its adjustable eco-leather handle, the ability to convert into a bassinet, the protective 3-panel canopy with visor, and the centralized brake system on the rear wheels.

5. MAINTENANCE AND CARE

Regular maintenance ensures the longevity and safety of your Bebesit Travel System.

- **Cleaning Fabric Parts:** Use a damp cloth with mild soap to clean fabric parts. Do not use harsh chemicals, bleach, or abrasive cleaners. Allow to air dry completely.
- **Cleaning Frame and Plastic Parts:** Wipe the frame and plastic components with a soft, damp cloth. Dry thoroughly to prevent rust or water spots.
- **Wheels:** Periodically check wheels for debris (e.g., hair, dirt) and ensure they rotate freely. Lubricate axles with a silicone-based lubricant if necessary to prevent squeaking.
- **Storage:** Store the stroller in a dry place, away from direct sunlight and extreme temperatures, which can degrade materials over time.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your Bebesit Travel System.

Problem	Possible Cause	Solution
Stroller does not fold/unfold easily	Locking mechanism engaged or debris obstructing movement.	Ensure all locks are disengaged. Check for any fabric or debris blocking the folding mechanism. Apply light lubricant if stiff.
Wheels squeak or do not turn smoothly	Lack of lubrication, dirt, or debris caught in the axle.	Clean wheels and axles thoroughly. Apply a silicone-based lubricant to the moving parts of the wheels.
Car seat not securing to base or stroller	Incorrect alignment, obstruction, or latch not fully engaged.	Realign car seat with the base/stroller connectors. Ensure no fabric or debris is blocking the latching mechanism. Push firmly until you hear a click.
Brake is difficult to engage or disengage	Dirt/debris in the brake mechanism or lack of lubrication.	Clean the brake mechanism. Apply a small amount of silicone lubricant to the pivot points if needed.

7. SPECIFICATIONS

Key technical specifications for the Bebesit Coche Travel System Sunset:

Feature	Detail
Maximum Weight Recommendation	25 Kilograms
Car Seat Capacity	0 to 11 kg (with ISOFIX base)
Product Dimensions (Unfolded)	80 cm (Length) x 56 cm (Width) x 103 cm (Height)
Product Dimensions (Folded)	30 cm (Length) x 40 cm (Width) x 57 cm (Height)
Product Weight	17.44 kg
Safety Standard (Car Seat)	ECE R44/04
Handlebar Material	Eco-leather
Color	Gris (Grey)
First Available Date	November 7, 2024



Coche Travel System Sunset



Figure 7.1: This image illustrates the unfolded dimensions of the Bebesit Travel System stroller, showing its height, length, and width.

8. WARRANTY AND SUPPORT

For detailed warranty information, please refer to the documentation included with your purchase. Warranty terms and conditions may vary by region and retailer.

For further assistance, technical support, or to inquire about replacement parts, please visit the official Bebesit website or contact their customer service department directly. You can also visit the [Bebesit Store on Amazon](#) for more information and product details.