

FDPBY 002

FDPBY Modern Vanity Light 3-Lights Brushed Nickel Instruction Manual

Model: 002 | Brand: FDPBY

1. INTRODUCTION AND SAFETY INFORMATION

This manual provides essential instructions for the safe installation, operation, and maintenance of your FDPBY Modern Vanity Light. Please read this manual thoroughly before installation and retain it for future reference.

1.1 General Safety Precautions

- **Electrical Safety:** Always disconnect power at the circuit breaker before installing, servicing, or cleaning the fixture. Consult a qualified electrician if you are unsure about electrical wiring.
- **Proper Grounding:** Ensure the fixture is properly grounded to avoid potential electrical shock.
- **Bulb Requirements:** Use only E26 standard bulbs with a maximum wattage of 60W. Do not exceed the recommended wattage.
- **Handling:** Handle crystal components with care to prevent breakage.
- **Location:** This fixture is designed for indoor use in bathrooms or dressing tables. It is not water-resistant and should not be exposed to direct water spray.

2. PACKAGE CONTENTS

Verify that all components are present before beginning installation. If any parts are missing or damaged, please contact customer support.

- Vanity Light Fixture (Brushed Nickel with Crystal Shades)
- Mounting Hardware (screws, wire nuts, mounting plate)

- Extra Replacement Crystal Strips
- Instruction Manual

Note: E26 standard bulbs are not included and must be purchased separately.

3. SPECIFICATIONS

Feature	Detail
Brand	FDPBY
Model Name	Vanity Light
Model Number	002
Color	Nickel Straight
Material	Crystal, Metal
Finish Type	Brushed
Product Dimensions	20.47"L x 7"W x 7.48"H
Number of Light Sources	3
Bulb Base	E26 US Standard Socket
Max Wattage per Bulb	60W
Voltage	110 Volts
Light Source Type	LED, Halogen, Incandescent, CFL (bulbs not included)
Special Features	Instant On, Dimmable (with compatible bulbs/switches)
Installation Type	Semi Flush Mount
Indoor/Outdoor Usage	Indoor
Assembly Required	Yes

4. SETUP AND INSTALLATION

This fixture is designed for American Standard junction boxes. For your safety, it is recommended to have a qualified electrician perform the installation.

4.1 Pre-Installation Steps

1. **Turn off Power:** Locate the circuit breaker controlling the light fixture's power supply and turn it off. Verify power is off using a voltage tester.
2. **Unpack Contents:** Carefully remove all components from the packaging. Inspect for any damage.
3. **Prepare Wiring:** If replacing an existing fixture, carefully disconnect the old wiring.

4.2 Installation Procedure

1. **Attach Mounting Plate:** Secure the mounting plate to the junction box using the provided screws.
2. **Connect Wires:** Connect the fixture's wires to your household wiring using the provided wire nuts. Match black to black (live), white to white (neutral), and green/bare copper to green/bare copper (ground).
3. **Mount Fixture:** Carefully align the fixture with the mounting plate and secure it with the decorative nuts or screws.
4. **Install Bulbs:** Screw E26 base bulbs (not included) into the sockets. Do not overtighten.
5. **Attach Crystal Shades:** Carefully attach the crystal shades to the fixture.



Figure 1: The FDPBY Modern Vanity Light (3-Lights) in brushed nickel finish with clear K9 crystal shades.



Figure 2: Detailed dimensions of the vanity light fixture, measuring 20.47 inches in length and 7.48 inches in height.



Transparent crystal



Electroplating hardware accessories

Figure 3: Close-up of the high-quality transparent K9 crystal shade and the durable electroplating brushed nickel hardware.

5. OPERATING INSTRUCTIONS

Once installed, your FDPBY Modern Vanity Light is ready for use.

- **Power On:** Restore power at the circuit breaker.
- **Switch Operation:** Operate the light using your existing wall switch.
- **Dimmable Feature:** The fixture is dimmable when used with compatible dimmable E26 bulbs and a compatible dimmer switch (not included).



Figure 4: The fixture is compatible with a variety of E26 bulbs and can be fully dimmed when used with a dimmer bulb and compatible dimmer switch.



Figure 5: Illustrates the difference between warm light and white light output, depending on the type of E26 bulbs installed.

6. MAINTENANCE

Regular cleaning will help maintain the appearance and performance of your vanity light.

- **Cleaning:** Ensure power is off before cleaning. Use a soft, dry, or slightly damp cloth to wipe down the metal finish and crystal shades. Avoid abrasive cleaners or chemicals that could damage the finish or crystals.
- **Bulb Replacement:** Always turn off power before replacing bulbs. Allow bulbs to cool completely before handling.

7. TROUBLESHOOTING

If you encounter issues with your vanity light, refer to the following common solutions:

- **Light does not turn on:**
 - Check if the circuit breaker is on.
 - Ensure bulbs are securely screwed into sockets and are not burnt out.

- Verify all wire connections are secure.

- **Flickering lights:**

- Ensure bulbs are fully compatible with any dimmer switch being used.
- Check for loose wire connections.

- **Crystal shades appear dull:**

- Clean the crystal shades with a soft, lint-free cloth to remove dust or smudges.

If problems persist, contact FDPBY customer support or a qualified electrician.

8. WARRANTY AND SUPPORT

FDPBY stands behind the quality of its products.

- **Warranty:** This product comes with a 60-day money-back guarantee and a 12-month replacement warranty.
- **Customer Support:** For any questions or concerns regarding your vanity light, please contact the FDPBY customer support team via email. We aim to resolve inquiries within 24 hours.