

[Manuals.plus](#) /

› [Towallmark](#) /

› Towallmark ATV UTV Tires 26x9-14 Instruction Manual

Towallmark 26x9-14 ATV UTV Tires

Towallmark ATV UTV Tires 26x9-14 Instruction Manual

Model: 26x9-14 All Terrain Tubeless Tires

1. PRODUCT OVERVIEW

This manual provides essential information for the safe and effective use of your Towallmark 26x9-14 ATV UTV Tires. These tires are designed for all-terrain performance, featuring a 6-ply rated construction for durability and a tubeless design for convenience. They are suitable for various off-road conditions including trail, sand, and mud.



All Terrain Tire
All Season Tire
ATV Tire
UTV Tire
Super Load Capacity

Image 1: Towallmark ATV UTV Tire highlighting its all-terrain and load capacity features.

2. SETUP AND INSTALLATION

Proper installation is crucial for tire performance and safety. It is highly recommended that tire installation be performed by a qualified professional using appropriate tools and safety procedures.

2.1 Pre-Installation Check

- Verify that the tire size (26x9-14) matches your vehicle's specifications.
- Inspect tires for any manufacturing defects or shipping damage before mounting.
- Ensure rims are clean, free of damage, and compatible with tubeless tires.

2.2 Mounting Instructions

1. Lubricate tire beads and rim flanges with a suitable tire mounting lubricant.
2. Mount the tire onto the rim, ensuring the directional tread pattern (if applicable) is oriented correctly for rotation.
3. Inflate the tire slowly and carefully to seat the beads. Do not exceed the maximum seating pressure indicated on the tire sidewall.
4. Once beads are seated, adjust the tire pressure to the recommended operating pressure for your ATV/UTV, as specified by the vehicle manufacturer.



Image 2: Visual representation of the tire's dimensions (26" height, 9" width, 14" rim diameter).

3. OPERATING GUIDELINES

These Towallmark ATV UTV tires are engineered for optimal performance across diverse off-road environments. Adhering to proper operating practices will maximize tire life and ensure safety.

3.1 Terrain Performance

- **All-Terrain Capability:** The tread pattern is designed to provide reliable grip and maneuverability on various surfaces, including dirt, gravel, sand, and mud.
- **Enhanced Traction:** Advanced traction technology ensures superior grip during turns and intricate maneuvers, boosting off-road control.
- **Versatile Use:** Suitable for recreational trails, utility tasks, and racing circuits, offering consistent performance.

For Mountain Car



Image 3: ATV equipped with Towallmark tires navigating a wet, muddy trail, demonstrating performance in challenging conditions.



**This tire suit for most
ATV,UTV,and SxS models and
rider preferences.**

Image 4: ATV with Towallmark tires traversing sandy terrain, illustrating suitability for various ATV/UTV models.

3.2 Recommended Practices

- Always maintain the vehicle manufacturer's recommended tire pressure for your specific load and terrain.
- Avoid sudden acceleration, braking, or sharp turns on loose surfaces to prevent excessive tire wear and loss of control.
- Be aware of terrain changes and adjust driving style accordingly.

4. MAINTENANCE

Regular maintenance extends the life of your tires and ensures safe operation.

4.1 Tire Pressure

- Check tire pressure before each ride, or at least weekly, using an accurate gauge.
- Adjust pressure to the vehicle manufacturer's recommendations. Incorrect pressure can lead to premature wear, poor handling, and increased risk of damage.

4.2 Inspection

- Regularly inspect tires for cuts, punctures, bulges, or other signs of damage.
- Check tread depth and look for uneven wear patterns, which may indicate alignment or suspension issues.
- Remove any embedded objects (stones, nails) from the tread carefully.

4.3 Cleaning and Storage

- Clean tires with mild soap and water to remove dirt and debris. Avoid harsh chemicals that can degrade rubber.
- When storing, keep tires in a cool, dry place away from direct sunlight, heat sources, and ozone-producing equipment.

Quality Details



High quality rubber, super durable and anti-slip



Unique grain designed effectively enhance traction ability



Image 5: Detailed view of the tire's construction, highlighting the durable rubber and unique tread design for improved traction and abrasion resistance.

5. TROUBLESHOOTING

This section addresses common issues you might encounter with your tires.

5.1 Loss of Air Pressure

- **Cause:** Puncture, valve stem leak, bead leak, or rim damage.
- **Solution:** Inspect the tire for punctures. Check the valve stem for tightness and damage. If a leak is suspected at the bead or rim, professional inspection and repair are recommended. Do not attempt to repair large punctures or sidewall damage.

5.2 Uneven Tread Wear

- **Cause:** Incorrect tire pressure, improper alignment, worn suspension components, or aggressive driving habits.
- **Solution:** Ensure correct tire pressure is maintained. Have your vehicle's alignment and suspension checked by a professional. Adjust driving style to reduce stress on tires.

5.3 Vibration or Rough Ride

- **Cause:** Unbalanced tires, bent rim, or damaged tire.
- **Solution:** Have tires balanced by a professional. Inspect rims for damage. If the tire is damaged, it may need replacement.

6. SPECIFICATIONS

Detailed technical specifications for the Towallmark 26x9-14 ATV UTV Tires.

Specification	Value
Brand	Towallmark
Size	26x9-14
Ply Rated	6PR
Tread Depth	20 Millimeters (0.8 inches)
Rim Diameter	14 Inches
Section Width	230.5 Millimeters
Load Capacity	395 Pounds
Speed Rating	F
Construction Type	Bias
Tread Type	Directional
Unit Count	2.0 Count
Item Weight (per tire)	~26 pounds (51.9 lbs for 2 tires)

Specifications

TIRE SPECIFICATIONS

Brand	Towallmark
Size	26x9-14
Ply Rated	6
Tread Depth	0.8"
Rim Width	7"
Rim Diameter	14"
Speed Rating	F
Load Index	395 lbs



Image 6: Visual summary of key tire specifications.

7. WARRANTY AND SUPPORT

For information regarding product warranty, returns, or customer support, please refer to the official Towallmark website or contact the seller directly through your purchase platform. Keep your proof of purchase for any warranty claims.

Towallmark customer support is available to assist with any product-related inquiries.