

HYSEYY YS-K 1304, YS-K 1312

HYSEYY Rolling Heavy Duty Clothes Rack User Manual

Models: YS-K 1304, YS-K 1312

1. INTRODUCTION

Thank you for choosing the HYSEYY Rolling Heavy Duty Clothes Rack. This manual provides essential information for the safe assembly, operation, and maintenance of your new garment rack. Please read these instructions carefully before use and retain them for future reference.

This heavy-duty clothes rack is designed for efficient clothing storage and organization, featuring robust metal construction and mobile functionality with lockable wheels.

2. SAFETY INFORMATION

- Ensure all parts are present and undamaged before assembly. Do not use if any parts are missing or broken.
- Assemble the rack on a flat, stable surface to prevent tipping.
- Do not exceed the maximum weight capacity of the rack (refer to specifications). Overloading can cause instability and damage.
- Keep children and pets away from the assembly area. Small parts can be a choking hazard.
- Always lock the wheels when the rack is stationary to prevent accidental movement.
- Distribute weight evenly on the hanging rods and shelves to maintain balance.
- For models with furniture straps, secure the rack to a wall if there is a risk of tipping, especially in households with children.

3. PACKAGE CONTENTS

Please verify that all components are included in your package:

- Main support poles (vertical)
- Horizontal hanging rods

- Shelf grids
- Connectors/sleeves
- Lockable wheels (4 units)
- Assembly tools (if required, e.g., wrench)
- Furniture anti-tip straps (for specific models)





Image 3.1: Fully assembled HYSEYY Rolling Heavy Duty Clothes Rack (Model YS-K 1304 type shown). This image displays the complete rack with clothes, shoes, and bags, highlighting its storage capacity and design.

4. SETUP AND ASSEMBLY

Follow these steps to assemble your HYSEYY Clothes Rack. Assembly typically does not require additional tools.

4.1. Attach Wheels

Insert the four wheels into the bottom of the main support poles. Ensure two of the wheels with locking mechanisms are positioned at the front for easy access.



Image 4.1: Assembled black HYSEYY Rolling Heavy Duty Clothes Rack (Model YS-K 1312 type shown). This image illustrates the rack's overall structure and the placement of items on the hanging rod and bottom shelf.

4.2. Assemble Base Frame

Connect the bottom horizontal bars to the vertical support poles. Ensure the trapezoidal structure of the bottom frame is correctly oriented for stability.

420 LBS Load Capacity



Image 4.2: Structural details of the HYSEYY Clothes Rack. This image highlights the shaped structure base for enhanced support and the thickened steel tubes (0.8mm thickness, 25.4mm diameter) contributing to its 420 LBS load capacity.

4.3. Install Hanging Rods and Shelves

Attach the hanging rods and shelf grids to the vertical poles using the provided connectors. For models with adjustable shelves, you can customize the height to suit your storage needs.

Thickened & Extended Design

Three times thickened pipe and extra long rod give larger capacity

121 cm / 47.6 in




Image 4.3: Thickened and extended design of the HYSEYY Clothes Rack. This image compares the pipe thickness (30mm for HYSEYY vs. 20mm for others) and shows an extended rod length of 121 cm (47.6 inches) for increased capacity.

Versatile Garment Rack



Sturdy & Reliable

Made of metal with a sleek black finish



Adjustable Shelves

Bar height is adjustable to achieve your ideal configuration



2 PCS Kiddies Furniture Straps

Help against furniture tipping over



Image 4.4: Versatile features of the HYSEYY Garment Rack. This image illustrates the sturdy metal construction, adjustable shelves for customized configuration, and the inclusion of 2 anti-tip furniture straps for safety.



Image 4.5: Metal bar thickness detail. This image shows a measurement of the metal bar, indicating a thickness of 0.75 inches (19.10mm), which is thicker than average for enhanced durability.

4.4. Secure Anti-Tip Straps (Optional)

If your model includes anti-tip furniture straps, attach them to the rack and secure them to a wall according to the separate instructions provided with the straps. This is highly recommended for added safety.

5. OPERATION

5.1. Using the Hanging Rods

Hang clothes on hangers from the horizontal rods. Distribute the weight evenly to prevent the rack from leaning or becoming unstable.

5.2. Utilizing Shelves

Use the bottom shelves for folded clothing, shoes, storage boxes, or other accessories. Ensure items are placed securely and do not obstruct the wheels.

Multi-tiered Design to Align with Various Storage Needs



Image 5.1: Multi-tiered design for various storage needs. This image illustrates the rack's segmented storage areas, including upper storage space, distinct right and left hanging sections, and corresponding right and left storage locations on the lower shelves.

5.3. Moving the Rack

To move the rack, unlock the two lockable wheels by pressing down on their levers. Carefully push or pull the rack to its desired location. Once in place, press the levers down again to lock the wheels and secure the rack. The wheels are made of premium materials, ensuring durability and quiet movement. Two of the wheels are conveniently lockable, allowing you to effortlessly secure or release them with your feet.

6. MAINTENANCE

- **Cleaning:** Wipe the metal frame and shelves with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Inspection:** Periodically check all connections and screws to ensure they are tight. Retighten if necessary.
- **Weight Distribution:** Always ensure weight is distributed evenly to prevent stress on the frame and maintain stability.

7. TROUBLESHOOTING

- **Rack is unstable:**
 - Ensure all connections are securely tightened.
 - Verify that the rack is on a flat, level surface.
 - Check if weight is distributed evenly.
 - If applicable, ensure anti-tip straps are properly installed.
- **Wheels not rolling smoothly:**
 - Check if the wheel locks are disengaged.
 - Clean any debris (lint, hair) from around the wheel axles.
- **Difficulty assembling:**
 - Refer back to the assembly diagrams and steps.
 - Ensure you are using the correct parts for each step.

8. SPECIFICATIONS

Feature	Detail
Brand	HYSEYY
Material	Metal
Model YS-K 1304 Dimensions	51"D x 18"W x 61"H
Model YS-K 1312 Dimensions	16.5"D x 37.4"W x 72.4"H
Overall Product Dimensions (General)	51"D x 18"W x 72.4"H
Special Feature	Heavy Duty, Rolling, Lockable Wheels, Adjustable Shelves
Number of Shelves	3 (for YS-K 1304/similar multi-tiered models)
Assembly Required	No (minimal assembly, tool-free)
Load Capacity (Approx.)	420 LBS (for YS-K 1312 type), 450 LBS (for YS-K 1304 type)

Weight Capacity: 450 Lbs




Image 8.1: Dimensions and weight capacity of the HYSEYY Clothes Rack. This image shows the overall dimensions (16.5"D x 37.4"W x 72.4"H) and indicates a weight capacity of 450 LBS for this specific multi-tiered model.

9. CUSTOMER SUPPORT

Our dedicated after-sales team is available 24/7 to assist you with any inquiries or technical support you may need. If you have any issues before or after your purchase, please find us via the Amazon Message Center. Your satisfaction is our goal.

For further assistance, please visit the [HYSEYY Store on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question