

Inateck KB09119-11

Inateck KB09119-11 Magnetic Keyboard Case User Manual

Model: KB09119-11 | Brand: Inateck

1. INTRODUCTION

Thank you for choosing the Inateck Magnetic Keyboard Case. This manual provides detailed instructions for setting up, operating, and maintaining your keyboard case, designed to enhance your iPad experience. This accessory combines a protective case with a full-featured keyboard and trackpad, transforming your iPad into a versatile workstation.



Image: Inateck Magnetic Keyboard Case with iPad Pro 11-inch attached.

2. PRODUCT OVERVIEW AND FEATURES

The Inateck Magnetic Keyboard Case offers a range of features for optimal productivity and protection:

- **Magnetic Floating Stand:** Securely attaches your iPad and allows for adjustable viewing angles up to 130 degrees.
- **7-Color Backlight:** Customize your typing experience with seven distinct backlight colors and three brightness levels.
- **Precise Multi-touch Trackpad:** Supports various gestures for intuitive navigation and control.
- **Smart Screen On/Off:** Automatically wakes your iPad when opened and puts it to sleep when closed, conserving battery.
- **Scissor-switch Keys:** Provides a comfortable and responsive typing experience with 1.4mm key travel.
- **Illuminated Keycaps:** Ensures clear visibility for typing in low-light conditions.
- **Multi-function Hotkeys:** Access common iPadOS shortcuts for increased efficiency.

3. COMPATIBILITY

This keyboard case is specifically designed for the following iPad models:

- iPad Pro 11 inch (M4) 2024
- iPad A16 11th Gen 2025
- iPad 10th Gen 2022

To verify your iPad model, check the model number starting with "A" on the back of your device.

ONLY for iPad Pro 11 inch M4 2024

Models: A2836/A2837/A3006



Please check the model number starting with "A" on the back of iPad

Image: Compatibility diagram for iPad Pro 11 inch M4 2024.

4. SETUP INSTRUCTIONS

4.1 Attaching Your iPad

1. Align your iPad with the magnetic back panel of the keyboard case.
2. The iPad will magnetically snap into place, securing it to the case.

Easy Setting

Strong magnetic adsorption for your iPad



Image: iPad being magnetically attached to the keyboard case.

4.2 Bluetooth Pairing

1. Ensure the keyboard case is charged (refer to Section 6 for charging instructions).
2. Turn on the keyboard by sliding the power switch, usually located on the side or back of the keyboard.

3. On your iPad, go to **Settings > Bluetooth** and ensure Bluetooth is enabled.
4. Press the **Option (Alt) + Delete** keys simultaneously on the keyboard to enter Bluetooth pairing mode. The Bluetooth indicator light on the keyboard will flash.
5. On your iPad, look for "Inateck Keyboard" or a similar name in the list of available devices and tap to connect.
6. Once connected, the Bluetooth indicator light on the keyboard will stop flashing.

5. OPERATING INSTRUCTIONS

5.1 Adjusting the Floating Cantilever Stand

The magnetic floating stand allows you to adjust your iPad to a comfortable viewing angle up to 130 degrees. Simply tilt the iPad screen to your desired position.

Floating Cantilever Stand Design

Adjustable angles to meet your viewing needs




Thin & Light

Image: Adjustable floating cantilever stand design.

5.2 Keyboard Backlight Control

The keyboard features a 7-color backlight with 3 brightness levels:

- Press the **Light Bulb** key (often located near the function keys) to cycle through backlight colors.
- Press the **Light Bulb + Up/Down Arrow** keys to adjust backlight brightness.



Type Day and Night



7-Color Backlight



3-Level Brightness

Easily choose the comfort light you prefer

Image: Keyboard with illuminated purple backlight.

5.3 Smart Screen On/Off Function

The case automatically detects when it is opened or closed:

- **Open:** The iPad screen will automatically wake up.
- **Close:** The iPad screen will automatically go to sleep.

Smart Screen On/Off

Enhance work efficiency

 OPEN: Screen wakes up ↗



 CLOSE: Screen sleeps ↙




Image: Smart Screen On/Off feature in action.

6. KEYBOARD FUNCTIONS AND SHORTCUTS

The keyboard supports a full range of iPadOS keyboard shortcuts. Refer to your iPad's user guide for a comprehensive list of available shortcuts. Common function keys are integrated into the top row:



Multi-touch Trackpad

Smooth and responsive, supports various gesture controls




Image: Multi-function hotkeys on the keyboard.

7. TRACKPAD GESTURES

The multi-touch trackpad provides precise and responsive control, supporting various gestures:

Gesture	Description
Drag	Move items on the screen.

Gesture	Description
Scroll	Navigate through content vertically or horizontally.
Swipe	Move between pages or apps.
Zoom In/Out	Adjust the magnification of content.
Secondary Click	Access contextual menus.
Show Desktop	Return to the home screen.
App Exposé	View all open applications.
Swipe between full-screen apps	Quickly switch between full-screen applications.

Press Once, More Than Once



Image: Multi-touch trackpad with gesture illustrations.

8. CHARGING AND BATTERY LIFE

The keyboard case is equipped with a rechargeable Lithium Ion battery.

- **Charging:** Connect the keyboard to a power source using the provided USB-C cable. A full charge typically takes approximately 3 hours.
- **Battery Life:** After a full charge, the keyboard can last up to one month without backlight usage, or up to one week with consistent backlight usage.

- **Power Saving:** The ultra-low power standby mode and smart screen on/off feature help extend battery life.

9. MAINTENANCE

To ensure the longevity and optimal performance of your Inateck Keyboard Case, follow these maintenance guidelines:

- **Cleaning:** Use a soft, dry, lint-free cloth to clean the exterior of the case and keyboard. For stubborn marks, slightly dampen the cloth with water. Avoid harsh chemicals or abrasive materials.
- **Storage:** When not in use for extended periods, store the keyboard case in a cool, dry place. Ensure the iPad is detached or the case is closed to prevent accidental activation and battery drain.
- **Avoid Liquids:** Keep the keyboard case away from liquids to prevent damage to electronic components.
- **Handle with Care:** While durable, avoid dropping the case or subjecting it to excessive force, which could damage the internal mechanisms or your iPad.

10. TROUBLESHOOTING

If you encounter issues with your Inateck Keyboard Case, refer to the following common solutions:

10.1 Keyboard Not Connecting via Bluetooth

- **Check Power:** Ensure the keyboard is turned on and has sufficient battery charge.
- **Re-pair Device:** Go to your iPad's Bluetooth settings, forget the "Inateck Keyboard" device, and then repeat the pairing process (Section 4.2).
- **Restart Devices:** Restart both your iPad and the keyboard case.
- **Interference:** Move away from other wireless devices that might cause interference.

10.2 Keys or Trackpad Not Responding

- **Bluetooth Connection:** Verify that the keyboard is still connected via Bluetooth.
- **Battery Level:** Ensure the keyboard has enough charge.
- **Restart:** Turn the keyboard off and on again.
- **Cleanliness:** Check for any debris under the keys or on the trackpad that might be obstructing movement.

10.3 iPad Not Holding Securely

- **Proper Alignment:** Ensure the iPad is correctly aligned with the magnetic area of the case.
- **Obstructions:** Check for any foreign objects or debris between the iPad and the case that might weaken the magnetic connection.

11. SPECIFICATIONS

Feature	Detail
Brand	Inateck
Model Number	KB09119-11-BK-US2
Item Weight	1.36 pounds
Product Dimensions	9.8 x 7.6 x 0.77 inches

Feature	Detail
Batteries	1 Lithium Ion battery (included)
Connectivity Technology	Bluetooth
Keyboard Description	Ergonomic
Special Features	Backlit, Floating Cantilever Stand, Trackpad
Keyboard Backlighting Color Support	RGB (7 colors)
Keyboard Layout	QWERTY
Compatible Tablet Models	Apple iPad Pro 11-Inch (M4), iPad A16 11th Gen 2025, iPad 10th Gen 2022

12. WARRANTY AND SUPPORT

Inateck products come with a manufacturer's warranty. For detailed warranty information, product support, or technical assistance, please visit the official Inateck website or contact their customer service directly. Keep your purchase receipt for warranty claims.

Inateck Official Website: www.inateck.com

© 2024 Inateck. All rights reserved.

Related Documents - KB09119-11

 Inateck KB09119 Keyboard Instruction Manual	<p>Comprehensive instruction manual for the Inateck KB09119 Keyboard, detailing setup, Bluetooth pairing, multi-touch gestures, shortcut keys, LED indicators, and product specifications.</p>
 Inateck HPF 3.5-inch HDD Protection Box Instruction Manual	<p>This document provides instructions for using the Inateck HPF 3.5-inch HDD Protection Box, including assembly, usage, and compliance information.</p>
 Inateck KB04122-11 Keyboard Instruction Manual	<p>A comprehensive guide to setting up, pairing, and using the Inateck KB04122-11 Keyboard with your iPad, including multi-touch gestures, shortcut keys, and troubleshooting tips.</p>
 Inateck BK2007 Bluetooth Keyboard Case Instruction Manual	<p>This manual provides instructions for setting up and using the Inateck BK2007 Bluetooth Keyboard Case for iPads. It covers Bluetooth pairing, troubleshooting, charging, battery status, sleep mode, product specifications, and LED indicators.</p>

	<p>Inateck KB04111-11 Keyboard Instruction Manual</p> <p>This document provides a comprehensive instruction manual for the Inateck KB04111-11 Keyboard, covering product diagrams, Bluetooth pairing, multi-touch gestures, keyboard backlight adjustment, shortcut keys, LED indicators, product specifications, and charging instructions.</p>
	<p>Inateck BCST-47 Barcode Scanner User Guide</p> <p>Comprehensive user guide for the Inateck BCST-47 Barcode Scanner, covering setup, operation, specifications, and safety precautions.</p>

Documents - Inateck – KB09119-11



[\[pdf\]](#)

tom Model Difference Shenzhen Inateck Technology Co Ltd KB09119 2A2T9 2A2T9KB09119 kb09119
 Shenzhen Inateck Technology Co.,Ltd. Model Difference Product description:
 Keyboard Model name: KB09119 KB09119-10, **KB09119-11** Trade Name: Inateck All
 the model are the same circuit and RF module, except for model name. Regards
 Sincerely Client s signature: Client s name / title :Fret Huang/Manager...
 lang: **score:27** filesize: 77.89 K page_count: 1 document date: 2024-10-12



[\[pdf\]](#)

dell990 2 911 d 5 i CertificationEquipmentTypev1 Shenzhen Inateck Technology Co Ltd KB09119 2A2T9
 2A2T9KB09119 kb09119
 Shenzhen Inateck Technology Co., Ltd. Section 2.911 d 5 i Certification Equipment
 Type Company ... District, Shenzhen, China Product Name:Keyboard FCC ID:
 2A2T9-KB09119 Model s :KB09119, KB09119-10, **KB09119-11** 2.911 d 5 i Equipment
 Type We, Shenzhen Inateck Technology Co., Ltd. the applicant ...
 lang:en **score:27** filesize: 91.69 K page_count: 1 document date: 2024-10-12

<p>Shenzhen Inateck Technology Co., Ltd. Section 2.911(d)(7) (U)A Agent for Service of Process Delivery: Shenzhen Inateck Technology Co., Ltd. Address: 1/F, Bldg. 11, ZhanCloud Park, Bantian Street, Longgang District, Shenzhen, China Product Name: Keyboards PCD #: K0091911-X0091911-X0091911 Model #: K0091911-X0091911-X0091911-19 2.911(d)(7) (U)A Designated Agent for Service of Process We, Shenzhen Inateck Technology Co., Ltd. (the "applicant") designate [Zone Delivery Limited, Xiamen] for the purpose of accepting service of process on behalf of the applicant. Applicant comments We acknowledge our consent to accept service of process in the United States to notices related to the applicable equipment, and at the physical U.S. address and email address of the designated agent or acknowledge our acknowledgement of service of process on behalf of the applicant in the United States for one year, one year after either the grantee has permanently terminated all managing and importation of the applicable equipment within the U.S. or at the conclusion of any Commission administrative or judicial proceeding involving the equipment, whichever is later. Agent obligation: We acknowledge our obligation to accept service of process in the United States for notices related to the applicable equipment at our physical U.S. address and email address for no less than one year after either the grantee has permanently terminated all managing and importation of the applicable equipment within the U.S. or at the conclusion of any Commission administrative or judicial proceeding involving the equipment, whichever is later. <table border="0"> <tr> <td style="width: 30%; vertical-align: top;"> Agent Company name: Zone Delivery Limited U.S. Address: 8454 N Academy Blvd #2520, Colorado Springs, CO 80908 United States FRN: 0030001093 Contact Name: Fiel Huang Telephone #: +12343211111 Email: compliance@oh-shivk.com </td> <td style="width: 30%; vertical-align: top;"> Applicant Company name: Shenzhen Inateck Technology Co., Ltd. Address: 1/F, Bldg. 11, ZhanCloud Park, Bantian Street, Longgang District, Shenzhen, China Customer FRN: 0030001093-248057 FCC: G0091911-X0091911-X0091911-24797 Contact Name: Fiel Huang Telephone #: +8621-22848029 Email: compliance@oh-shivk.com </td> </tr> </table> Signature:  Title: Manager Signature:  Title: Manager </p>	Agent Company name: Zone Delivery Limited U.S. Address: 8454 N Academy Blvd #2520, Colorado Springs, CO 80908 United States FRN: 0030001093 Contact Name: Fiel Huang Telephone #: +12343211111 Email: compliance@oh-shivk.com	Applicant Company name: Shenzhen Inateck Technology Co., Ltd. Address: 1/F, Bldg. 11, ZhanCloud Park, Bantian Street, Longgang District, Shenzhen, China Customer FRN: 0030001093-248057 FCC: G0091911-X0091911-X0091911-24797 Contact Name: Fiel Huang Telephone #: +8621-22848029 Email: compliance@oh-shivk.com
Agent Company name: Zone Delivery Limited U.S. Address: 8454 N Academy Blvd #2520, Colorado Springs, CO 80908 United States FRN: 0030001093 Contact Name: Fiel Huang Telephone #: +12343211111 Email: compliance@oh-shivk.com	Applicant Company name: Shenzhen Inateck Technology Co., Ltd. Address: 1/F, Bldg. 11, ZhanCloud Park, Bantian Street, Longgang District, Shenzhen, China Customer FRN: 0030001093-248057 FCC: G0091911-X0091911-X0091911-24797 Contact Name: Fiel Huang Telephone #: +8621-22848029 Email: compliance@oh-shivk.com	



FCC TEST REPORT	
FCC ID:2A2T9-KB09119	
Report Number	ZKT-2406257031E
Date of Test	Aug 26, 2024 to Sep 18, 2024
Date of Issue	Sep 18, 2024
Total number of pages	39
Test Result	PAS
Testing Laboratory	Shenzhen ZKT Technology Co., Ltd.
Address	1/F, No. 101, Building B, No. 6, Tengtian Community Industrial Avenue, Shenzhen, China 518057, Shenzhen, China
Applicant's name	Shenzhen Inateck Technology Co., Ltd.
Address	Rm. 2007, Bldg. 11, Tanke Office Park, Bantian Street, Longgang District, Shenzhen, China
Manufacturer's name	Shenzhen Inateck Technology Co., Ltd.
Address	Rm. 2007, Bldg. 11, Tanke Office Park, Bantian Street, Longgang District, Shenzhen, China
Testspecifications	FCC CFR Title 47 Part 15 Subpart C Section 15.247
Standard	ANSI C63.10-2013
Test procedure	/
Non-standard test method	N/A
Test Report Form No.	
Test Report Form Originator	ZKT Testing
Master Test	Dated 2024-09-18
<small>This device described above has been tested by ZKT and the test results show that the equipment under test complies with the FCC requirements. And it is applicable only to the tested sample identified in the report. The equipment must be identified by the test report number when this statement is referred or cited by ZKT, personal only, and shall be listed in the revision of this document.</small>	
Product name	Keyboard
Trademark	Inateck
Model/Type reference	KB09119-10, KB09119-11
Ratings	Input: 5V/2.250mA Battery: 3.7V, 800mAh, 1.68Wh

[pdf] Specifications Test Report

Measurement Report Kent Test BLE Shenzhen Inateck Technology Co Ltd KB09119 2A2T9

2A2T9KB09119 kb09119

Project No.: ZKT-2406257031E Page 1 of 39 FCC TEST REPORT FCC ID:2A2T9-

KB09119 Report Number.....: Inateck Model/Type

reference.....: KB09119 KB09119-10, **KB09119-11**

Ratings.....: Input : 5V Battery: 3.7V, ...

lang:en score:21 filesize: 3.33 M page_count: 39 document date: 2024-10-12