

## SOLIDEE USBA20701

# SOLIDEE Adjustable Swivel Bar Stools (Model USBA20701) - Instruction Manual

Set of 2 Barstools with PU Leather and Chrome Base

## 1. INTRODUCTION

---

Thank you for choosing the SOLIDEE Adjustable Swivel Bar Stools. This manual provides essential information for the safe assembly, operation, and maintenance of your new bar stools. Please read these instructions carefully before use and retain them for future reference.

These bar stools feature a gas-lift mechanism for height adjustment, 360° swiveling capability, and a comfortable PU leather seat with a sturdy chrome base. Their modern design makes them suitable for various settings including bars, pubs, coffee shops, and home use.

## 2. IMPORTANT SAFETY INFORMATION

---

**WARNING: Failure to follow these safety instructions may result in injury or product damage.**

- Assembly is required. Ensure all parts are present and correctly assembled before use.
- Use caution when adjusting height and swiveling to prevent tipping.
- Ensure the stool is placed on a stable, flat surface to prevent accidents or injuries.
- Do not stand on the stool.
- Do not exceed the maximum weight capacity of 250 pounds (113 kg).
- Keep children away from the stool during assembly and ensure they do not play with the gas lift mechanism.

## 3. PACKAGE CONTENTS

---

Please check the package to ensure all components are included:

- Seat (PU Leather)

- Gas Lift Cylinder
- Footrest Ring
- Base Plate (Chrome)
- Mounting Hardware (screws, washers, Allen wrench)
- Protective Cap for Gas Lift (remove before assembly)



Figure 1: Exploded view of barstool components.

## 4. ASSEMBLY INSTRUCTIONS

Follow these steps to assemble your bar stool:

1. **Prepare the Base:** Place the chrome base plate on a flat, stable surface.
2. **Insert Gas Lift:** Remove the protective cap from the top of the gas lift cylinder. Insert the narrow end of the gas lift cylinder into the center hole of the base plate.
3. **Attach Footrest:** Slide the footrest ring over the gas lift cylinder and secure it in place according to the instructions provided with the hardware.

4. **Attach Seat:** Align the mounting holes on the bottom of the seat with the top of the gas lift mechanism. Secure the seat using the provided screws and Allen wrench. Ensure all screws are tightened securely.



Figure 2: Remove the protective cap from the gas lift cylinder before assembly.



Figure 3: Assembly steps for the barstool.

## Assembly Video

Video 1: Detailed assembly and feature overview of the barstools.

## 5. OPERATING INSTRUCTIONS

---

### Height Adjustment

Your SOLIDEE bar stool features a gas-lift mechanism for easy height adjustment:

- **To Raise:** While standing, pull the gas lifter control handle upwards. The seat will automatically rise. Release the handle at the desired height.
- **To Lower:** While seated, pull the gas lifter control handle upwards. The seat will lower under your weight. Release the handle at the desired height.

### Swivel Function

The seat can swivel 360 degrees for convenience. Simply rotate the seat in any direction.



Figure 4: Gas lifter control handle and 360° swivel function.

## 6. MAINTENANCE

---

To ensure the longevity and appearance of your bar stools:

- **Cleaning the Seat:** Wipe the PU leather seat with a soft, damp cloth. For stubborn stains, use a mild soap solution and dry immediately. Avoid harsh chemicals or abrasive cleaners.
- **Cleaning the Chrome Base:** Clean the chrome base with a soft, dry cloth. For smudges or fingerprints, use a chrome cleaner and polish gently.
- **Regular Checks:** Periodically check all screws and connections to ensure they remain tight. Retighten if necessary.
- **Avoid Direct Sunlight:** Prolonged exposure to direct sunlight can cause the PU leather to fade or crack.

## 7. TROUBLESHOOTING

---

If you encounter any issues with your bar stools, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Stool does not adjust height.	Protective cap still on gas lift; gas lift mechanism faulty.	Ensure protective cap is removed. If issue persists, contact customer support.
Stool is wobbly.	Loose connections; uneven surface.	Check and tighten all screws. Ensure the stool is on a flat, level surface.
Swivel function is stiff.	Lack of lubrication; debris in mechanism.	Apply a small amount of silicone-based lubricant to the swivel mechanism. Clean any visible debris.

## 8. SPECIFICATIONS

---

- **Brand:** SOLIDEE
- **Model Number:** USBA20701
- **Product Dimensions:** 15"D x 15"W x 33"H (Adjustable Height)
- **Color:** Black
- **Style:** Modern
- **Frame Material:** Metal
- **Seat Material Type:** Faux Leather (PU Leather)
- **Item Weight:** 20 pounds (per stool)
- **Assembly Required:** Yes
- **Special Features:** Gas-lift mechanism for height adjustment, 360° swiveling, footrest.

## 9. WARRANTY AND SUPPORT

---

For warranty information or technical support, please refer to the product packaging or contact SOLIDEE customer service directly. Keep your purchase receipt as proof of purchase.