Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- ShiftCam /
- > ShiftCam SnapGrip Pro User Manual

ShiftCam S-AA03

ShiftCam SnapGrip Pro User Manual

Model: S-AA03 Brand: ShiftCam

INTRODUCTION

The ShiftCam SnapGrip Pro is a versatile mobile accessory designed to enhance your smartphone photography and videography experience. It combines an ergonomic camera grip, a wireless shutter button, and a powerful Qi2 wireless charging power bank, all in a compact and portable design. The magnetic mount ensures quick and secure attachment to MagSafe-compatible devices and can be used with other phones via a MagSafe sticker or case (sold separately).



Image: The ShiftCam SnapGrip Pro attached to a smartphone, highlighting its ergonomic grip and magnetic connection.

SETUP

1. Initial Charging of SnapGrip Pro

Before first use, fully charge your SnapGrip Pro. It features a USB-C PD input for rapid charging. Connect a USB-C charger (not included) to the USB-C port on the SnapGrip Pro.

- The SnapGrip Pro has a 5000mAh battery capacity.
- A USB-C PD 20W input is recommended for optimal charging speed.

Charge Faster, Smarter & Anywhere

Stay Powered & Ready Whenever Creativity Strikes!

SnapGrip Pro's Qi2 wireless charging delivers up to 2x the speed and 3x the performance compared to standard Qi chargers. Imagine your iPhone 15 Pro Max charging from 0 to 50% in just 30 minutes.

Kindly note that a USB-C charger is required to charge the SnapGrip. In line with our environmental commitment, we no longer include a charging cord.

3x







Image: Internal view of the SnapGrip Pro's charging components, illustrating its Qi2 wireless charging technology.

2. Attaching to Your Smartphone

The SnapGrip Pro utilizes a seamless magnetic mount for quick attachment.

- MagSafe Compatible Devices: Simply align the SnapGrip Pro with the MagSafe area on the back of your iPhone 12 series or above. The magnets will securely snap it into place. If using a case, ensure it is MagSafeenabled.
- Other Smartphones: For Samsung, Motorola, Pixel, LG, OnePlus, Huawei, Xiaomi, and other non-MagSafe phones, you will need a MagSafe sticker or a MagSafe-compatible case (purchased separately) to enable magnetic attachment.

Works with MagSafe

iPhone 12 Series and Above



If using with Case, must be MagSafe-Enabled

Works with All Phones

(Samsung, Motorola, Pixel, LG, OnePlus, Huawei, Xiaomi, etc)



Use with MagSafe sticker or MagSafe case. (needs to be purchased separately)

Image: Visual guide demonstrating compatibility with MagSafe-enabled iPhones and other smartphones via a MagSafe sticker or case.

3. Bluetooth Pairing for Shutter Control

To use the wireless shutter button, you must pair the SnapGrip Pro with your smartphone via Bluetooth.

- 1. Ensure the SnapGrip Pro is charged.
- 2. Press and hold the small button on the SnapGrip Pro (usually near the shutter button) to enter pairing mode. An indicator light may flash.
- 3. On your smartphone, go to **Settings** > **Bluetooth**.
- 4. Look for "SnapGrip Pro" or a similar device name in the list of available devices and select it to pair.
- 5. Once paired, the indicator light on the SnapGrip Pro will typically become solid, and your phone will confirm the connection.

OPERATING INSTRUCTIONS

1. Using the Wireless Shutter Button

Once paired via Bluetooth, the large button on the SnapGrip Pro functions as a camera shutter button.

- Open your smartphone's camera application.
- Press the large button on the SnapGrip Pro to capture photos or start/stop video recording, just like a traditional camera.



finger - just like holding a camera!

Image: A user holding their phone with the SnapGrip Pro, illustrating how the index finger naturally rests on the shutter button for easy photo capture.

2. Charging Your Smartphone

The SnapGrip Pro features Qi2 wireless charging to power your smartphone.

- Ensure your smartphone is magnetically attached to the SnapGrip Pro.
- · Press the small power button on the SnapGrip Pro to initiate wireless charging. An indicator light will typically illuminate to confirm charging is active.
- The SnapGrip Pro offers 15W Qi2 wireless charging output, capable of charging compatible smartphones from 0 to 50% in approximately 30 minutes (e.g., iPhone 15).

3x Faster Charging

Compared to SnapGrip Classic

Powered By **Qi2** Wireless Charging



2x Wirelesss Charge Delivered



USB-C PD 20W Output Charges 50% in 30 mins



5000mAH



Image: An infographic illustrating the SnapGrip Pro's advanced charging features, including its 5000mAh battery and rapid USB-C PD output.

3. Rotational Docking and Tabletop Use

The SnapGrip Pro features a 180-degree pivotal system and can act as a tabletop dock.

- **Switching Orientation:** With your phone attached, gently rotate the SnapGrip Pro to switch between portrait and landscape modes.
- **Tabletop Dock:** The design allows the SnapGrip Pro to stand upright on a flat surface, providing a stable base for hands-free operation during video calls, content viewing, or live streams.


SnapGrip

Easy Pivotal System

180 degree pivot syste m makes it simple to switch between landscape & portrait.



Image: A user demonstrating the 180-degree pivotal system, easily switching the phone's orientation while attached to the SnapGrip Pro.



Dock your phone anywhere to create content, watch movies, or attend video calls.

Image: The SnapGrip Pro functioning as a stable tabletop dock, allowing for hands-free viewing or video calls.

MAINTENANCE

Proper care will ensure the longevity of your SnapGrip Pro.

- Cleaning: Wipe the surface of the SnapGrip Pro with a soft, dry, or slightly damp cloth. Avoid using harsh chemicals or abrasive materials.
- Storage: Store the SnapGrip Pro in a cool, dry place away from direct sunlight and extreme temperatures.
- Battery Care: For optimal battery health, avoid fully discharging the device frequently. If storing for extended periods, charge it to approximately 50% before storage.

TROUBLESHOOTING

1. SnapGrip Pro Not Charging or Charging Slowly

- Check Cable and Adapter: Ensure you are using a functional USB-C cable and a power adapter that meets the 20W PD specification.
- Proper Connection: Verify the USB-C cable is fully inserted into the SnapGrip Pro's charging port.
- **Phone Alignment:** For wireless charging, ensure your phone is correctly aligned with the magnetic charging area on the SnapGrip Pro.
- Case Interference: If using a phone case, ensure it is MagSafe-compatible and not too thick, as it might impede wireless charging efficiency.

2. Wireless Shutter Button Not Responding

- Bluetooth Connection: Confirm that the SnapGrip Pro is successfully paired and connected to your smartphone via Bluetooth. Go to your phone's Bluetooth settings to check the connection status. If disconnected, attempt to re-pair.
- Battery Level: Ensure the SnapGrip Pro has sufficient battery charge.
- **App Compatibility:** While generally compatible with most camera apps, ensure you are using a standard camera application.
- **Shutter Lag:** A slight delay between pressing the shutter button and the photo being taken may occur in some instances. This is typically minimal and does not affect functionality.

3. Rapid Battery Drain of SnapGrip Pro

- **Bluetooth Connection:** The SnapGrip Pro can drain faster if left connected via Bluetooth when not in use. To conserve battery, disconnect Bluetooth when not actively using the shutter function.
- Accidental Trigger: If stored in a bag or pocket, the shutter button can be accidentally pressed, waking the device and leading to battery drain. Consider storing it in a way that prevents accidental button presses.
- Auto-Sleep: The device has an auto-sleep function, but accidental button presses can restart it.

4. Device Overheating During Use

- Normal Operation: Some warmth during charging or extended use is normal.
- Excessive Heat: If the SnapGrip Pro or your phone becomes excessively hot to the touch, discontinue use immediately.
- Environmental Factors: Avoid using or charging the device in direct sunlight or hot environments.
- Ventilation: Ensure adequate airflow around the device during use.
- Contact Support: If overheating persists and is severe, contact ShiftCam customer support.

SPECIFICATIONS

| Model Number | S-AA03 |
|--------------------------|---|
| Battery Capacity | 5000mAh (18.5Wh, 3.7V) |
| Wireless Charging Output | 15W (Qi2 Certified) |
| USB-C Output | 20W PD (DC 5V/2A, 9V/2.22A) |
| USB-C Input | 20W PD (DC 5V/2A, 9V/2.22A) |
| Net Weight | 183g (6.45 oz) |
| Dimensions | 113.3 x 86.8 x 37.2mm (4.46 x 3.42 x 1.46 inches) |

| Mounting Type | MagSafe Mount |
|-------------------|---------------|
| Color | Midnight |
| Country of Origin | China |

Note: A USB-C charger is required to charge the SnapGrip Pro and is not included in the package.

WARRANTY AND SUPPORT

ShiftCam products are designed for durability and performance. For information regarding warranty coverage, product registration, or technical support, please visit the official ShiftCam website or contact their customer service department.

ShiftCam Official Website: www.shiftcam.com

Please retain your proof of purchase for any warranty claims.

© 2025 ShiftCam. All rights reserved.

Related Documents - S-AA03

| Seption Consumer Cons | ShiftCam SnapGrip Pro Quick Start Guide A quick start guide for the ShiftCam SnapGrip Pro, covering setup, charging, and wireless shutter functionality. Includes information on MagSafe compatibility and USB-C PD charging. |
|--|--|
| Tabifon Tab | SnapGrip Pro S-AA03: Quick Start Guide & User Manual Shiftcam Get started with your Shiftcam SnapGrip Pro (S-AA03). This guide covers unboxing, charging, connecting via Bluetooth, and using the wireless shutter and charging features. |
| Elb 47.78E10712ben Wilson Statement Communication Communi | ShiftCam SnapGrip Creator Kit Quick Start Guide A concise guide to setting up and using the ShiftCam SnapGrip Creator Kit, covering MagSafe compatibility, SnapGrip wireless shutter, SnapPod installation and angle adjustment, and SnapLight brightness control. |
| Shiftigen | ShiftCam SnapGrip Quick Starter Guide A quick starter guide for the ShiftCam SnapGrip, detailing how to attach the device, connect the wireless shutter, and manage wireless charging. |
| T == () mentaons | ShiftCam ProGrip Getting Started Guide A comprehensive guide to setting up and using the ShiftCam ProGrip, including features like charging, Bluetooth connectivity, and accessory mounting. |



ShiftCam SnapPocket Light Quick Start Guide

A quick start guide for the ShiftCam SnapPocket Light, detailing how to attach it to various phone models and adjust brightness levels.

Documents - ShiftCam - S-AA03

EU DECLARATION OF CONFORMITY



[pdf] Decleration of Conformity

EU DECLARATION OF CONFORMITY ServisoftS AA0300241112 Name and address of Applicant SHIFTCAM LIMITED H410 414 Block B S AA03 ST MN PK PO LIMITEDSnapGrip Pro Declaration Conformity 241112servisoft pt docs Shiftcam 58329 SnapGrip 241112 |||

EU DECLARATION OF CONFORMITY Declaration number: Name and address of Applicant: **S-AA03**00241112 SHIFTCAM LIMITED H410-414, Block B, PMQ 35 Aberdeen Street, Central, Hong Kong THIS DECLARATION OF CONFORMITY IS ISSUED UNDER THE SOLE RESPONSIBILITY OF: Name and address of manufacturer: GOPOD GROUP ...

lang:en score:34 filesize: 203.14 K page_count: 1 document date: 2024-11-12



ShiftCam SnapGrip Pro Quick Start Guide

A quick start guide for the ShiftCam SnapGrip Pro, covering setup, charging, and wireless shutter functionality. Includes information on MagSafe compatibility and USB-C PD charging.

lang:fr score:33 filesize: 1.7 M page_count: 2 document date: 2024-11-16



[pdf] Decleration of Conformity

Declaration of Conformity DoC Prudence Family declaration ShiftCam Limited SAA03 SnapGrip Pro 2A7IM 2A7IMSAA03 saa03

ShiftCam Limited Declaration on Model Differences We, ShiftCam Limited Unit 4A, 4/F, Goldfield Industrial Centre, 1 Sui Wo Road, Fo Tan, ShaTin, Hong Kong Declare that the following product s: FCC ID: 2A7IM-SAA03 Product Name: SnapGrip Pro Model No.: S-AA03-ST, S-AA03-MN, S-AA03-PK, S-AA03-PO, S-AA...

lang:en score:28 filesize: 61.55 K page_count: 1 document date: 2024-11-20



[pdf] Test Report

Test report ShiftCam Limited SAA03 SnapGrip Pro 2A7IM 2A7IMSAA03 saa03

Report No.: 1812C40029212502 FCC ID: 2A7IM-SAA03 Page 1 of 26 FCC Test Report Applicant: ShiftC ... e Model No. Trade Mark Rating s: ShiftCam Limited: GOPOD GROUP HOLDING LIMITED: SnapGrip Pro S-AA03-ST, S-AA03-MN, S-AA03-PK, S-AA03-PO, S-AA03-AB, S-AA03-BJ, S-AA03-LG, S-AA03-DG, S-AA03-TP, S...

lang:en score:27 filesize: 1.33 M page count: 26 document date: 2024-11-27



[pdf]

Adria Galin Pons Letter Authorization ShiftCam Limited SAA03 SnapGrip Pro 2A7IM 2A7IMSAA03 saa03 C5266091_X8_Ed.1 Letter of Authorization ShiftCam Limited Company: ShiftCam Limited Address: Unit 4A, 4/F, Goldfield Industrial Centre, 1 Sui Wo Road, Fo Tan, ShaTin, Hong Kong Product Name: Wireless Charger with Speaker Model Number: S-AA03-ST, S-AA03-MN, S-AA03-PK, S-AA03-PO, SAA03-AB, S-...

lang:en score:27 filesize: 60.13 K page count: 1 document date: 2024-11-22



SnapGrip Pro S-AA03: Quick Start Guide & User Manual | Shiftcam

Get started with your Shiftcam SnapGrip Pro (S-AA03). This guide covers unboxing, charging, connecting via Bluetooth, and using the wireless shutter and charging features.


lang:fr score:24 filesize: 778.49 K page_count: 2 document date: 2025-02-05



[pdf] Quick Start Guide SAR Rating

SnapGrip Pro EasyStore cz Aug 8 2024 · Ergonomic Camera Grip Bras télescopique Ausziehbarer Arm Brazo Fijar iPhone 12 series or later with a MagSafe case QSG easystore manualy ShiftCam ||| What s in the box Contenu de la bote Verpackungsinhalt Contenido de la caja SnapGrip Pro Chargin ... e Declaration of Conformity this product may be obtained by visiting www.ShiftCam.com SnapGrip Pro S-AA03 Quick Start Guide Guide de dmarrage rapide Schnellstart-Anleitung Gua rpida de inicio Exclusi...

lang:fr score:21 filesize: 262.5 K page_count: 2 document date: 2024-08-08



[pdf] Label

HK6610 D853 S AA03 V1 0 202409224 ID label and location ShiftCam Limited SAA03 SnapGrip Pro 2A7IM 2A7IMSAA03 saa03

S-AA03-ST650C PANTONE 650C 413C PANTONE 413C logo logo ...

lang:fr score:20 filesize: 927.31 K page_count: 1 document date: 2024-11-19