

[manuals.plus](#) /

› [kejector](#) /

› [kejector Domed Roof 3-Unit Metal Chicken Coop Instruction Manual](#)

kejector chicken coop

kejector Domed Roof 3-Unit Metal Chicken Coop

Instruction Manual

1. INTRODUCTION

Thank you for choosing the kejector Domed Roof 3-Unit Metal Chicken Coop. This heavy-duty poultry cage is designed to provide a secure and spacious environment for your chickens and other small to medium-sized animals. Constructed with a durable steel frame and coated hexagonal wire mesh, it offers excellent protection and ventilation. The waterproof and anti-UV cover ensures your animals are protected from various weather conditions. This manual provides essential information for the safe assembly, operation, and maintenance of your chicken coop.



Image: The kejector Domed Roof 3-Unit Metal Chicken Coop fully assembled in an outdoor setting.

2. SAFETY INSTRUCTIONS

Please read and understand all safety instructions before assembly and use. Failure to follow these instructions may result in injury or damage to the product.

- **Adult Assembly Required:** This product is intended for assembly by adults 18 years and older.
- **Wear Protective Gear:** During assembly, wear gloves to protect hands from sharp edges and safety glasses to protect eyes.
- **Secure Installation:** Ensure the coop is installed on a level, stable surface. Use the provided ground nails and additional anchoring if necessary to prevent tipping in strong winds.
- **Check for Damage:** Before assembly, inspect all components for any damage. Do not proceed with assembly if parts are damaged. Contact customer support for replacements.
- **Keep Children and Pets Away:** Keep children and pets away from the assembly area to prevent accidents.
- **Proper Ventilation:** Ensure adequate ventilation within the coop for the well-being of your animals.
- **Predator Protection:** While the mesh provides protection, regularly inspect for any signs of damage

or weak points that could compromise security against predators.

3. COMPONENTS LIST

Before beginning assembly, verify that all parts are present and undamaged. Refer to the packing list included with your product for a complete inventory. Key components include:

- Galvanized Steel Frame Pipes (various lengths and bends)
- Connectors and Joints
- Coated Hexagonal Wire Mesh
- 420D Oxford Cloth Waterproof/Anti-UV Cover
- Security Lock for Door
- Ground Nails/Stakes
- Zip Ties or Fasteners for Mesh
- Bungee Cords/Straps for Cover
- Assembly Tools (e.g., wrench, screwdriver - may be included)



Ground Nails



Well Welded Frame Corners



Lockable Door



Strong Straps



Quick Spring Clasp Connect



Pipe with Wall Thickness 1mm

Image: Detailed view of key components including ground nails, frame connections, and the lockable door

mechanism.

4. SETUP AND ASSEMBLY

Assembly is designed to be straightforward, but it is recommended to have at least two people for easier setup. Follow the professional instructions provided in the packaging for detailed, step-by-step guidance.

- 1. Prepare the Area:** Choose a level, clear outdoor space for the coop. Ensure adequate drainage.
- 2. Assemble the Frame:** Connect the galvanized steel pipes according to the diagrams in the instruction manual. Utilize the quick spring clasp connections and ensure all joints are securely fastened. The improved pole connections enhance stability.
- 3. Attach the Wire Mesh:** Unroll the coated hexagonal wire mesh and secure it to the frame using the provided zip ties or fasteners. Ensure the mesh is taut and covers all open sides to prevent gaps. The small gaps in the mesh provide extra protection against predators.
- 4. Install the Door:** Attach the door frame and hinge mechanism. Ensure the security lock functions correctly.
- 5. Secure to the Ground:** Use the ground nails to anchor the coop firmly to the earth. For added stability, especially in windy conditions, consider additional heavy-duty anchors.
- 6. Install the Waterproof Cover:** Drape the 420D Oxford cloth cover over the domed roof. Secure it using the strong straps or bungee cords, ensuring it is taut and covers the designated area to provide protection from sun, rain, and snow. The pitched roof design allows for runoff.

Refer to the included assembly manual for specific diagrams and part numbers.

EXQUISITE DETAILS

Exquisite details and high-quality craftsmanship



STURDY CONSTRUCTION

Adding support bars to the four corners to enhance the product's stability.

DURABLE METAL BOTTOM

Wind resistance and vibration prevention



Image: Details of the sturdy construction and durable metal base, highlighting enhanced stability features.

5. OPERATING INSTRUCTIONS

The kejector chicken coop provides a versatile and spacious enclosure for various animals.

- Animal Capacity:** The 3-Unit Domed Roof model is designed to accommodate approximately 20-30 domestic fowl, such as chickens, ducks, or geese. It is also suitable for rabbits, cats, small dogs, and other similar-sized animals.
- Daily Use:** Ensure the security lock on the door is always engaged when animals are inside to prevent escape and protect against predators.
- Space for Activity:** The large interior provides ample room for animals to play, rest, and roam freely, promoting their well-being.
- Environmental Protection:** The waterproof and anti-UV cover offers essential protection from harsh sunlight, rain, and light snow, creating a comfortable habitat.

Function:

Suitable for raising poultry such as chickens, ducks, geese, as well as birds and rabbits While also serving as a barrier against external intruding animals.




Image: The coop's versatility, suitable for various poultry and small animals, providing a secure barrier.

6. MAINTENANCE

Regular maintenance will extend the lifespan of your kejector chicken coop and ensure the safety and comfort of your animals.

- **Cleaning:** Periodically clean the interior of the coop to maintain hygiene. The metal frame can be wiped down with a damp cloth.
- **Cover Care:** The 420D Oxford cloth cover can be cleaned with mild soap and water. Ensure it is completely dry before re-installing or storing to prevent mildew.
- **Inspect Mesh:** Regularly check the hexagonal wire mesh for any tears, holes, or loose fastenings. Repair or reinforce as needed to maintain predator protection.
- **Check Connections:** Periodically inspect all frame connections, bolts, and ground anchors to ensure they remain tight and secure. Tighten any loose components.
- **Seasonal Adjustments:** In areas with heavy snowfall, it is advisable to clear snow from the roof to prevent excessive weight accumulation.



Water Resistant



Snow Proof



Anti-Ultraviolet



Heat Regulative

Image: The coop's weather resistance, demonstrating its ability to protect animals from sun, rain, and snow.

7. TROUBLESHOOTING

If you encounter issues with your chicken coop, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Coop feels unstable or wobbly.	Loose frame connections; insufficient ground anchoring.	Ensure all pipe connections are fully engaged and tightened. Verify ground nails are firmly in place. Consider adding more robust anchors or sandbags.
Wire mesh is sagging or has gaps.	Insufficient zip ties/fasteners; mesh not pulled taut during installation.	Add more zip ties, ensuring they are evenly spaced and tight. Re-tension the mesh where possible.


Problem	Possible Cause	Solution
Water pooling on the roof cover.	Cover not taut; improper installation.	Re-adjust the cover, ensuring it is pulled taut and secured with all bungee cords/straps. Verify the pitched roof design is maintained.
Door does not close or lock properly.	Misaligned frame; debris in latch mechanism.	Check if the coop frame is square and level. Clear any obstructions from the lock and latch. Lubricate if necessary.

8. SPECIFICATIONS

Key specifications for the Kejector Domed Roof 3-Unit Metal Chicken Coop:


- **Model:** Domed Roof 3-Unit
- **Dimensions (L x W x H):** 225 inches x 110 inches x 77.5 inches (approximately 18.75 ft x 9.17 ft x 6.46 ft)
- **Item Weight:** 101.5 pounds
- **Material:** Galvanized Metal Frame, PVC Coated Hexagonal Wire Mesh, 420D Oxford Cloth Cover
- **Color:** Silver
- **Included Components:** Waterproof Roof Cover
- **Special Feature:** Lockable Door
- **Recommended Breed Size:** Small to Medium
- **Capacity:** Accommodates 20-30 Domestic Fowl

One Room




Capacity: 6-10 chickens

Two Room




Capacity: 10-20 chickens

Three Room



Capacity: 20-30 chickens

Four Room



Capacity: 30-40 chickens

Image: Size comparison chart for various kejector chicken coop configurations, including the 3-Unit model's dimensions and capacity.

9. WARRANTY AND SUPPORT

The kejector Domed Roof 3-Unit Metal Chicken Coop comes with a **2-Year Manufacturer Warranty**. This warranty covers defects in materials and workmanship under normal use.

For warranty claims, replacement parts, or any questions regarding your product, please contact kejector customer support through the retailer where you purchased the product or visit the official kejector brand store online. Please have your purchase receipt and product model information ready when contacting support.

We are committed to providing high-quality products and excellent customer service.

