

BAFANG BAFANG Rear Hub Motor

BAFANG Ebike Conversion Kit User Manual

Model: BAFANG Rear Hub Motor

For 20"/26"/27.5"/700C Bike, 48V 500W/750W Rear Hub Motor

1. INTRODUCTION

Thank you for choosing the BAFANG Ebike Conversion Kit. This manual provides essential information for the proper installation, operation, and maintenance of your new ebike system. Please read this manual thoroughly before attempting installation or use to ensure safety and optimal performance.

This kit is designed to transform your standard bicycle into a powerful electric bike, offering enhanced mobility and an enjoyable riding experience. It features a robust rear hub motor, intelligent controller system, and optional battery and display components.



Image: Overview of the BAFANG Ebike Conversion Kit components, including the rear hub motor wheel, controller, display, battery, and various cables.

2. PACKING LIST

Please verify that all components listed below are included in your package. If any items are missing or damaged, contact customer support immediately.

- BAFANG Rear Hub Motor (pre-installed in wheel, optional wheel size)
- Controller Box
- Motor Controller
- Optional Display (e.g., DZ40, DM03, 500C, EKD01, SWM58, C18, P860ML)
- PAS Sensor (Left)
- Thumb Throttle
- 1T4 Cable (main wiring harness)

- Headlight (included)
- Brake Levers (default, or brake sensor if requested)
- Plastic Straps
- Sticker (product information)
- Optional Battery (various models like Shark, Max Shark, Downtube Yingwu, Rear Rack)
- Optional Charger (for battery)

BAFANG

PACKING LIST

PARTS INTRODUCTION



Image: Visual representation of the components included in the BAFANG Ebike Conversion Kit package.

3. SPECIFICATIONS


Motor Specifications

Feature	48V 750W Rear Hub Motor	48V 500W Rear Hub Motor
---------	-------------------------	-------------------------

Feature	48V 750W Rear Hub Motor	48V 500W Rear Hub Motor
Rated Voltage	48V	48V
Rated Power	750W	500W
Max Torque	80N.m	65N.m
Max Speed	45KM/H	40KM/H
Noise Grade	< 55dB	< 55dB
Waterproof Grade	IPX5	IPX5
Installation Widths (OLD)	135-142mm	135-142mm
Wheel Diameter Options	20"/26"/27.5"/700C	20"/26"/27.5"/700C
Brake Compatibility	V-brake / Disc Brake	V-brake / Disc Brake

48V750W REAR HUB MOTOR


BAFANG RM G0900.750.DC



45KM/h
Max Speed

80N.m
Max Torque


About 5.6KG
Weight



- 48V750W Rear Hub Motor
- A:32mm • B:183mm
- C:44mm • E:40.75mm
- OLD:138mm

48V500W REAR HUB MOTOR


BAFANG RM G020.500.DC



40KM/h
Max Speed

65N.m
Max Torque

About 3.5KG
Weight



- 48V500W Rear Hub Motor
- A:42.5mm • B:158.5mm
- C:44mm • E:41mm
- OLD:138mm

Position	Rear Hub Motor (Cassette)		Motor Option	48V750W	48V500W
Motor Option	48V750W	48V500W	Installation Width	135mm Rear Dropout Size	
BAFANG Model	H640	H400B	Noise Grade	<55dB	<55dB
Model No.	RM G090 0.750.DC	RM G020.500.DC	Waterproof	IPX6	IPX5
Rated Voltage	48V	48V	Efficiency	>80%	
Rated Power	750W	500W	Construction	Gear Drive Brushless Motor	
Rim Size Option	20"/26"/27.5"/28"/29"/700C		Brake	V Brake / Disc Brake	
Max Torque	80N.m	65N.m	Operation Temperature	-20°C - 45°C	
Max Speed	45KM/h	40KM/h	Rated RPM	360±10	345±15

Image: Detailed comparison of 48V 750W and 48V 500W BAFANG Rear Hub Motors, including dimensions,

General Product Specifications

- **Bike Type:** Electric Bike
- **Age Range:** Adult
- **Brand:** BAFANG
- **Number of Speeds:** Up to 10-speed cassettes supported
- **Color:** Slivery
- **Frame Material:** Aluminum (for compatible bikes)
- **Suspension Type:** Dual (compatible with dual suspension bikes)
- **Special Feature:** Digital Display (optional), Durable
- **Power Source:** Electric motor
- **Assembly Required:** Yes
- **Electric Assist Type:** Pedal-assist

4. COMPATIBILITY

This BAFANG Ebike Conversion Kit is designed for broad compatibility with various bicycle types. Please ensure your bike meets the following requirements:

- **Rear Dropout Width:** Your bike's rear dropout width must be between 135mm and 142mm.
- **Cassette Compatibility:** Supports up to 10-speed cassettes. Note: Flywheel is not included.
- **Brake System:** Compatible with both V-brakes and disc brake systems.
- **Wheel Size:** Available for 20", 26", 27.5", and 700C wheel sizes. Ensure you select the correct kit for your bike's wheel size.

Flexible And Compatible

① Dropout:138mm



Axle Length:8.19"(208mm)

• Fit for Rear Dropout:135-142mm



135-142MM

Slotted Dropout



Thru Axle Dropouts

②



Gear Shift:
Cassette

③



disc brake bike



Gear Shift:
Rotary flywheel



Rim brake bike

⚠ flywheel is not included


Image: Diagram illustrating rear dropout measurement (135-142mm), cassette compatibility, and brake system compatibility (disc brake and rim brake).

How to Choose the Correct Wheel Size

To determine the correct wheel size for your kit, check the label marked on your tire. For example, if it says "26 x 1.95", your tire is 26 inches. The kit is available for 20", 26", 27.5", and 700C (28"/29") rim diameters.

HOW TO CHOOSE THE CORRECT SIZE ?

⚠ Tire is not included



• How to Choose?			
• Rim Size	26"	27.5"	700C
• Rim Diameter	570mm	594mm	631mm
• Compatible Brake	Disc Brake&V brake	Disc Brake&V brake	Disc Brake&V brake
• Spoke Specification	36H*12G	36H*12G	36H*12G

Step 1: Find where the tire size is marked on your bike
Step 2: Check the label number (example: if it says 26x1.95 as shown)
Step 3: Determine tire size. (Follow step 2 to determine and confirm that your bicycle tires are 26 inches.)



Where the tire is marked



Image: Guide on how to identify your bike's tire size and corresponding rim diameter for selecting the correct conversion kit.

5. INSTALLATION

The BAFANG Ebike Conversion Kit is designed for user-friendly installation. Comprehensive manuals and video guides are available to assist you. Below is a general overview of the wiring connections.

Wiring Diagram (750W Rear Hub Motor)



Image: Detailed wiring diagram for the 750W BAFANG Rear Hub Motor kit, showing connections for throttle, brake levers, display, PAS sensor, battery, headlight, and taillight.

Wiring Diagram (500W Rear Hub Motor)



100% tested battery

Every cell used in our battery has been tested for charging and discharging to ensure the quality of our battery.



85% capacity after 1000 cycles

After we simulate daily use, our battery can still have 85% capacity remaining after 1000 times cycles. Our engineering test battery has worked on our electric bikes for more than 3 years.



Waterproof technology

The battery has a certain waterproof function, you don't need to worry about it when it rains. But for safety, we still recommend that the battery is not in contact with water.



BMS Security System

The BMS chips integrated in our e-bike batteries feature multiple layers of protection, such as overvoltage, overcharge and reverse charge protection, to ensure optimal safety during use.



Anti-theft Lock

It can protect your battery very safely when there is a thief, it can also prevent accidental falling off.



USB port connection

Output is 5V 1A. You can charge your phone or other devices whenever you want. ⚠️ 52V20Ah don't have the USB port.

Image: Detailed wiring diagram for the 500W BAFANG Rear Hub Motor kit, showing connections for throttle, brake levers, display, PAS sensor, battery, headlight, and taillight.

Key Installation Steps:

- 1. Prepare Your Bike:** Remove the existing rear wheel and any unnecessary components.
- 2. Install the Motor Wheel:** Mount the BAFANG rear hub motor wheel into your bike's rear dropouts, ensuring proper alignment.
- 3. Mount Components:** Install the controller box, display, throttle, and PAS sensor in their designated locations on the bike frame and handlebars.
- 4. Connect Wiring:** Follow the provided wiring diagrams carefully. Use the 1T4 cable to connect the main components. Ensure all connections are secure and waterproof.
- 5. Install Battery (Optional):** If you purchased a battery, mount it securely to your bike frame.
- 6. Cable Management:** Secure all cables with plastic straps to prevent interference with moving parts and ensure a clean appearance.
- 7. Initial Test:** Before riding, perform a static test to ensure all components are functioning correctly.

6. OPERATION

Your BAFANG Ebike Conversion Kit offers multiple riding modes for a versatile experience:

- **Throttle Mode:** Provides power on demand, similar to a motorcycle.
- **Pedal Assist System (PAS) Mode:** The motor provides assistance as you pedal. This system typically has multiple levels (e.g., 0-5 or 0-9) that can be adjusted via the display.
- **Walk Assist Mode:** Provides low-speed assistance for pushing the bike while walking.
- **Pure Cycling Mode:** The motor is off, and you pedal the bike like a traditional bicycle.

Smart LCD Display (Optional)

If you have an optional smart LCD display, it provides real-time insights and control over your ebike system. Features may include:

- Battery level indicator
- Current speed display
- Trip mileage and total odometer
- PAS level selection
- Error diagnostics
- Adjustable speed limits
- USB charging port for smartphones (on some models)
- Automatic light sensor for headlight (on some models)

VARIOUS HIGH-TEGH EBIKE DISPLAY







Model	mounting size	screen size	PAS Level	Advanced password	USB function	Bluetooth	Auto headlight	Backlight Setting
 DZ40	22.2mm	1.7inch	5	/	⊗	/	⊗	/
 DM03	22.2mm	1.3inch	3,5,9	1657	⊗	/	⊗	1~3
 500C	22.2mm	2.2inch	3,5,9	1919	⊗	/	⊗	1~5
 EKD01	22.2/25.4mm	2.4inch	3,5,9	2020	⊙ (Type-C port)	⊙	⊗	30%/50% 75%/100%
 SWM58	22.2/25.4 31.8mm	3.8inch	3,5,9	1919	⊗	/	⊗	1~5
 C18	22.2/25.4 31.8mm	3.5inch	3,5,9	1919	⊙	/	⊙	1~5
 P860ML	22.2/25.4 31.8mm	3.5inch	3,5,9,UBE	1919	⊙	/	⊙	1~5

Image: Overview of various BAFANG high-tech ebike display models (DZ40, DM03, 500C, EKD01, SWM58, C18, P860ML) with their features and specifications.

7. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your BAFANG Ebike Conversion Kit.

- **Cleaning:** Regularly clean the motor, controller, and battery with a damp cloth. Avoid using high-pressure water jets directly on electrical components.
- **Water Resistance:** The motor has an IPX5 waterproof design, protecting against splashes. However, avoid submerging the motor or other electrical components in water.
- **Cable Inspection:** Periodically check all cables and connectors for wear, damage, or loose connections. Ensure waterproof connectors are properly sealed.
- **Battery Care:**
 - Charge the battery regularly, even if not in use, to maintain its health.
 - Store the battery in a cool, dry place.

- Avoid fully discharging the battery frequently.
- The battery features an anti-theft lock and BMS security system for protection.
- **Motor Inspection:** Listen for any unusual noises from the motor during operation. The motor is designed for quiet operation (<55dB).
- **General Bike Maintenance:** Continue to perform regular maintenance on your bicycle's mechanical components (brakes, chain, tires, gears) as you would with a standard bike.

Flexible And Compatible

Dropout: 138mm • Fit for Rear Dropout: 135-142mm

1  Axle Length: 8.19" (208mm) **135-142MM**

2  Slotted Dropout ✓

3  Thru Axle Dropouts ✗

4  Gear Shift: Cassette ✓

5  Gear Shift: Rotary flywheel ✗
⚠ flywheel is not included

6  ✓

7  ✓

• Both fit with V brake and disc brake bike which cassette is ≤9 speed.

Image: Information on BAFANG ebike battery features, including 100% tested cells, 85% capacity after 1000 cycles, waterproof technology, BMS security system, anti-theft lock, and USB port connection.

8. TROUBLESHOOTING

This section provides solutions to common issues you might encounter. For more complex problems, please refer to the detailed video guides or contact customer support.

Problem	Possible Cause	Solution
Motor not assisting / No power	Battery low or off; Loose connections; PAS sensor misalignment; Display error.	Check battery charge and ensure it's on. Verify all cable connections are secure. Inspect PAS sensor for proper alignment. Check display for error codes and consult manual.
Display not turning on	Loose display cable; Battery off or dead; Controller issue.	Ensure display cable is firmly connected. Check battery status. If problem persists, contact support.
Inconsistent pedal assist	PAS sensor dirty or misaligned; Magnet ring issue.	Clean PAS sensor and ensure magnets are correctly positioned and intact.
Unusual motor noise	Loose motor mounting; Internal motor issue.	Check if the motor is securely mounted. If noise persists, discontinue use and contact support.

Problem	Possible Cause	Solution
Brakes not cutting motor power	Brake sensor cable loose or damaged; Brake lever not fully returning.	Inspect brake sensor cables and connections. Ensure brake levers return to their original position.

9. WARRANTY AND SUPPORT



BAFANG is committed to providing high-quality products and excellent customer service.







- **Warranty:** This product comes with a **one-year repair or replacement service** from the date of purchase.
- **Returns:** A **30-day return policy** is available for this product.
- **Technical Guidance:** We offer **lifetime technical guidance service** to assist you with any questions or issues you may encounter during the product's lifespan.
- **Manufacturer:** Bafang Electric (Suzhou) Co., Ltd.
- **Seller:** Greenergia


For any inquiries, technical assistance, or warranty claims, please contact the seller or BAFANG customer support through the platform where you purchased the product. Providing your order number and a detailed description of the issue will help expedite the support process.

© 2024 BAFANG. All rights reserved.
This manual is subject to change without notice.

Related Documents - BAFANG Rear Hub Motor

	<p>BAFANG M510 Mid Motor User Manual and Installation Guide</p> <p>Comprehensive user manual for the BAFANG M510 Mid Motor, covering specifications, installation procedures, maintenance, and troubleshooting for electric bicycles.</p>
	<p>BAFANG BBS01/BBS02 Mid-Drive E-bike Motor Installation Manual eMax eBikes</p> <p>Comprehensive installation manual for the BAFANG BBS01 and BBS02 mid-drive electric bike motor kits. Includes technical specifications, assembly steps, wiring diagrams, and warranty information from eMax eBikes.</p>

 <p>TECHNICAL SPECIFICATION RM G020.250.DC</p>	<p>Bafang RM G020.250.DC Technical Specification</p> <p>Detailed technical specifications for the Bafang RM G020.250.DC rear-drive electric bike motor, including performance parameters, dimensions, features, and warranty information.</p>
	<p>Bafang Electric Bike Conversion Kit: Jumbo Shark & G80 Battery Mount Modification Guide</p> <p>This guide provides printable templates and instructions for modifying battery mounts for Bafang electric bike conversion kits, specifically for Jumbo Shark mounts used with G80 and other compatible Hailong batteries.</p>
<p>BAFANG BBS01/BBS02 Installation Manual</p>   <p>BAFANG</p> 	<p>BAFANG BBS01/BBS02 Mid-Drive Electric Bike Conversion Kit Installation Manual</p> <p>Detailed installation guide for BAFANG BBS01 and BBS02 mid-drive electric bike conversion kits. Covers system overview, technical specifications, step-by-step assembly, component connections, and warranty information for e-bike DIY enthusiasts.</p>
<p>User Manual B1</p> <p>Bafang Motor</p> <p>H410 36V RM G3310.250.D</p> 	<p>Bafang Motor H410 RM G3310.250.D User Manual</p> <p>Comprehensive user manual for the Bafang Motor H410 RM G3310.250.D, covering safety instructions, product description, technical specifications, operation guidelines, and maintenance procedures.</p>



[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications

DOWNLOAD Owners Manuals Apollo Bicycles bafang rear hub motor user manual drive google file d 1VNE49XUKmcjaeSrctBc aqrkhEpa6llq view |||

EN CUSTOMER MANUAL Rear Hub Motor System for Disc Brake Original instruction manual Read carefully before use. Keep for later reference. BF-CM-S-R02-EN-PRINT A/0, January 2018 CONTENT CONTENT 1 Important Notice 2 Introduction 2.1 Overview 3 Safety Instructions 3.1 General information 3.2 For you...

lang:en score:41 filesize: 2.14 M page_count: 34 document date: 2021-09-03



[Ebikes-Canada EBC-S Series User Manual: Assembly, Maintenance, and Troubleshooting](#)

Comprehensive user manual for Ebikes-Canada EBC-S series electric bikes, covering assembly instructions, routine checks, battery charging, driving tips, maintenance, troubleshooting, and FAQs.

lang:en score:40 filesize: 4.92 M page_count: 32 document date: 2022-01-26



[\[pdf\]](#) User Manual Owner's Manual Specifications

Provided by ManualsAndMore Download User Manual FuroSystems FX Owner s Owners manualsandmore |||

1 2 3 1 2 3 4 5 6 7 8 9 Motor Nominal/Peak Power Pedal Assist Top Speed Range Charge Time Display Computer Standard Battery Type Standard Battery Specs MAX Battery Type MAX Battery Specs Readouts Pedal Assist Frame Fork Rear derailleur Brakes Tires BAFANG Rear Hub Motor 250W/500W 2...

lang:en score:31 filesize: 3.23 M page_count: 14 document date: 2019-07-24



[pdf] User Manual Diagram

User Manual BAFANG Rear Hub Motor Kit 48V 500W Electric Bike Conversion Kits with Battery Optional 20 26 27 5 700C Wheel Drive System Display and PAS Sensor Sports Outdoors C13n577IPvL m media amazon images I |||

Introduction to the installation tool You are able to use similar tools, or you could buy specialized tool kits. 1.M2.5 Allen wrench installing and disassembling display and display button 2.M3 Allen wrench installing and disassembling handlebar sleeve and electric thumb shifter 3.M4 Allen wrench...

lang:en score:29 filesize: 6.88 M page_count: 24 document date: 2023-08-17



[pdf] Catalog

EN BerlinBike 2GO ProductCatalog DownloadGuides Manuals Berlin Bikecdn shopify s files 1 0862 2597 7662 v 1713779935 |||

2GO Folding E-Bike We at Berlin Bikes, rmly believe in the future of micromobility and the immense ... Fork Hydraulic Suspension Rear Air Suspension Hydraulic Disc Brakes Integrated LCD Display Powerful **Bafang Rear Hub Motor** Energy-E cient Torque Sensor Samsung Battery Cells With 378WH Capacity Approx....

lang:en score:29 filesize: 4.41 M page_count: 6 document date: 2024-04-11




[pdf]

210x285 10 7 cdr amdin Kinoway Electric Bikes Performance All Terrain speed Fat Tyre eBike BAFANG Page 12 1000W Bafang Mid drive Motor 48V 30AH Ultra 9 D9406952453456 s globalsources IMAGES SPL 456 |||

KINOWAY GROUP 2024 KINOWAY ELECTRIC BIKES SHENZHEN KINOWAY ELECTRONIC CO.,LTD. CONTENTS 01 MTB eBike 02 CITY eBike 03 FAT eBike 04 CARGO eBike 05 Folding eBike COMPANY INTRODUCTION Shenzhen Kinoway Electronic Co., Ltd was founded in 2003 as one of the leading consumer electronic products manufac...

lang:en score:28 filesize: 5.26 M page_count: 16 document date: 2023-10-07




[pdf]

©2022 Really Good Ebikes All Rights Reserved COMPARE SWELL EBIKE MODELS Swell Electric Bikes Best Beach Cruisers 2022 Sheet1 4bdf24a6 3024 4bea b217 4de64553295a v 1651863395 cdn shopify s files 1 1597 9875 |||

2022 Really Good Ebikes. All Rights Reserved. 52V Summit LR2 52V Summit LR2 Step-Thru Dana Compare Models Dana Step-Thru Seeker Summit Summit Step-Thru Wedge Base Price 2,595 Summary Powerful 1100W Peak Fat Tire Electric Bike Motor 750W **Bafang Rear Hub Motor** Battery 52V/20Ah Seat T...

lang:en score:26 filesize: 324.09 K page_count: 1 document date: 0000-00-00



[pdf] Specifications

© 2022 Really Good Ebikes All rights reserved COMPARE X TREME EBIKE MODELS Treme Electric Bikes Fun Affordable Sheet1 41ab44b1 6566 42aa a948 bbe626309e33 v 1651859841 cdn shopify s files 1 1597 9875 |||

2022 Really Good Ebikes. All rights reserved. Rocky Road Boulderado Compare Models Baja Catali ... Frame 18 Full-Suspension Aluminum Mountain Bike Frame Black Metallic White Motor Specs 500W **Bafang Rear Hub Motor** Battery Drive Modes Tire Size 48V/10.4Ah 17Ah Downtube-Integrated 9-Speed ...

lang:de score:26 filesize: 8.52 M page_count: 2 document date: 0000-00-00

[\[pdf\]](#) Specifications

© 2022 Really Good Ebikes All rights reserved COMPARE REVI EBIKE MODELS Revi Bikes formerly Civi Featuring Cheetah and Runabout Ebike v 1652376475 cdn shopify s files 1 1597 9875 ||| 2022 Really Good Ebikes. All rights reserved. Cheetah Plus Compare Models Cheetah Predator Rebe ... Front Basket Standover Height Weight Max. Load 19.75 6061 Aluminum Cafe Racer w/ Black Frame 750W **Bafang Rear Hub Motor** 48V/17.5Ah Teardrop Gas Tank Integrated Removable Battery w/ Samsung Cells Non...

lang:en **score:25** filesize: 921.02 K page_count: 1 document date: 0000-00-00

[\[pdf\]](#) Specifications Accessories

© 2022 Really Good Ebikes All rights reserved COMPARE COASTAL CRUISER BIKE MODELS Coastal Cruiser Electric Bikes Designed in Southern California Sheet1 83a8d0b3 592c 456f 8a03 d91f46803a4c v 1658769774 cdn shopify s files 1 1597 9875 ||| 2022 Really Good Ebikes. All rights reserved. 750W Fat Tire ST Cruiser 750W Fat Tire Cruiser Comp ... Frame Teal Gloss White Slate Gray Matte Black Midnight Blue Dark Cherry Red Rose Gold 750W **Bafang Rear Hub Motor** Seat Tube Mounted 48V/20Ah Samsung Removable Battery 7-Speed Shimano Aires ASL... lang:de **score:25** filesize: 4.81 M page_count: 1 document date: 0000-00-00

[\[pdf\]](#) Specifications

© 2022 Really Good Ebikes All rights reserved COMPARE GREENBIKE MODELS Great Deals On GreenBike Electric Motion eBikes Free Shipping Sheet1 4199f88a cd85 4f31 9021 df689e4fd5fd v 1651861241 cdn shopify s files 1 1597 9875 ||| 2022 Really Good Ebikes. All rights reserved. Enduro Phat 48 EM26 Big Dog Extreme City Path Co ... /Silver Black/Gold Low-Step Folding Frame Black Steel Blue Cream w/ Pink White w/ Blue 750W **Bafang Rear Hub Motor** 750W 8Fun Bafang Rear Hub Motor 750W **Bafang Rear Hub Motor** 48V/13Ah Downt... lang:en **score:25** filesize: 2.5 M page_count: 1 document date: 0000-00-00

[\[pdf\]](#) Specifications

© 2021 Really Good Ebikes All rights reserved COMPARE REVI EBIKE MODELS Revi Bikes formerly Civi Featuring Cheetah and Runabout Ebike Sheet1 d2e4ba42 d75f 465d b2c1 96549e10ef8f v 1621260369 cdn shopify s files 1 1597 9875 ||| 2021 Really Good Ebikes. All rights reserved. Cheetah Compare Models Predator Rebel 1.0 Base Pr ... k w/ Brown Accents Platinum Grey with Black Accents Motor Specs Battery Additional Battery 750W **Bafang Rear Hub Motor** 48V/13Ah Downtube-Integrated Removable w/ Samsung Cells 48V/17.5Ah Downtube-In... lang:de **score:25** filesize: 580.67 K page_count: 1 document date: 0000-00-00

[\[pdf\]](#) Specifications Dimension Guide Accessories

©2022 Really Good Ebikes All Rights Reserved COMPARE AERO EBIKE MODELS Aero Electric Bikes 2022 Sheet1 2ab92b40 61d3 48e5 b581 ec83e514191d v 1660596417 cdn shopify s files 1 1597 9875 ||| 2022 Really Good Ebikes. All Rights Reserved. Apex COMPARE MODELS Mach5 Z250 Rider Base Price 1,799 Summary Fat Tire Folding Ebike w/ 20 Mph Max Assist Speed Folding Full-Suspension Bike Frame Frame Red Gold Blue Motor Specs 750W **Bafang Rear Hub Motor** Battery 48V/15.6Ah Removabl... lang:de **score:25** filesize: 833.73 K page_count: 1 document date: 0000-00-00

© 2022 Really Good Ebikes All Rights Reserved

COMPARE MODELS				
Model	Model 1	Model 2	Model 3	Model 4
Summary	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"
Frame	6061 Aluminum	6061 Aluminum	6061 Aluminum	6061 Aluminum
Motor	750W Bafang	750W Bafang	750W Bafang	750W Bafang
Motor Specs	750W Bafang	750W Bafang	750W Bafang	750W Bafang
Battery	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah
Additional Battery	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah
Drive Modes	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Size	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Brakes	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Suspension	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Accessories	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Bike Dimensions	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Folding Dimensions	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Size Weight	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"

© 2022 Really Good Ebikes All Rights Reserved

COMPARE MODELS				
Model	Model 1	Model 2	Model 3	Model 4
Summary	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"
Frame	6061 Aluminum	6061 Aluminum	6061 Aluminum	6061 Aluminum
Motor	750W Bafang	750W Bafang	750W Bafang	750W Bafang
Motor Specs	750W Bafang	750W Bafang	750W Bafang	750W Bafang
Battery	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah
Additional Battery	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah
Drive Modes	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Size	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Brakes	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Suspension	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Accessories	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Bike Dimensions	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Folding Dimensions	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Size Weight	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"

© 2022 Really Good Ebikes All Rights Reserved

COMPARE MODELS				
Model	Model 1	Model 2	Model 3	Model 4
Summary	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"
Frame	6061 Aluminum	6061 Aluminum	6061 Aluminum	6061 Aluminum
Motor	750W Bafang	750W Bafang	750W Bafang	750W Bafang
Motor Specs	750W Bafang	750W Bafang	750W Bafang	750W Bafang
Battery	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah
Additional Battery	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah
Drive Modes	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Size	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Brakes	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Suspension	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Accessories	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Bike Dimensions	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Folding Dimensions	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Size Weight	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"

© 2021 Really Good Ebikes All Rights Reserved

COMPARE MODELS				
Model	Model 1	Model 2	Model 3	Model 4
Summary	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"
Frame	6061 Aluminum	6061 Aluminum	6061 Aluminum	6061 Aluminum
Motor	750W Bafang	750W Bafang	750W Bafang	750W Bafang
Motor Specs	750W Bafang	750W Bafang	750W Bafang	750W Bafang
Battery	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah
Additional Battery	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah
Drive Modes	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Size	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Brakes	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Suspension	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Accessories	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Bike Dimensions	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Folding Dimensions	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Size Weight	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"

© 2022 Really Good Ebikes All Rights Reserved

COMPARE MODELS				
Model	Model 1	Model 2	Model 3	Model 4
Summary	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"	1.75" Max Tire Size 20" x 2.125"
Frame	6061 Aluminum	6061 Aluminum	6061 Aluminum	6061 Aluminum
Motor	750W Bafang	750W Bafang	750W Bafang	750W Bafang
Motor Specs	750W Bafang	750W Bafang	750W Bafang	750W Bafang
Battery	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah
Additional Battery	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah	48V/17.5Ah
Drive Modes	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Size	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Brakes	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Suspension	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Accessories	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Bike Dimensions	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Folding Dimensions	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"
Size Weight	20" x 2.125"	20" x 2.125"	20" x 2.125"	20" x 2.125"



[\[pdf\]](#) Specifications Accessories

Untitled PSF1 spec sheet folding e bike stylish design smart function » PSF 1 BESV besv eu content |||
PSF1 SPECIFICATION Sizes Colors Frame Drive Unit Battery Display Fork Rear Shock Crankset Bottom Bracket Pedals Rear Derailleur Shifters Cassette Chain Wheelset Tires Brakeset Brake Levers Headset Handlebar Stem Grips Saddle Seatpost Fenders Headlight Taillight Accessories One size Gold and black ...
lang:en **score:24** filesize: 94.44 K page_count: 1 document date: 2021-12-29



[\[pdf\]](#) Specifications Accessories Catalog

Untitled PSF1 spec sheet BESV Ervaar de ultieme vrijheid Besv catalogue 2022 specs 55 psf1 besv eu content |||
SPECIFICATION PSF1 Sizes Color Frame Drive Unit Battery Display Fork Rear Shock Crankset Bottom Bracket Pedals Rear Derailleur Shifters Cassette Chain Wheelset Tires Brakeset Brake Levers Headset Handlebar Stem Grips Saddle Seatpost Fenders Headlight Taillight Accessories One size Gold and black w...
lang:en **score:24** filesize: 32.44 K page_count: 1 document date: 2022-03-30



[\[pdf\]](#) Catalog

Midend E Bikes GDSE Final Update 2023 Product Description img yigitechcms 26 file 7330 |||
CATALOGUE MID-RANGED E-BIKES 2022-2023 1. MOUNTAIN E-BIKE 01 2. CITY E-BIKE 14 3. FOLDABLE E-BIKE 31 4. DELIVERY E-BIKE 39 5. KICK SCOOTER 44
TAILWIND M055 Mountain Uphill trails turn fast and furious with Tailwind. Scale every peak as and witness the joy of adventures a new in a thri...
lang:en **score:24** filesize: 5.25 M page_count: 53 document date: 2023-05-04



[\[pdf\]](#) User Manual Instructions Frequently Asked Questions Troubleshooting Guide Product Photos

EBCManualV4 Index of ebc ebikes canada |||
EBike User Manual TTAabbllle ooffCCoonnttetnetnsts Product Photos E B C - S10/3 - .2.- *.0 ... lay Fork Tires Derailleur Packaging 6061 Aluminum Alloy 36V 14 AH Li-Ion Battery 504 Wh 350 Watt **Bafang Rear Hub Motor** 36V 15A 6-8 Hours 32-38 Km/h Unlocked 45-90 Km Front Rear Disc Brake Front...
lang:en **score:23** filesize: 4.93 M page_count: 32 document date: 2022-03-01



[\[pdf\]](#) User Manual Instructions Frequently Asked Questions Troubleshooting Guide Product Photos

zaswqd34EBCManual Index of ebc ebikes canada |||
EBike User Manual TTAabbllle ooffCCoonnttetnetnsts Product Photos E B C - S10/3 - .2.- *.0 ... lay Fork Tires Derailleur Packaging 6061 Aluminum Alloy 36V 14 AH Li-Ion Battery 504 Wh 350 Watt **Bafang Rear Hub Motor** 36V 15A 6-8 Hours 32-38 Km/h Unlocked 45-90 Km Front Rear Disc Brake Front...
lang:en **score:23** filesize: 4.93 M page_count: 32 document date: 2022-02-16



[\[pdf\]](#) User Manual Instructions Frequently Asked Questions Troubleshooting Guide Product Photos

EBCManual Index of ebc ebikes canada |||

EBike User Manual TTAabbllle ooffCCoonnttetnetnsts Product Photos E B C - S10/3 - .2.- *.0 ... Frame Battery 6061 Aluminum Alloy 36V 14 AH Li-Ion Battery 504 Wh Motor Controller 350 Watt **Bafang Rear Hub Motor** 36V 15A Charge Time 6-8 Hours Max Speed 32 Kph Program - 38-40 Kph Unloc...

lang:en **score:23** filesize: 4.93 M page_count: 32 document date: 2022-03-09

[\[pdf\]](#)

Untitled Winther Bikes Brandbook EN 2022 jimdo storage global ssl fastly net file df92d853 819c 45b2 8f21 57361359e20f |||

WINTHER BIKES Every Day, A Safe Start With Winther Kangaroo Bikes Winther Bikes Explore Your Every Day With Winther Bikes A new place to live, the arrival of a cute newborn. Life changes, and so will your transportation needs. Winther Kangaroo Bikes meet your family s needs for secure and comforta...

lang:en **score:23** filesize: 4.3 M page_count: 32 document date: 2022-03-14

[\[pdf\]](#) Specifications

Untitled JF1 spec sheet City e bike JF 1 a lightweight and agile for Urban use » BESV besv eu content |||

JF1 SPECIFICATION Sizes Color Frame Drive Unit Battery Display Fork Crankset Bottom Bracket Pedals Rear Derailleur Shifters Cassette Chain Wheelset Tires Brakeset Brake Levers Headset Handlebar Stem Grips Saddle Seatpost Fenders Rear Carrier M 45.5cm , L 52.5cm Matt gray with white decals BESV ...


lang:en **score:22** filesize: 102.09 K page_count: 1 document date: 2021-12-29

[\[pdf\]](#) Specifications Accessories

Untitled TR LE spec sheet » Premium E Bikes 1 besv eu content |||

SPECIFICATION TR LE Sizes Color Frame Drive Unit Battery Display Fork Crankset Bottom Bracket Pedals Rear Derailleur Shifters Cassette Chain Wheelset Tires Brakeset Brake Levers Headset Handlebar Stem Grips Saddle Seatpost Fenders Headlight Taillight Rear Carrier Accessories Man: L 55cm , XL 60c...

lang:en **score:22** filesize: 41.35 K page_count: 1 document date: 2022-03-30



[\[pdf\]](#)

BESV Premium E Bikes » TR LE Downloads MY23 besv eu 2022 12 |||

30 TR LE SIZES_ L 55cm , XL 60cm COLOR_ Black FRAME_ BESV premium alloy frame with down tube for integrated Darfon battery, for rear hub motor, tapered 1 1/8 - 1.5 head tube, post disc mount, cold-forged dropout and replaceable hanger DRIVE UNIT_ Bafang rear hub motor for disc brakes, 36V 250...

lang:en **score:22** filesize: 257.7 K page_count: 1 document date: 2022-11-11




[pdf]

Downloads » BESV MY23 TR LE LS besv eu 2022 12 |||

TR LE LS 31 SIZES_ S 45cm , M 50cm , L 55cm COLOR_ White FRAME_ BESV premium alloy frame with down tube for integrated Darfon battery, for rear hub motor, tapered 1 1/8 - 1.5 head tube, post disc mount, cold-forged dropout and replaceable hanger DRIVE UNIT_ Bafang rear hub motor for disc bra...

lang:en score:22 filesize: 488.14 K page_count: 1 document date: 2022-11-11



[pdf] Specifications

© 2022 Really Good Ebikes All rights reserved COMPARE QUIETKAT MODELS QuietKat Electric Bikes

Hunting Bike Specialists Sheet1 b3f166cc e92f 4250 ad80 82d51b836472 v 1661459576 cdn shopify s files 1 1597 9875 |||

2022 Really Good Ebikes. All rights reserved. COMPARE MODELS Model Name Base Price Jeep Rubicon ... e Frame Sandstone Veil Poseidon Dry Camo 1000W 750W Bafang BBSHD Mid-Drive Motor 1000W 750W **Bafang Rear Hub Motor** Villager 3,199 Step-Through City Cruiser Electric Bike 16 Step Through Fram... lang:de score:22 filesize: 3.8 M page_count: 1 document date: 0000-00-00




[pdf] Specifications Accessories

Untitled CT LE spec sheet LS limited edition version available in all frame versions » BESV besv eu content |||

CT LE SPECIFICATION Sizes Color Frame Drive Unit Battery Display Fork Crankset Bottom Bracket Pedals Rear Derailleur Shifters Cassette Chain Wheelset Tires Brakeset Brake Levers Headset Handlebar Stem Grips Saddle Seatpost Fenders Headlight Taillight Rear Carrier Accessories Step-Over: L 55cm , X...

lang:en score:21 filesize: 381.62 K page_count: 19 document date: 2021-12-29



[pdf] Catalog

2020 CATALOG Mobility Masters 5 ETR080 MSRP \$2 895 The ETR80 is a fat tire electric moped style trike Powered by 1000 watt motor this eTrike can run up to 28 miles per hour for 40 50 miles! Catalog REV mobilitymasters content |||

Go Where There Are No Limits DO GOOD WHILE YOU GO 2020 CATALOG Join the Future of Transportation Independence is close to everyone s heart. And, the eTrikes and eBikes from eTrikeCo represent the freedom of the road with a very modern twist. Producing zero emissions, eTrikes are eco-friendly so yo...

lang:en score:21 filesize: 4.76 M page_count: 24 document date: 2020-10-01



[\[pdf\]](#) Warranty Accessories

Model Year 2021 Modeljaar BESV e bikes bike innovative stylish design » Premium Electric Bikes Pagina niet gevonden Warranty policy describes the rules for warrant on a Nee Archieven MY2021 besv eu ||| Our Commitment BESV is committed to creating premium electric bicycles and accessories that combine advanced software technology, manufacturing innovation, and unique, stylish designs, all in order to bring customers a truly amazing user-experience. Our Story BESV was founded on certain enduring ...
lang:en **score:19** filesize: 21.54 M page_count: 60 document date: 2021-04-15



[\[pdf\]](#) Accessories Catalog

Untitled 2021 20 BESV e bikes 8 oct — to different users and Perfect symbiosis the Shimano Inter 5 Di2 gearshift E 6100 center mounted LCD display with Bluetooth™ ANT Catalogue CY2021 10 08 besv eu ||| Our Commitment BESV is committed to creating premium electric bicycles and accessories that combine advanced software technology, manufacturing innovation, and unique, stylish designs, all in order to bring customers a truly amazing user-experience. Our Story BESV was founded on certain enduring ...
lang:en **score:19** filesize: 11.02 M page_count: 60 document date: 2022-03-30



[\[pdf\]](#) Catalog

Untitled BESV e bike innovative stylish design Catalogue MY2022 renderings besv eu ||| 2022 Our Commitment Providing the customer an electric bicycle that is outstanding in performance and exciting to ride. Consequently this is why we have and will continue to focus on developing an unique and amazing user experience. Since this is the core of our BESV electric bike brand, it is the...
lang:en **score:18** filesize: 11.1 M page_count: 31 document date: 2022-03-30



[\[pdf\]](#) Catalog

Untitled Besv catalogue 2022 v7 besv eu ||| 2022 Our Commitment Providing the customer an electric bicycle that is outstanding in performance and exciting to ride. Consequently this is why we have and will continue to focus on developing an unique and amazing user experience. Since this is the core of our BESV electric bike brand, it is the...
lang:en **score:18** filesize: 13.6 M page_count: 68 document date: 2022-03-30



[\[pdf\]](#)

Untitled MY2022 besv eu ||| 2022 Our Commitment Providing the customer an electric bicycle that is outstanding in performance and exciting to ride. Consequently this is why we have and will continue to focus on developing an unique and amazing user experience. Since this is the core of our BESV electric bike brand, it is the...
lang:en **score:18** filesize: 16.78 M page_count: 68 document date: 2021-11-18



[BESV Premium E-bikes: Explore the 2025 Collection](#)

Discover the world of BESV premium e-bikes. Explore the 2025 collection featuring innovative city, trekking, MTB, gravel, and SUV models designed for performance, sustainability, and an exceptional riding experience.

lang:en score:17 filesize: 32.39 M page_count: 128 document date: 2024-07-18



[\[pdf\]](#)

2024 TRS 160 1 3 Besv Premium E Bike MY2024 besv eu |||

Our Story BESV was founded on certain enduring principles. 3 Beautiful Eco-friendly Smarter Vision BESV creates products that capture the imagination and are exciting because we believe that design should be inspiring and developed from the heart. Overall, our bikes are not only functional but ...

lang:en score:17 filesize: 33.84 M page_count: 104 document date: 2023-11-15



[\[pdf\]](#) Specifications

2023 Volta Motorvolta tr â° fuhoreq 10 Katalog 20230925 01A volta |||

2023 www.volta.com.tr 1 CONTENT 03 Electric Kick Scooter 05 Electric Bicycle 09 Electric Two Wheel ... RYING CAPACITY FRONT REAR MECHANIC DISC BRAKE 6 SPEED GEAR SYSTEM UTILITY CITY TRICYCLE DESIGN **BAFANG REAR HUB MOTOR** LED FRONT REAR LIGHT PORTABLE LI-ION BATTERY SMART BATTERY MANAGEMENT SYSTE...

lang:en score:16 filesize: 33.94 M page_count: 36 document date: 2023-09-25



[\[pdf\]](#) Specifications

2024 Volta Motorvolta tr â° fuhoreq 01 Katalog 01A Web volta |||

2024 www.volta.com.tr 1 CONTENT 03 Electric Kick Scooter 05 Electric Bicycle 09 Electric Two Wheel ... RYING CAPACITY FRONT REAR MECHANIC DISC BRAKE 6 SPEED GEAR SYSTEM UTILITY CITY TRICYCLE DESIGN **BAFANG REAR HUB MOTOR** LED FRONT REAR LIGHT PORTABLE LI-ION BATTERY SMART BATTERY MANAGEMENT SYSTE...

lang:en score:16 filesize: 50.85 M page_count: 36 document date: 2024-01-04



[\[pdf\]](#) Specifications

volta trvolta tr â° dacegug 2024 09 Katalog 04A Dusuk |||

1 2024 www.volta.com.tr 2 CONTENT 05 Electric Kick Scooter 08 Electric Blycycle 16 Electric Two Whe ... RYING CAPACITY FRONT REAR MECHANIC DISC BRAKE 6 SPEED GEAR SYSTEM UTILITY CITY TRICYCLE DESIGN **BAFANG REAR HUB MOTOR** LED FRONT REAR LIGHT PORTABLE LI-ION BATTERY SMART BATTERY MANAGEMENT SYSTE...

lang:en score:16 filesize: 12.08 M page_count: 46 document date: 2024-09-05




[\[pdf\]](#) Catalog

View the complete Troxus E Bike Catalog here Lynx 20 Fat Tire Step Through TROXUS® Salt City Golf Cart For Email 11 06 v 1724680329 cdn shopify s files 1 0658 9916 7928 |||

E-BIKES SPRING 2024 TROXUS E-BIKES Troxus does things differently because we've taken a different approach to our products. We build our products to be durable, capable, and fun--the three pillars we stand on. We're more than a company, we are a group of people passionate about inspiring others to...

lang:en score:15 filesize: 3.82 M page_count: 52 document date: 2023-11-07



[\[pdf\]](#) Warranty Accessories

Untitled MY2023 besv eu 2023 BESV e bikes 2022 12 25 — REAR CARRIER Tubular aluminium carrier with Snapit platform and spring clamp H Cargo rear light mount ACCESSORIES Adjustable kickstand C T 1 3 L S Modeljaar Nee Archieven » bike innovative stylish design Premium Electric Bikes Pagina niet gevonden Warranty policy describes the rules for warrant on a |||

2023 Our Commitment Providing the customer an electric bicycle that is outstanding in performance 2 and exciting to ride. Consequently this is why we have and will continue to focus on developing an unique and amazing user experience. Since this is the core of our BESV electric bike brand, it...

lang:en score:15 filesize: 23.41 M page_count: 39 document date: 2022-08-29

BRINKE
25



[\[pdf\]](#) Catalog

open catalog We design assemble and distribute Brinke electric bicycles LET S BRINKEView the 2024 Catalogo 2025 eng v 1727103977 cdn shopify s files 1 0845 1188 3612 |||

25 Your ebike Your passion Your life MTB 12 Trekking 42 City 60 ENVIRONMENTAL SUSTAINABILITY CHARACTERISES THE DNA OF VALSABBINA COMMODITIES SPA WHICH OWNS THE BRAND. Ride for you. Ride for everyone. 2 Vision We believe in a sustainable future; our ebikes have been designed to promote a...

lang:en score:9 filesize: 6.38 M page_count: 35 document date: 2024-09-16