

Divoom Itour-s-White

Divoom Itour-S Portable Mini Wearable Bluetooth Speaker User Manual

Model: Itour-s-White

PRODUCT OVERVIEW

The Divoom Itour-S is a compact, wearable Bluetooth speaker designed for portability and durability. It features robust sound, a stable clip-on design, and is built to withstand outdoor conditions.



Figure 1: Divoom Itour-S Portable Mini Wearable Bluetooth Speaker (White model).

WHAT'S INCLUDED

Your Divoom Itour-S package includes the following items:

- Divoom Itour-S Speaker
- User Manual
- Type-C Charging Cable
- Protective Packaging Box (reusable)

Built For The Outdoors

IP67-rated for dust and water resistance.



Figure 2: The Divoom Itour-S speaker, user manual, and Type-C charging cable as packaged.

KEY FEATURES

- **Small Size, Big Sound:** Equipped with dual passive bass radiators and a 4.2W driver for rich, loud audio. Features Bluetooth 5.3 for stable connectivity.
- **Rugged and Waterproof:** IP67 rated for water and dust resistance, making it suitable for various outdoor activities. The scratch-resistant UV gloss and matte finish ensure easy cleaning.
- **Ultra-Portable Design:** Weighing 110 grams, it includes a stable metal clip with non-slip rubber rails for secure attachment to bags, belts, or other items.
- **Long-Lasting Playtime:** Offers up to 10 hours of playtime at 40% volume and recharges fully in approximately 2.5 hours via USB-C.

- **True Stereo Sound (TWS Pairing):** Connect two Itour-S speakers wirelessly for an immersive stereo audio experience.

Feel The Soul Of Music

This speaker offers deep, powerful bass with its unique dual-side bass design.




Figure 3: Internal view highlighting the speaker's sound components for powerful bass.

Wearable Bluetooth speaker

Secure and stable grip with the anti-slip metal clip, perfect for any adventure.



Figure 4: The speaker's wearable design with a secure clip for on-the-go use.

Stereo Sound, Doubled

Twice the sound, twice the fun – perfect for any occasion!



Figure 5: The speaker's IP67 waterproof and dustproof capabilities for outdoor use.

Long Battery Life

Note: Playback time was tested in Divoom labs at 40% volume. Actual playtime may vary based on volume, audio source, equalizer settings, and environmental conditions.



Figure 6: Two speakers connected via TWS for a doubled stereo sound experience.

SPECIFICATIONS

Brand	Divoom
Model Name	Itour-s-White
Product Dimensions	1.9"D x 1.6"W x 3.1"H
Item Weight	8.4 ounces
Connectivity Technology	Bluetooth
Wireless Communication Technology	Bluetooth
Bluetooth Range	33 Feet
Speaker Maximum Output Power	4.2 Watts
Water Resistance Level	Waterproof (IP67)
Power Source	Battery Powered (1 AAA battery included)
Control Method	Touch

SETUP GUIDE

Power On/Off

To power on the Divoom Itour-S, long press the power button. The indicator light will show blue. To power off, long press the power button again until the indicator light turns off.

Your browser does not support the video tag. Please update your browser.

Video 1: Demonstrates how to power on and off the Divoom Itour-S speaker.

Bluetooth Pairing

1. Long press the power button on the Itour-S speaker to turn it on. The indicator light will show blue, indicating it's in pairing mode.
2. On your mobile device (smartphone, tablet, laptop), go to the Bluetooth settings.
3. Find and select "Divoom Itour-S" from the list of available devices.
4. Once connected, the indicator light on the speaker will remain solid blue. Your speaker is now ready to use.

TWS (True Wireless Stereo) Pairing

To achieve true stereo sound, you can pair two Divoom Itour-S speakers together:

1. First, connect one Itour-S speaker to your mobile phone via Bluetooth as described above.
2. Turn on the second Itour-S speaker.
3. On the first connected speaker, double-click the power button. The indicator light will flash, entering TWS pairing mode.
4. The second speaker will automatically connect. When both indicators stay solid blue, they are successfully paired and will function as a stereo pair.

OPERATING INSTRUCTIONS

Basic Controls

- **Power Button (Center):**
 - Long press: Power on/off
 - Short press: Pause/Play music, Answer/Hang up calls
 - Double click: TWS pairing, Disconnect/Reject calls
- **"+" Button:**
 - Short press: Volume up
 - Long press: Next song
- **"-" Button:**
 - Short press: Volume down
 - Long press: Previous song

Answering/Rejecting Calls

- **Answer Incoming Call:** Short press the power button.
- **Hang Up Call:** Short press the power button during a call.
- **Reject Call:** Double-click the power button when a call is incoming.

CHARGING THE SPEAKER

The Divoom Itour-S speaker is equipped with a long-lasting battery, providing up to 10 hours of playtime at 40% volume. To charge the speaker:

1. Connect the provided Type-C charging cable to the charging port on the speaker.
2. Plug the other end of the USB cable into a compatible power adapter (e.g., a 5V-1A USB wall charger, not included) or a USB port on a computer.
3. The indicator light on the speaker will stay on during charging and turn off when fully charged. A full charge typically takes about 2.5 hours.

MAINTENANCE

To ensure the longevity and optimal performance of your Divoom Itour-S speaker, follow these maintenance guidelines:

- **Cleaning:** The speaker features a scratch-resistant UV gloss and matte finish that is easy to clean. Use a soft, damp cloth to wipe down the surface. Avoid harsh chemicals or abrasive materials.
- **Water Exposure:** While IP67 waterproof, it is recommended to rinse the speaker with fresh water and dry it thoroughly after exposure to saltwater, chlorinated water, or other liquids to prevent corrosion.
- **Storage:** Store the speaker in a cool, dry place when not in use. Avoid extreme temperatures.
- **Battery Care:** For best battery life, avoid fully discharging the speaker frequently. Charge it regularly, even if not in constant use.

TROUBLESHOOTING

No Power / Not Turning On

- Ensure the battery is charged. Connect the speaker to a power source using the provided Type-C cable.
- Long press the power button for at least 3 seconds.

Cannot Pair via Bluetooth

- Make sure the speaker is in pairing mode (blue indicator light flashing).
- Ensure Bluetooth is enabled on your device and it is within 33 feet of the speaker.
- Forget the device from your phone's Bluetooth settings and try pairing again.
- Restart both the speaker and your mobile device.

No Sound / Low Volume

- Increase the volume on both the speaker and your connected device.
- Ensure the speaker is properly connected via Bluetooth.
- Check if the audio source is playing correctly.

TWS Pairing Issues

- Ensure only one speaker is initially connected to your phone.
- Double-click the power button on the primary speaker to initiate TWS pairing.
- Make sure both speakers are charged and within close proximity.






WARRANTY AND SUPPORT

The Divoom Itour-S Portable Mini Wearable Bluetooth Speaker comes with a **Limited Warranty**. For specific warranty terms and conditions, please refer to the detailed warranty information provided in the packaging or contact Divoom Official customer support.


If you encounter any issues not covered in this manual or require further assistance, please reach out to Divoom Official customer support through their official website or the contact information provided with your purchase.

© 2025 Divoom. All rights reserved.

Related Documents - Itour-s-White

	<p>FUGOO Portable Bluetooth Speakers: Reviewer's Guide</p> <p>Explore the FUGOO portable Bluetooth speakers with this comprehensive reviewer's guide. Discover key differentiators like 360° sound, unparalleled battery life, ruggedness (IP67 waterproof, dustproof, shockproof), interchangeable jackets, and versatile accessories. Includes detailed specifications for FUGOO Style, Sport, Tough, and their XL variants, competitive analysis, and user resources.</p>
	<p>Divoom LoveLock Mini Portable Bluetooth Speaker User Manual & Specifications</p> <p>Comprehensive guide to the Divoom LoveLock mini portable Bluetooth speaker, covering setup, features, TWS mode, charging, specifications, safety, warranty, and declaration of conformity.</p>
	<p>Divoom Tiivoo-2 Smart Pixel Speaker User Manual</p> <p>User manual for the Divoom Tiivoo-2 smart pixel speaker, detailing its features, functions, connectivity, and specifications. Learn how to use Bluetooth, FM radio, TF card, and USB modes, and connect to the Divoom app for enhanced features.</p>
	<p>CHIAYO iTour: Personal Water-resistant Voice Amplifier Tour Guide System</p> <p>Discover the CHIAYO iTour, a versatile and durable personal voice amplifier with IPX4 water resistance. Ideal for teachers, guides, and presentations, featuring Bluetooth, AUX input, and 16W power.</p>
	<p>Divoom Fairy-2 Portable Bluetooth Speaker User Manual</p> <p>Comprehensive user manual for the Divoom Fairy-2 portable Bluetooth speaker, covering setup, features like Bluetooth, TF card playback, FM radio, and karaoke functionality, along with technical specifications and safety guidelines.</p>


ZEALOT S-67



Quick Start Manual



- Power button Mode button Stereo button
- Equalizer Play/Pause
- Short press to Volume + / Long press to Play/Pause
- Short press to Volume + / Long press to Next song



1. Turn On/Off

- Long press for 3 seconds. Hear the "ON" prompt sound to realize power on.
- Long press for 3 seconds. Hear the "OFF" prompt sound to realize power off.

2. Function Introduction



Bluetooth mode, TF card, USB host mode working indicator light (Blue status)

2.1 Bluetooth

- Power on the speaker and after the blue indicator light is on, click on the power button for 3 seconds. The speaker will enter the pairing mode, waiting for connection.
- Enter the "ZEALOT S67" in your Bluetooth device (cell phone) for connection and click on connect. When there is the connection sound, the blue indicator light will stop, the speaker and the device have been successfully connected.



- Notice:**
- When between the speaker and phone, please open the ZEALOT S67 on your phone to pairing mode. The speaker will enter the pairing mode and wait for connection.
 - When the speaker is connected, please click on the "ZEALOT S67" in your phone to connect.
 - When the speaker is connected, please click on the "ZEALOT S67" in your phone to connect.

2.2 TWS Connect

- When the speaker is turned on and the distance is within 10m, click on the power button for 3 seconds to connect each other. After the connection is successful, the blue indicator light will stop.

2.3 Bluetooth Call

- When the speaker is turned on, click on the power button for 3 seconds to enter the call mode. The speaker will enter the call mode and wait for connection.

2.4 Bluetooth Play

- Open the music player on your phone in the Bluetooth mode.
- Short press to Volume + / Long press to Play/Pause
- Short press to Volume - / Long press to Play/Pause
- Short press to Volume + / Long press to Play/Pause

2.5 Data transmission and USB audio function

USB data cable connect with computer can be used for power charging when the speaker is power on. When the data cable is connected, the speaker will enter the USB mode. When the data cable is connected, the speaker will enter the USB mode.

2.6 Equalizer function

- Click the equalizer icon on the speaker. The speaker will enter the equalizer mode and wait for connection.

2.7 USB Mode

- Insert the USB and hear the prompt tone "USB" to play the songs in the USB.
- Short press to Volume + / Long press to Play/Pause
- Short press to Volume - / Long press to Play/Pause

2.8 TF Card Mode

- Insert the TF card and hear the prompt tone "TF Card" to play the songs in the TF card.
- Short press to Volume + / Long press to Play/Pause
- Short press to Volume - / Long press to Play/Pause

2.9 AUX Mode

- Connect with audio cable, it will switch to aux mode after hearing the working tone "AUX".

3. Charging

- When the battery voltage is low, there is a voice prompt "Low battery". Please charge the speaker in time. When the battery is full, the speaker will enter the standby mode.

4. Specification

Input Voltage: DC5V	Output: 5V
Maximum power: 10W	Maximum power: 10W
Working voltage: 4.2V	Working voltage: 4.2V
Maximum: 1000mAh	Maximum: 1000mAh

5. Notice

- Please make sure the model of the charger is suitable for this product before charging.
- Please do not charge the speaker in a flammable or explosive environment.
- Please do not use the speaker in a flammable or explosive environment.
- Please do not use the speaker in a flammable or explosive environment.

Tip: Keep your speaker & mobile phone in 100m working range.



[Zealot S-67 Bluetooth Speaker Quick Start Manual](#)

A quick start guide for the Zealot S-67 Bluetooth speaker, covering power on/off, mode switching, Bluetooth pairing and calls, TWS connection, music playback, data transmission, equalizer functions, USB and TF card playback, AUX mode, charging, specifications, and important notices.

