



[Manuals.plus](#) /

> [eclife](#) /

> eclife 24" Modern Bathroom Vanity Sink Combo (Model BT-01) User Manual

## eclife BT-01

# eclife 24" Modern Bathroom Vanity Sink Combo

MODEL: BT-01

User Manual

## 1. Introduction

---

This manual provides detailed instructions for the assembly, installation, operation, maintenance, and troubleshooting of your new eclife 24" Modern Bathroom Vanity Sink Combo, Model BT-01. Please read all instructions carefully before beginning assembly and retain this manual for future reference.

## 2. Safety Information

---

### CAUTION:

- This vanity can tip over if not properly assembled.
- Do not place heavy items on top.
- Be careful around sharp edges and small parts during assembly.
- Do not exceed the weight limit of 150 pounds.
- Be cautious of hot water from the faucet.
- Handle the tempered glass sink with care to avoid breakage.
- Always follow the assembly instructions carefully to avoid injuries.

## 3. Package Contents

---

Verify that all components are present before beginning assembly. If any parts are missing or damaged, please contact customer service.

- Cabinet
- Faucet
- Sink
- User Manual (this document)

*Note: Mirror is NOT included with this product.*

## 4. Assembly Instructions

---

Assembly is required for this vanity. Clear instructions and numbered parts are provided to ensure straightforward assembly. It is recommended to have two people for certain assembly steps.

1. **Unpack and Identify Parts:** Carefully remove all components from the packaging. Lay them out and compare them against the parts list in the included instruction booklet.
2. **Assemble the Cabinet Frame:** Follow the step-by-step diagrams in the instruction booklet to connect the side panels, back panel, and base of the cabinet. Ensure all cam locks and screws are tightened securely.
3. **Install Drawers and Doors:** Assemble the drawers according to the instructions, then install the drawer slides into the cabinet. Attach the door hinges to the cabinet and doors.
4. **Attach Door Handles:** Secure the aluminum alloy door handles to the cabinet doors and drawer fronts.
5. **Place Leg Pads:** Install the rustproof plastic cover on feet (aluminum alloy leg pads) to the bottom of the cabinet legs.

For a visual guide on cabinet assembly, please refer to the official assembly video:

Video: ECLIFE Classic Bathroom Black Vanity Assembly Video. This video provides a step-by-step guide for assembling the vanity cabinet.

For adjusting door hinges, refer to the following video:

Video: ECLIFE Operation Guide for Adjustable Door Hinge. This video demonstrates how to adjust the door hinges for proper alignment.

# PRODUCT DIMENSION




Image: Detailed product dimensions for the vanity, sink, and faucet.

## 5. Setup

1. **Position the Vanity:** Place the assembled vanity in its desired location in the bathroom. Ensure it is level and stable.
2. **Install the Sink:** Carefully place the glass vessel sink onto the vanity top, aligning it with the pre-drilled hole. Apply a bead of silicone sealant around the base of the sink to secure it and prevent water leakage.
3. **Install the Faucet:** Insert the faucet into the designated hole on the vanity top. Secure it from underneath with the provided hardware. Connect the hot and cold water supply lines to the faucet.
4. **Install the Drain:** Install the drain assembly into the sink. Connect the P-trap and drain pipe to your existing plumbing. Ensure all connections are tight to prevent leaks.
5. **Test for Leaks:** Turn on the water supply and check all connections for any leaks. Tighten connections as necessary.



Image: The assembled eclife 24-inch bathroom vanity with a blue boat glass vessel sink and faucet.

## 6. Operating Instructions

---

Your eclife bathroom vanity is designed for ease of use and durability.

- **Faucet Operation:** The included water-saving faucet features a 1.5 GPM aerator, designed to reduce water consumption by 30%. Operate the faucet by lifting the handle for water flow and moving it left or right for temperature control. Push the handle down to turn off the water.
- **Storage Access:** The vanity features two soft-closing doors with frosted glass and two drawers. Gently pull the drawers open and push them closed. The soft-close mechanism prevents slamming. Open the doors by pulling the aluminum alloy handles.

# HANDMADE SINK ONLY FOR UNIQUE YOU



30% Water Save



Scratch Resistance



Easy To Clean Up



\*Attention: Each sink is unique by handmade, it makes slight color and pattern variations possible

Image: A close-up view of the blue boat glass vessel sink, highlighting its scratch resistance and WaterSense certification for water saving.




Image: An interior view of the vanity cabinet, showcasing the spacious storage provided by the drawers and the area behind the doors.

## 7. Maintenance

---

Proper care will ensure the longevity and appearance of your vanity.

- **Cleaning the Cabinet:** Wipe the engineered wood surfaces with a dry cloth. Avoid abrasive cleaners or harsh chemicals that could damage the finish.
- **Cleaning the Sink:** The tempered glass sink is scratch and stain-resistant. Clean with mild soap and water, then wipe dry with a soft cloth to prevent water spots.
- **Faucet Care:** Clean the faucet with a soft, damp cloth. Do not use abrasive cleaners, acids, or harsh chemicals as these can damage the chrome finish.
- **Hinge Adjustment:** If doors become misaligned, adjust the durable stainless steel soft-close hinges as needed. Refer to the hinge adjustment video in the Assembly section for guidance.




Image: A close-up of the vanity's top surface, illustrating its waterproof properties.

## 8. Troubleshooting

Problem	Possible Cause	Solution
Water splashes out of sink	Faucet water pressure is too strong.	Adjust the water flow at the angle stops under the sink. Consider replacing the faucet if the issue persists and is severe.
Faucet does not turn off completely	Faucet handle not properly seated or internal cartridge issue.	Ensure the handle is pushed down firmly. If the issue continues, the faucet cartridge may need adjustment or replacement.
Cabinet doors are misaligned	Hinges require adjustment.	Use a screwdriver to adjust the screws on the soft-close hinges until the doors are properly aligned. Refer to the hinge adjustment video.
Leaking from plumbing connections	Loose connections or improper sealant.	Tighten all water supply and drain connections. Ensure adequate plumber's tape or sealant was used during installation.
Drawers do not slide smoothly	Drawer slides are misaligned or obstructed.	Check that the heavy-duty smooth full extension slides are properly installed and free of debris. Realign if necessary.

## 9. Specifications

- **Brand:** eclife
- **Model Number:** BT-01
- **Product Dimensions:** 20"D x 24"W x 32"H
- **Color:** Black cabinet with Blue Boat glass vessel sink
- **Material:** Engineered Wood (cabinet), Tempered Glass (sink), Metal (handles, faucet)
- **Mounting Type:** Freestanding (Floor Mount)
- **Number of Drawers:** 2
- **Number of Doors:** 2 (with frosted glass)
- **Faucet:** Water-saving 1.5 GPM faucet included
- **Weight:** Approximately 102 Pounds
- **Assembly:** Required (instructions included)

## 10. Warranty and Support

---

eclife is committed to customer satisfaction. If you encounter any issues with your product, including missing parts, damaged components, or difficulties with assembly or operation, please contact eclife customer service directly. Many customers have reported positive experiences with prompt assistance and resolution of issues.

For further assistance, please visit the [eclife Store on Amazon](#).