

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [AMERLIFE](#) /

› [AMERLIFE 10x12x7 FT Outdoor Storage Shed Instruction Manual Model YSS017](#)

AMERLIFE YSS017

AMERLIFE 10x12x7 FT Outdoor Storage Shed Instruction Manual

Model: YSS017 | Brand: AMERLIFE

1. INTRODUCTION AND OVERVIEW

This manual provides detailed instructions for the assembly, operation, and maintenance of your AMERLIFE 10x12x7 FT Outdoor Storage Shed, Model YSS017. This metal garden shed is designed to offer a spacious and secure storage solution for your backyard or garden. It features a robust galvanized steel construction, hinged double doors for easy access, two transparent roof panels for natural light, two side windows, and four vents for optimal airflow.

Please read all instructions carefully before beginning assembly and retain this manual for future reference.



Image 1.1: The AMERLIFE 10x12x7 FT Outdoor Storage Shed, showcasing its dark gray finish, hinged double doors, and side window.

2. SAFETY INFORMATION

Your safety is paramount. Adhere to the following safety guidelines during assembly and use:

- **Read Instructions:** Always read and understand all instructions and warnings before assembly and use.
- **Personnel Required:** Assembly requires a minimum of **three (3) people** due to the size and weight of components.
- **Protective Gear:** Wear appropriate personal protective equipment, including gloves and eye protection, during all assembly stages.
- **Stable Foundation:** Ensure the shed is built on a level, stable, and adequately sized foundation (recommended 11x13 FT).
- **Weather Conditions:** Do not attempt assembly in strong winds, heavy rain, or other adverse weather conditions.
- **Children and Pets:** Keep children and pets away from the assembly area to prevent accidents.
- **Secure Anchoring:** After assembly, securely anchor the shed to the ground or foundation to prevent displacement by wind.
- **Component Weight:** Be aware that some components are heavy. Lift with care and proper technique to avoid injury.

3. PACKAGE CONTENTS

The AMERLIFE 10x12x7 FT Outdoor Storage Shed is typically shipped in multiple packages (usually three). These packages may arrive at different times. Upon receipt, carefully unpack all components and verify them against the parts list provided in your physical manual (not included here). Ensure all parts are present and undamaged before beginning assembly.

Key Components Include:

- Galvanized Steel Wall Panels
- Reinforced Steel Frame Components (beams, supports)
- Hinged Double Doors
- Transparent Roof Panels
- Window Panels
- Vent Covers
- Assembly Hardware (screws, bolts, washers, nuts)



Image 3.1: Diagram illustrating the shed's dimensions and indicating that it ships in three separate packages.

4. SETUP AND ASSEMBLY INSTRUCTIONS

Careful preparation and adherence to instructions are crucial for successful assembly. It is highly recommended to have at least three people for assembly, which typically takes around 7 hours.

4.1 Site Preparation

1. **Foundation:** Construct a level and stable foundation measuring approximately 11x13 FT. A concrete slab or treated wood frame is recommended. The floor is not included with the shed.
2. **Clear Area:** Ensure the assembly area is clear of obstructions and debris.

4.2 Assembly Steps (General Guide)

Refer to your physical instruction manual for detailed, step-by-step diagrams and part numbers.

1. **Organize Parts:** Unpack and sort all components. Lay out the pieces according to their labels and organize

hardware.

2. **Base Frame Assembly:** Assemble the base frame on your prepared foundation. Ensure the frame is perfectly square and level before proceeding. This is critical for proper alignment of wall and roof panels.
3. **Wall Panel Installation:** Attach the galvanized steel wall panels to the base frame. Work systematically around the perimeter, securing panels with the provided hardware.
4. **Door Frame and Door Installation:** Assemble and install the door frames, then attach the hinged double doors. Ensure they open and close smoothly.
5. **Roof Support Structure:** Install the internal roof support beams and trusses.
6. **Roof Panel Installation:** Carefully attach the roof panels, including the transparent panels. Ensure proper overlap and alignment to facilitate water drainage.
7. **Window and Vent Installation:** Install the side windows and the four vent covers.
8. **Waterproofing (Optional but Recommended):** For enhanced waterproofing, consider applying a silicone sealant or caulk to all roof panel joints and where the shed meets the foundation.
9. **Anchoring:** Securely anchor the shed to your foundation using appropriate anchoring hardware (not included).

Your browser does not support the video tag.

Video 4.1: An assembly guide for a similar AMERLIFE shed, demonstrating key steps and techniques. (Duration: 3:50)

5. OPERATING INSTRUCTIONS

Operating your AMERLIFE storage shed is straightforward, focusing on access, ventilation, and security.

5.1 Door Operation

- **Opening:** Unlatch the internal door lock and any external padlock. Gently pull the hinged double doors open.
- **Closing:** Push the doors closed until they meet. Engage the internal door lock and secure with an external padlock (not included) for security.

5.2 Ventilation and Lighting

- **Vents:** The four integrated vents ensure optimized airflow, reducing dampness and heat buildup. Keep these vents clear of obstructions.
- **Natural Light:** The two transparent roof panels and two side windows provide ample natural light, reducing the need for artificial lighting during the day. Keep these surfaces clean for maximum light transmission.



Image 5.1: The shed interior with wide-open double doors, highlighting the spaciousness, ventilation, and accessibility for various items.

PRODUCT UPGRADE-WALL HEIGHT

Higher wall height brings more storage space
Spacious top space gives you a cozy feeling



Image 5.2: The shed's interior demonstrating excellent natural light provided by the transparent roof panels and side windows.

6. MAINTENANCE

Regular maintenance will extend the life and appearance of your storage shed.

- **Fastener Check:** Periodically inspect all screws, bolts, and fasteners. Tighten any that have become loose due to vibration or weather changes.
- **Cleaning:** Clean the exterior surfaces with a mild soap and water solution. Avoid using abrasive cleaners or harsh chemicals that could damage the galvanized finish. Rinse thoroughly.
- **Drainage:** Ensure the roof and drainage holes are clear of leaves, debris, and snow to prevent water accumulation and potential leaks.
- **Corrosion Inspection:** Regularly check for any signs of rust or corrosion, especially in areas where the paint may have chipped. Touch up with rust-inhibiting paint if necessary.
- **Door Hardware:** Lubricate door hinges and latches annually to ensure smooth operation.
- **Foundation and Anchoring:** Inspect the shed's foundation and anchoring points for stability and integrity, especially after severe weather.

Image 6.1: Detail of the sloped roof design, highlighting self-contained drainage holes and galvanized metal construction for durability.

7. TROUBLESHOOTING

This section addresses common issues you might encounter with your storage shed.

- **Issue: Water Leaks**

Possible Cause: Improperly sealed roof panels, loose fasteners, or inadequate foundation sealing.

Solution: Check all roof panel overlaps and ensure all screws are tightened. Apply a high-quality silicone sealant or caulk to any visible gaps or joints, especially on the roof and where the shed meets the foundation. Ensure drainage holes are clear.

- **Issue: Door Alignment Problems**

Possible Cause: The shed's base is not perfectly square or level, or hinges are misaligned.

Solution: Verify that the shed's foundation is level and the base frame is square. Minor adjustments to door hinges may resolve slight misalignment.

- **Issue: Missing or Damaged Parts**

Possible Cause: Shipping error or manufacturing defect.

Solution: If any parts are missing or damaged upon arrival, do not proceed with assembly. Contact AMERLIFE customer support immediately with your model number (YSS017) and a description of the missing or damaged parts.

- **Issue: Difficulty Assembling Panels**

Possible Cause: Panels are not aligned correctly, or the base is not square.

Solution: Re-check the squareness of your base frame. Ensure panels are oriented correctly according to the manual's diagrams. Do not force components; gentle persuasion and proper alignment are key.

8. SPECIFICATIONS

Brand	AMERLIFE
Model Number	YSS017
Product Dimensions (L x W x H)	144"D x 120"W x 84"H (10 x 12 x 7 FT)
Floor Area	120 Square Feet
Material	Galvanized Steel, Alloy Steel
Color	Dark Gray
Item Weight	289 Pounds
Weight Limit	299 Pounds (typically refers to internal shelving capacity)
Door Style	Hinged Double Doors

Door Width	60 Inches
Door Height	67.2 Inches
Special Features	2 Transparent Roof Panels, 2 Windows, 4 Vents, Reinforced Steel Frame, Drainage Holes, Waterproof
Assembly Required	Yes (Recommended 3 people, approx. 7 hours)



Image 8.1: Illustration of the shed's upgraded wall height, providing more interior space compared to standard models.

9. WARRANTY AND SUPPORT

For warranty information, please refer to the documentation included with your purchase or contact the retailer directly. AMERLIFE is committed to customer satisfaction.

Customer Support:

If you encounter any issues, have questions about assembly, or require replacement parts, please contact AMERLIFE customer support. Have your model number (YSS017) and purchase details ready to expedite assistance.

- **Contact Method:** Refer to your purchase documentation or the AMERLIFE official website for the most current contact information (phone, email, or online support portal).
- **Returns:** This product typically includes a 30-day easy return policy. Consult your retailer for specific return procedures.