

manuals.plus /

› [LitONES](#) /

› [LitONES LED Desk Lamp F630 User Manual](#)

LitONES F630

LitONES LED Desk Lamp F630 User Manual

Model: F630

1. INTRODUCTION

Thank you for choosing the LitONES LED Desk Lamp F630. This manual provides essential information for the safe and efficient use of your new desk lamp. The F630 is a versatile 15W LED desk lamp designed for various applications including home office, video calls, reading, and studying. It features a high Color Rendering Index (CRI) of >95, 1200 lumens brightness, 3 color temperatures, 10 dimmable brightness levels, memory function, and a timer.

Two Functions in One



Desk lamp



Video conference light

Figure 1.1: Lamp in use as a desk light.

Flexible Use



Figure 1.2: Lamp providing fill light for video calls.

2. PACKAGE CONTENTS

Please check the package contents upon unboxing to ensure all items are present:

- 1 x LED Full-Screen Light
- 1 x Metal Base
- 1 x DC Adapter

3. PRODUCT OVERVIEW

The LitONES F630 desk lamp features a multi-jointed arm and a rotatable lamp head for optimal positioning. The control panel is integrated into the lamp arm for easy access.

Always Find Your Fitted Light Mode

3 Color Modes

3000-6500K



10 Brightness Levels

0%-100%



Figure 3.1: Lamp flexibility and adjustment points.

Key Components:

- **Lamp Head:** Provides illumination, rotatable 180 degrees.
- **Adjustable Arm:** Features 5 pivot joints for extensive height and reach adjustment, with up to 225 degrees up/down rotation and 45 degrees front/back rotation.
- **Control Panel:** Touch-sensitive buttons for power, brightness, color temperature, and timer.
- **Stable Metal Base:** Ensures stability and allows 360-degree rotation of the lamp.



Figure 3.2: Stable base and detailed flexibility.

4. SETUP INSTRUCTIONS

Follow these steps to set up your LitONES LED Desk Lamp F630:

1. **Unpack:** Carefully remove all components from the packaging.
2. **Assemble Base:** Attach the lamp arm to the metal base. Ensure it is securely fastened.
3. **Position:** Place the assembled lamp on a stable, flat surface.
4. **Connect Power:** Insert the DC adapter into the power port on the lamp, then plug the adapter into a standard electrical outlet (110V).



Figure 4.1: Assembled lamp ready for use.

5. OPERATING INSTRUCTIONS

The LitONES F630 desk lamp features intuitive touch controls located on the lamp arm.



Figure 5.1: Control panel and light settings.

5.1 Power On/Off

- Touch the **Power button** (*circle with vertical line*) to turn the lamp on or off.

5.2 Brightness Adjustment

- Touch the **+ button** to increase brightness.
- Touch the **- button** to decrease brightness.
- There are 10 brightness levels (0% to 100%).

5.3 Color Temperature Adjustment

- Touch the **M button** to cycle through 3 color temperature modes: Warm Light (3000K), Natural Light (4500K), and Cool Light (6500K).

5.4 Timer Function

- Touch the **Timer button** (*clock icon*) to activate the auto-off timer.

- Press once for a 30-minute timer.
- Press again for a 60-minute timer.
- Press a third time to deactivate the timer.



Figure 5.2: Timer function in use.

5.5 Memory Function

- The lamp automatically remembers your last brightness and color temperature settings when turned off and restores them when turned back on.

6. MAINTENANCE

To ensure the longevity and optimal performance of your LitONES LED Desk Lamp F630, follow these maintenance guidelines:

- **Cleaning:** Disconnect the power adapter before cleaning. Use a soft, dry cloth to wipe the lamp. Do not use abrasive cleaners, solvents, or harsh chemicals, as these may damage the finish or electronic components.

- **Storage:** If storing the lamp for an extended period, ensure it is clean and dry. Store it in a cool, dry place away from direct sunlight.
- **Handling:** Avoid excessive force when adjusting the lamp's arm or head to prevent damage to the pivot joints.

7. TROUBLESHOOTING

If you encounter any issues with your LitONES LED Desk Lamp F630, please refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Lamp does not turn on.	No power supply.	Ensure the power adapter is securely plugged into both the lamp and a working electrical outlet.
Brightness or color temperature cannot be adjusted.	Controls unresponsive.	Ensure your finger makes full contact with the touch controls. Try unplugging and re-plugging the power adapter to reset the lamp.
Lamp flickers.	Unstable power supply or loose connection.	Check the power connection. Try plugging the lamp into a different outlet. If the issue persists, contact customer support.
Timer function not working.	Timer not activated correctly.	Ensure you press the timer button once for 30 minutes or twice for 60 minutes. The indicator light should confirm activation.

8. SPECIFICATIONS

Detailed technical specifications for the LitONES LED Desk Lamp F630:

- **Model Name:** F630
- **Brand:** LitONES
- **Power:** 15 Watts
- **Brightness:** 1200 Lumens (Max)
- **Color Temperature:** 3000K (Warm), 4500K (Natural), 6500K (Cool)
- **Color Rendering Index (CRI):** >95
- **Brightness Levels:** 10 (Dimmable)
- **Control Method:** Touch
- **Special Features:** Adjustable Color Temperature, Memory Function, Dimmable, Adjustable Arm, Timer
- **Material:** Aluminum, Metal
- **Product Dimensions:** 7"D x 7"W x 33"H
- **Item Weight:** 3.96 pounds (1.8 Kilograms)
- **Power Source:** Corded Electric (110 Volts)
- **Light Source Type:** LED
- **LED Lifespan:** Rated for 100,000 hours
- **Pivot Durability:** Built to handle over 200,000 adjustments
- **Indoor/Outdoor Usage:** Indoor

9. WARRANTY AND SUPPORT

The LitONES LED Desk Lamp F630 comes with a **5-year warranty**, ensuring coverage against manufacturing defects and malfunctions under normal use. Additionally, LitONES provides **lifetime technical support** for this product.

For warranty claims, technical assistance, or any inquiries, please contact LitONES customer service through the retailer where the product was purchased or visit the official LitONES website for contact information.