

[Manuals.plus](#) /

› [OKD](#) /

› OKD Fireplace TV Stand User Manual - Model RPC70FP42A-ROWAW

OKD RPC70FP42A-ROWAW

OKD Fireplace TV Stand User Manual

Model: RPC70FP42A-ROWAW

Brand: OKD

1. IMPORTANT SAFETY INFORMATION

Please read and understand all instructions before assembling and operating this product. Failure to follow these instructions may result in electric shock, fire, property damage, or personal injury.

- Keep all packaging materials away from children.
- Do not use this product if any part is damaged or missing. Contact customer support for replacement parts.
- Ensure the product is placed on a flat, stable, and level surface.
- Do not overload the TV stand. Refer to specifications for weight limits.
- The electric fireplace is designed for indoor use only.
- Do not block the air vents of the electric fireplace. Maintain adequate clearance around the unit.
- Always unplug the fireplace unit from the power outlet before cleaning or performing maintenance.
- This item ships in two separate packages, which may arrive on different days. Ensure all packages are received before beginning assembly.

2. PACKAGE CONTENTS

Verify that all components are present before assembly. If any parts are missing or damaged, contact OKD customer support.

- TV Stand Components (panels, hardware, drawers, cabinet doors)
- Electric Fireplace Insert (42-inch)
- Remote Control for Fireplace (batteries not included)
- Assembly Hardware Kit
- Instruction Manual

Product Dimensions



Image: Detailed product dimensions and a note about the item being delivered in two separate packages.

3. ASSEMBLY INSTRUCTIONS

Assembly typically requires two people. Follow the step-by-step diagrams provided in the separate assembly guide included with your product. Do not use power tools for assembly as this may damage the components.

Tools Required:

- Phillips Head Screwdriver

General Assembly Steps:

1. **Unpack and Identify Parts:** Carefully remove all components from the packaging. Lay them out on a clean, soft surface to prevent scratches. Identify each part using the provided parts list.
2. **Assemble the Main Frame:** Follow the numerical sequence in the assembly guide to connect the main panels of the TV stand.
3. **Install Drawers and Cabinet Doors:** Attach the drawer slides and assemble the drawers. Install the cabinet

doors, ensuring proper alignment. The side cabinets feature adjustable shelves; install them at your desired height.

4. **Insert Electric Fireplace:** Carefully slide the 42-inch electric fireplace insert into the designated opening in the center of the TV stand. Ensure it is securely seated.
5. **Wire Management:** Utilize the built-in wire management holes to organize cables from your TV and media devices.

Bring Home the Holiday Spirit

70" Farmhouse TV Stand with 42" Fireplace



Smooth-Glide Tracks



Open Shelf for Soundbar



Adjustable Shelf

Image: The assembled OKD Fireplace TV Stand, highlighting storage and the central fireplace.



Image: Detail of a smooth-glide drawer.



Image: Detail of the open shelf for media devices.



Image: Detail of an adjustable shelf within a side cabinet.

4. OPERATING INSTRUCTIONS

The electric fireplace can be operated using the control panel on the unit or the included remote control.

Electric Fireplace Functions:

- **Power On/Off:** Press the power button to turn the fireplace on or off.
- **Flame Effect:** The fireplace features 7 distinct flame colors and a 3D dancing flame effect over a realistic log set. The flame effect can be operated independently of the heating function.
- **LED Lighting:** The unit includes 7 LED lighting options to enhance ambiance.
- **Heating Function:** The 5200 BTU heater can efficiently warm areas up to 400 sq. ft. The heating function can be controlled separately from the flame effect.
- **Timer:** Set an automatic shut-off timer for 1 to 8 hours.
- **Overheating Protection:** The unit is equipped with an overheating protection system for safety. If the heater overheats, it will automatically shut off.



42" Electric Fireplace with 7 Flame Colors

🔥 3D Log Embers 🔥 Separate Flame & Heating

🕹️ 2 Control Methods 🔇 Fireplace without noise



Image: Electric fireplace features including control panel, remote, and various flame colors.



5200 BTU Electric Fireplace

5200 BTU can provide auxiliary heating for a 400 sq. ft. space



Timer
1-8H



Without Noise
(40dB)



Heat up
400 sq. ft.



Super Infra
Remote Control



Overheat
Protection



CSA/UL
Listed

Image: Electric fireplace heating capabilities and safety features.

5. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your OKD Fireplace TV Stand.

- **Cleaning the Stand:** Wipe the surfaces of the TV stand with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners that may damage the finish.
- **Cleaning the Fireplace:** Ensure the fireplace unit is unplugged and cool before cleaning. Use a soft, dry cloth to wipe the exterior. Do not spray liquids directly onto the unit.
- **Ventilation:** Periodically check that the air vents on the fireplace are clear of dust and debris to ensure proper airflow and prevent overheating.
- **Cord Care:** Inspect the power cord regularly for any signs of damage. Do not use the unit if the cord is damaged.

6. TROUBLESHOOTING

If you encounter issues with your OKD Fireplace TV Stand, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Fireplace does not turn on.	No power, power switch off, remote batteries dead.	Ensure unit is plugged into a working outlet. Check the main power switch on the unit. Replace remote control batteries.
No heat output.	Heating function not activated, thermostat setting too low, overheating protection activated.	Activate the heating function via control panel or remote. Increase thermostat setting. Unplug the unit for 15 minutes to reset overheating protection. Ensure vents are clear.
Flame effect not working.	Flame effect not activated.	Activate the flame effect via control panel or remote.
Remote control not responding.	Dead batteries, obstruction, remote out of range.	Replace remote batteries. Ensure no obstructions between remote and unit. Operate remote within specified range.

If the problem persists after attempting these solutions, please contact OKD customer support for further assistance.

7. SPECIFICATIONS

Feature	Detail
Model Name	RPC70FP42A-ROWAW
Brand	OKD
Product Dimensions	70"W x 15.6"D x 32"H
Material	Engineered Wood
Color	Antique White
Item Weight	93 Pounds
Power Source	Corded Electric
Fireplace Size	42 inches
Heat Output	5200 BTU
Heating Coverage	Up to 400 sq. ft.
Flame Colors	7 options
LED Lighting	7 options
Timer	1-8 hours

Feature	Detail
TV Compatibility	Up to 80 inches



Image: Overall view of the OKD Fireplace TV Stand accommodating a large TV.



Image: Top view showing dimensions and smooth sliding drawers.



Image: TV size compatibility up to 80 inches.

8. WARRANTY AND SUPPORT

This OKD Fireplace TV Stand comes with a Limited Warranty. For specific details regarding warranty coverage, please refer to the warranty card included with your product or contact OKD customer support.

For any questions, missing parts, or technical assistance, please contact OKD-us customer support directly. Provide your model number (RPC70FP42A-ROWAW) and purchase information when contacting support to expedite service.

Contact information for OKD-us can typically be found on the product packaging, the seller's page, or by searching online for 'OKD-us customer support'.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question

and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0DNCP4G5N>

More documents and user manuals: **<https://manuals.plus/>**