

iSinbox GC357

iSinbox [Auto Focus/4K Support] Projector

USER MANUAL

INTRODUCTION

Immerse yourself in a captivating visual experience with the iSinbox [Auto Focus] 4K Projector. Boasting WiFi6 and Bluetooth 5.2 connectivity, this projector delivers a native 1080P resolution and a bright 850 ANSI lumens, perfect for outdoor movie nights or indoor gaming sessions. Its smart auto 6D keystone correction ensures a perfectly aligned image, while compatibility with iOS, Android, and TV sticks adds versatility. With a compact and portable design, this projector is the ultimate entertainment companion for your smart home.



The iSinbox Projector features a sleek white design with a prominent lens and ventilation grilles.

WHAT'S IN THE BOX

- AV Cable
- HDMI Cable
- Power Cord
- Remote

- User Manual

KEY FEATURES


- **Full Automation:** Experience auto-focus, auto-keystone correction, and auto-obstacle avoidance for hassle-free setup.
- **Stunning Visual Quality:** Native 1080P resolution with 4K support and 850 ANSI lumens brightness for unparalleled clarity and rich color depth.
- **Enhanced Connectivity:** Dual-band 2.4G/5G WiFi 6 and Bidirectional Bluetooth 5.2 for stable streaming and versatile audio connections.
- **Robust Performance:** Powered by the MTK9269 chip, supporting PPT playback and projection up to 300 inches with 50-100% zoom.
- **Personalized Settings:** Customize image modes, brightness levels, and wallpapers with a unique companion mode.
- **Comprehensive Support:** Robust after-sales support ensures an effortless and enjoyable user experience.



This image illustrates the projector's advanced AI features, including automatic focus adjustment, keystone correction for distorted

images, obstacle avoidance to prevent projection onto unwanted objects, and automatic screen alignment for a perfect fit.

Exceptional Visual Precision Breathing New Life into Every Scene



The iSinbox projector offers stunning visual quality with 4K support and 850 ANSI lumens brightness, providing superior clarity and richer colors compared to standard projectors.

Unmatched Connectivity

Latest WIFI 6/5G &2.4G Technology



Smoother



Lower Latency



Faster



The projector is equipped with the latest WiFi 6 technology, ensuring faster, smoother, and lower-latency wireless streaming for an enhanced viewing experience.

Two-way Bluetooth 5.3 Technology


Connected to a speaker or used as a speaker



The iSinbox projector features two-way Bluetooth 5.3 technology, allowing it to connect to external speakers for enhanced audio output or function as a Bluetooth speaker itself when connected to a smartphone or other device.

Tailor Your Life in Your Hands


iSinbox Keep Your Best Interests in Mind with the Flagship
MTK Chip and Personalized Settings



Powered by an MTK chip, the projector offers personalized settings, enabling users to customize image brightness, select various image modes, set custom wallpapers, and utilize a unique companion mode for tailored viewing.

Create a Highly Efficient Workspace with Convenience and flexibility


Office Presentation via USB in ease



The projector is compatible with a wide range of devices, including TV sticks, allowing seamless streaming of multimedia content and 4K videos from popular platforms.

Compatible with a Wide Range of Devices

Stream Multimedia Videos & 4K Video With a TV Stick



This projector can create a highly efficient workspace, supporting office presentations directly via USB, making it convenient for business and educational use.

SETUP GUIDE

1. **Unpack:** Carefully remove all components from the packaging.
2. **Placement:** Place the projector on a stable, flat surface, ensuring adequate ventilation around the device. Position it at an appropriate distance from your projection surface (wall or screen).
3. **Power Connection:** Connect the power cord to the projector's power input and then to a power outlet.
4. **Initial Power On:** Press the power button on the projector or the remote control to turn on the device.
5. **Automatic Adjustments:** The projector will automatically perform auto-focus, auto-keystone correction, auto-obstacle avoidance, and auto-screen alignment upon startup to optimize the image.
6. **Connect Source:** Connect your desired input source (e.g., HDMI device, USB drive, or connect via Wi-Fi/Bluetooth) as described in the Connectivity section.

OPERATING INSTRUCTIONS

Remote Control Usage

The included remote control allows full navigation and control of the projector's functions. Ensure batteries are correctly inserted.

- **Power Button:** Turns the projector on/off.
- **Navigation Buttons (Up/Down/Left/Right):** Used to navigate through menus and options.
- **OK/Enter Button:** Confirms selections.
- **Back/Return Button:** Returns to the previous screen or menu.
- **Source Button:** Selects input sources (HDMI, USB, etc.).
- **Menu Button:** Accesses the main settings menu.
- **Volume Buttons:** Adjusts audio volume.

Menu Navigation and Settings

From the main menu, you can access various settings to customize your viewing experience:

- **Image Settings:** Adjust brightness, contrast, color, aspect ratio, and select predefined image modes.
- **Sound Settings:** Control volume, audio output, and sound modes.
- **Network Settings:** Configure Wi-Fi and Bluetooth connections.
- **System Settings:** Manage language, time, software updates, and reset options.
- **Personalized Settings:** Utilize the unique companion mode and customize wallpapers.

Zoom Function

The projector supports a zoom capability from 50% to 100%. This allows you to adjust the screen size without moving the projector. Access this feature through the image settings menu.

CONNECTIVITY

Wi-Fi 6 Connection

1. Navigate to the Network Settings menu.
2. Select 'Wi-Fi' and turn it on.
3. Choose your desired Wi-Fi network from the list.
4. Enter the password if prompted and connect.

Bluetooth Pairing

The projector supports Bidirectional Bluetooth 5.2, allowing it to connect to external speakers (Bluetooth Output) or act as a speaker for your mobile device (Bluetooth Input).

- **Bluetooth Output (Connecting to External Speaker):**
 - a. Go to Sound Settings > Bluetooth Output.
 - b. Enable Bluetooth and search for devices.
 - c. Select your Bluetooth speaker from the list to pair.
- **Bluetooth Input (Using Projector as Speaker):**
 - a. Go to Sound Settings > Bluetooth Input.

- b. Enable Bluetooth Input mode on the projector.
- c. On your mobile device, search for Bluetooth devices and select the projector to connect.

Wired Connections (HDMI, USB, 3.5mm Jack)

- **HDMI:** Connect devices like laptops, gaming consoles, or TV sticks using an HDMI cable. Select the corresponding HDMI input from the source menu.
- **USB:** Insert a USB drive to play media files (photos, videos, documents including PPT) directly. Select 'USB' from the source menu and browse files.
- **3.5mm Audio Jack:** Connect external audio devices like headphones or speakers using a 3.5mm audio cable.

MAINTENANCE

- **Lens Cleaning:** Use a soft, lint-free cloth specifically designed for optical lenses to gently wipe the projector lens. Avoid abrasive materials or harsh chemicals.
- **Ventilation:** Ensure the projector's ventilation ports are clear and unobstructed to prevent overheating. Do not place the projector on soft surfaces that may block airflow.
- **Dust Removal:** Periodically use a can of compressed air to gently clear dust from the ventilation grilles.
- **Storage:** When not in use for extended periods, store the projector in a cool, dry place, ideally in its original packaging or a protective case, to prevent dust accumulation and damage.
- **Power Off Properly:** Always power off the projector using the designated power button and allow it to complete its shutdown cycle before unplugging.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No image on screen	Power cable loose; Incorrect input source; Lens cap on.	Check power connection; Select correct input source; Remove lens cap.
Image is blurry	Out of focus; Projector not level.	Allow auto-focus to adjust; Manually adjust focus if needed; Ensure projector is on a flat surface.
No sound	Volume too low; Muted; Incorrect audio output.	Increase volume; Unmute; Check audio output settings (internal speaker/Bluetooth).
Remote control not working	Batteries low/dead; Obstruction between remote and projector.	Replace batteries; Ensure clear line of sight to IR receiver.
Wi-Fi connection unstable	Router too far; Interference.	Move projector closer to router; Reduce interference from other devices.

TECHNICAL SPECIFICATIONS

Feature	Specification
---------	---------------

Feature	Specification
Brand	iSinbox
Model Number	GC357
Display Resolution	Native 1920 x 1080 (Supports 4K)
Brightness	850 ANSI Lumens
Connectivity Technology	3.5mm Jack, Bluetooth 5.2 (Bidirectional), HDMI, USB, Wi-Fi 6
Special Features	Auto Focus, Auto Keystone, Auto-obstacle avoidance, Auto Screen Alignment, Personalized User Experience, Robust MTK9269 Chip
Product Dimensions	6.97 x 3.46 x 9.37 inches
Item Weight	3.41 pounds
Color	White
Recommended Uses	Bedroom, Business, Education, Gaming, Garden, Home Cinema, Indoor, Movies, Outdoor, Party, Video

WARRANTY AND SUPPORT

The iSinbox Projector comes with a manufacturer's warranty covering defects in materials and workmanship under normal use. Please refer to the warranty card included in your product packaging for specific terms and conditions, including the warranty period.


For technical support, troubleshooting assistance, or warranty claims, please contact iSinbox customer service. Contact details can typically be found on the official iSinbox website or on the warranty card provided with your product.


When contacting support, please have your product model number (GC357) and purchase information ready to expedite the process.





© 2024 iSinbox. All rights reserved.


iSinbox GC357













Der iSinbox GC357 Standard-Portable-LED LCD Beamer hat 700 Ansi-Lumen einen Kontrast von 25000:1 und eine HDVTV 1920 x 1080i Auflösung. Eine LED Lebensdauer von 60000 Stunden gibt der Hersteller an, was insgesamt über 4,4 Jahre bei 8 Stunden täglich sein.

Durch die Helligkeit von 700 ANSI-Lumen ist eine Bildbreite von 280 cm möglich. Bei Raumlicht sollte das Bild max. 17 cm breit sein. Da der Projektor Apple, Microsoft Screen Mirroring, Android Screen Mirroring, ist es möglich von einem Smartphone, Tablet, PC, Android, iOS und PC mit HDMI-Eingang in die HDMI-Schnittstelle des iSinbox-Sorters oder WLAN direkt abzuspielen. Auch das Abspielen von 1080P und 4K (komprimiert) ist auf dem Projektor kein Problem.

Kurzfunktion:
Beit 11

- Projektionssystem
- Projektor
- Kontrast
- Schwarzweiss
- Auflösung
- Wiedergabeskalen

- x LCD TFT Panel
- 1080 16:9 Liquid Crystal Display
- 700
- 25000:1
- 640000 max. Lumen
- 1080 x 1920 x 1920, 2077,600 Pixel
- 1080p, 1080i, 720p, 576p, 480p kompatibel

- 311 Lux (bei 200 cm Leinwand)
- 0,1/0,2 mm. Lumen

iSinbox GC357 Portable LED LCD Projector - Specifications and Features

Detailed information about the iSinbox GC357 portable LED LCD projector, including its ANSI lumens, contrast ratio, resolution, LED lifespan, connectivity options, and ideal use cases for presentations and home entertainment.

lang:de **score:44** filesize: 131.45 K page_count: 2 document date: 2024-09-16

[illegible]

[\[pdf\]](#)

ISBN BOX GC 357 isinboxgc357 hc en projektoren datenbank |||

ISINBOX **GC357** Screen Projector iSinbox **GC357** iSinbox **GC357** Brief Introduction


Beta 2.5 Display Type Ansi-Lumen Contrast Black Level Offset Resolution Video

Modes	Application	Light Source	Light Life	Operating Costs	Focus	Zoom	Objective
1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21
22	22	22	22	22	22	22	22
23	23	23	23	23	23	23	23
24	24	24	24	24	24	24	24
25	25	25	25	25	25	25	25
26	26	26	26	26	26	26	26
27	27	27	27	27	27	27	27
28	28	28	28	28	28	28	28
29	29	29	29	29	29	29	29
30	30	30	30	30	30	30	30
31	31	31	31	31	31	31	31
32	32	32	32	32	32	32	32
33	33	33	33	33	33	33	33
34	34	34	34	34	34	34	34
35	35	35	35	35	35	35	35
36	36	36	36	36	36	36	36
37	37	37	37	37	37	37	37
38	38	38	38	38	38	38	38
39	39	39	39	39	39	39	39
40	40	40	40	40	40	40	40
41	41	41	41	41	41	41	41
42	42	42	42	42	42	42	42
43	43	43	43	43	43	43	43
44	44	44	44	44	44	44	44
45	45	45	45	45	45	45	45
46	46	46	46	46	46	46	46
47	47	47	47	47	47	47	47
48	48	48	48	48	48	48	48
49	49	49	49	49	49	49	49
50	50	50	50	50	50	50	50
51	51	51	51	51	51	51	51
52	52	52	52	52	52	52	52
53	53	53	53	53	53	53	53
54	54	54	54	54	54	54	54
55	55	55	55	55	55	55	55
56	56	56	56	56	56	56	56
57	57	57	57	57	57	57	57
58	58	58	58	58			


Throw Ratio Audio Connections Ceiling Mounting The **GC357** LED L...

lang:en score:28 filesize: 477.04 K page_count: 2 document date: 2025-04-08


iSINBOX GC357




HDMI
1080p




Bluetooth



4K
UHD



Wi-Fi




iSINBOX GC357

The GC357 LED LCD projector from iSINBOX has 700 Ando lenses, a contrast of 2000:1 and an HD/TV 1920 x 1080 resolution. The manufacturer also specifies a service life of 60,000 hours, which is over 4½ years projected for two hours a day, 200 on screen with the projector still be able to illuminate well. Moreover 1 year warranty is available. The price with standard supply of access 170 cm.

As the projector requires AC/DC, iSINBOX Screen Mounting system is provided to save money with a high tension and automatic screw driver. iSINBOX Screen Mounting system is a useful addition to the projector, especially for wireless audio transmission. Perfect of 1080P and 4K components is also no problem for iSINBOX.

<p>Display Type</p> <p>Auto Screen Control</p> <p>Black Level Offset</p> <p>Resolution</p> <p>Video Modes</p> <p>Application</p> <p>Light Source</p> <p>Light/Life</p> <p>Operating Costs</p> <p>Focus</p> <p>Zoom</p> <p>Objective</p> <p>Throw Ratio</p> <p>Audio</p> <p>Connections</p> <p>Calling Monitoring</p>	<p>1 LCD Panel</p> <p>HD/TV 1920 x 1080 Liquid Crystal Display</p> <p>7,000</p> <p>2000:1</p> <p>60/50 mins. Lumen</p> <p>2,073,600 x 1,080</p> <p>2,073,600 Pixels</p> <p>LED (LDCO, 360 x 270 x 10mm)</p> <p>1080P, 1080i, HD/TV 1920, 1080i, 1080i, 4K UHD (downscaled), EDTV 480, 576p</p> <p>PowerPoint, Word, Excel, Powerpoint, etc.</p> <p>Presentations</p> <p>Screen width: max. 170cm (with screen and computer system, as well as product presentation).</p> <p>Screen width: max. 170cm (with screen and computer system, as well as product presentation).</p> <p>0.00 LED</p> <p>Automatic</p> <p>No Zoom</p> <p>Zoom</p> <p>Objective</p> <p>Throw Ratio</p> <p>Audio</p> <p>VCM in Auto Menu just Auto Bluetooth 2.2</p> <p>Yes, is possible.</p> <p>Yes, is possible.</p>
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



[\[pdf\]](#)

isinboxgc357 hc en hcinema de |||

ISINBOX **GC357** Screen Projector iSinbox **GC357** iSinbox **GC357** Brief Introduction

Beta 2.5 Display Type Ansi-Lumen Contrast Black Level Offset Resolution Video

Modes	Application	Light Source	Light Life	Operating Costs	Focus	Zoom	Objective
1	1	1	1	1	1	1	1
2	2	2	2	2	2	2	2
3	3	3	3	3	3	3	3
4	4	4	4	4	4	4	4
5	5	5	5	5	5	5	5
6	6	6	6	6	6	6	6
7	7	7	7	7	7	7	7
8	8	8	8	8	8	8	8
9	9	9	9	9	9	9	9
10	10	10	10	10	10	10	10
11	11	11	11	11	11	11	11
12	12	12	12	12	12	12	12
13	13	13	13	13	13	13	13
14	14	14	14	14	14	14	14
15	15	15	15	15	15	15	15
16	16	16	16	16	16	16	16
17	17	17	17	17	17	17	17
18	18	18	18	18	18	18	18
19	19	19	19	19	19	19	19
20	20	20	20	20	20	20	20
21	21	21	21	21	21	21	21
22	22	22	22	22	22	22	22
23	23	23	23	23	23	23	23
24	24	24	24	24	24	24	24
25	25	25	25	25	25	25	25
26	26	26	26	26	26	26	26
27	27	27	27	27	27	27	27
28	28	28	28	28	28	28	28
29	29	29	29	29	29	29	29
30	30	30	30	30	30	30	30
31	31	31	31	31	31	31	31
32	32	32	32	32	32	32	32
33	33	33	33	33	33	33	33
34	34	34	34	34	34	34	34
35	35	35	35	35	35	35	35
36	36	36	36	36	36	36	36
37	37	37	37	37	37	37	37
38	38	38	38	38	38	38	38
39	39	39	39	39	39	39	39
40	40	40	40	40	40	40	40
41	41	41	41	41	41	41	41
42	42	42	42	42	42	42	42
43	43	43	43	43	43	43	43
44	44	44	44	44	44	44	44
45	45	45	45	45	45	45	45
46	46	46	46	46	46	46	46
47	47	47	47	47	47	47	47
48	48	48	48	48	48	48	48
49	49	49	49	49	49	49	49
50	50	50	50	50	50	50	50
51	51	51	51	51	51	51	51
52	52	52	52	52	52	52	52
53	53	53	53	53	53	53	53
54	54	54	54	54	54	54	54
55	55	55	55	55	55	55	55
56	56	56	56	56	56	56	56
57	57	57	57	57	57	57	57
58	58	58	58	58			

Throw Ratio Audio Connections Ceiling Mounting Power The **GC357**...

lang:en score:28 filesize: 495.56 K page_count: 2 document date: 2025-05-12