Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

mifasol LCD-MH-J18

Mifasol 5.3Gal/20L Warm and Cool Mist Humidifier (Model LCD-MH-J18) Instruction Manual

Model: LCD-MH-J18 | Brand: Mifasol

Introduction

The Mifasol Warm and Cool Mist Humidifier is designed to add moisture to the air, offering versatility for seasonal changes and promoting overall comfort. It helps alleviate dry skin, respiratory issues, and allergies by maintaining optimal indoor humidity levels. The dual mist function provides soothing warm mist for colder months and refreshing cool mist for warmer times, making it a valuable addition to any living space.

Setup

Follow these steps to set up your Mifasol Humidifier for first-time use:

1. **Unpack the Humidifier:** Carefully remove all components from the packaging. Ensure all accessories, including the water pump, are removed from the water tank.
2. **Positioning:** Place the humidifier on a flat, stable, and water-resistant surface. Ensure it is away from walls and furniture to allow for proper mist dispersion.
3. **Connect the Water Pump:** Ensure the hose is properly connected to both ends of the water pump and the main body's connection points. Refer to the "J18 Usage Instructions" video for visual guidance.
4. **Fill the Water Tank:** Water can be filled from the top directly into the main body, or by removing the main body and filling the tank. Do not exceed the maximum water line (20L/5.3Gal). Use tap water below 104°F (40°C).
5. **Power Connection:** Connect the humidifier to a power supply. Before switching on, check that the rated voltage of the humidifier matches your power supply voltage.



Image: The Mifasol Humidifier in a living room, demonstrating mist output and its large capacity.



Image: The humidifier highlighting its 48-hour runtime and 5.3-gallon capacity for larger spaces.

Your browser does not support the video tag.

Video: J18 Usage Instructions - This video demonstrates the initial setup and connection of the humidifier components.

Operating Instructions

Your Mifasol Humidifier offers various settings for personalized comfort:

- **Power On/Off:** After plugging in, turn on the humidifier using the touch panel or remote control. Mist will typically appear after 15-30 seconds as the water pump draws water from the tank.
- **Mist Level Adjustment:** Select from 3 adjustable mist levels (Low, Medium, High) to suit your preference.
- **Warm/Cool Mist:** Choose between cool mist to hydrate the air without changing room temperature, or warm mist for a cozy feel. The warm mist reaches 104°F in approximately 5 minutes.
- **Humidity Setting:** Customize your environment with a humidity range of 45% to 90%. The humidifier will automatically shut off when the desired humidity level is reached.
- **Timer Function:** Set the timer for 1-24 hours for automatic operation.
- **Sleep Mode:** Activate sleep mode for quiet operation and dimmed display, ideal for nighttime use.
- **360° Rotatable Mist Nozzle:** Adjust the dual mist nozzles to direct mist in any direction for optimal coverage.



Image: Illustration of the three mist output levels (Low, Medium, High) and the dual stainless steel atomizers.



Image: The humidifier providing both refreshing cool mist and healthy warm mist for personalized comfort.

Your browser does not support the video tag.

Video: Cool and Warm Large Ultrasonic Humidifier 20L/5.3Gal - This video showcases the humidifier's features including mist output and controls.

Maintenance

Regular cleaning ensures optimal performance and longevity of your humidifier. Always unplug the humidifier before cleaning and maintenance.

1. **Drain Water:** If not in use for more than 24 hours, pour out any remaining water from the tank and sink to prevent mold or impurities. Tilt the water sink in the outlet direction for drainage.
2. **Clean the Sink and Atomizers:** Remove the upper part of the humidifier. Pour distilled white vinegar or a citric acid solution into the sink and let it soak for 15 minutes. Use the included cleaning brush to remove scale from all parts. For atomizers, gently wipe with a cotton swab if they become dirty or mist weakens.
3. **Rinse Thoroughly:** Rinse repeatedly to ensure the inside of the tank is clean and odor-free. Ensure water does not enter the air outlet.
4. **Pump Replacement (if necessary):** Unscrew the knob to remove the head. Pull out the two side hoses. Install the new water pump, ensuring to align the contacts and slots correctly. Change the water pipe if it is dirty.



Image: The humidifier operating quietly at 25dB, enhancing quality rest.

Your browser does not support the video tag.

Video: How to Clean the Humidifier LCD-MH-J18 - This video provides a step-by-step guide on cleaning the humidifier.

Troubleshooting

Red Blinking Indicator

If the red light is blinking, follow these steps:

1. **Check Water Tank:** Verify if the water tank is empty. Refill if necessary.
2. **Check Water Pump:**
   - Ensure the packaging material of the water pump has been removed.
   - Check that the hose and inlet port are not cracked or damaged.
   - Make sure both ends of the hose are connected to the water pump's inlet and the main unit's inlet up to the root.
3. **Check Upper Part:** Remove the cover and check the unit. Ensure the float is floating in the water. Turn on the power and check if water is pumping from the water tank to the upper head, and if the atomizer is working properly.

If the humidifier is still not functioning, capture a video of the humidifier head's condition with your mobile phone and send it to customer service for consultation.

Weak Mist or No Mist

If you experience little or no mist output:

1. **Remove Water Pump Packaging:** Ensure any packaging material from the water pump has been removed.
2. **Check Water Pump Connections:** Verify that the hose and inlet port are not cracked or damaged, and that both ends of the hose are securely connected to the water pump's inlet and the main unit's inlet. If the water pipe is damaged, capture a video and send it to customer service.
3. **Check Upper Part:** Press to turn the humidifier on. Open the upper cover and check the filter. Verify that water can be sucked up and that the atomizer is working. Under normal circumstances, water should come out of the water outlet.

Note: You may need to wait about 60 seconds for mist to generate during the first use. When the ambient humidity exceeds the set value, the humidifier will stop spraying mist automatically.

Your browser does not support the video tag.

Video: Troubleshooting Red Blinking LCD-MH-J18 - This video guides you through diagnosing and resolving issues related to a blinking red indicator.

Your browser does not support the video tag.

Video: Troubleshooting Weak Mist or Even No Mist LCD-MH-J18 - This video provides solutions for weak or absent mist output.

Specifications

Brand	Mifasol
Model Number	LCD-MH-J18
Capacity	20 Liters (5.3 Gallons)
Floor Area Coverage	Up to 1500 Square Feet
Runtime	Up to 48 hours
Operation Mode	Dual Mode (Warm & Cool Mist)

Control Method	Touch, Remote Control
Humidity Range	45% - 90%
Max Cool Mist Output	300ml/h
Max Warm Mist Output	500ml/h
Noise Level	35dB or less
Timer	1-24 Hours
Safety Feature	Automatic Shut Down (Water Shortage Protection)
Item Dimensions (D x W x H)	11"D x 10"W x 11"H
Item Weight	8.4 Pounds

Warranty

Mifasol stands firmly behind its products. This humidifier comes with a**30-day replacement guarantee** and a **1-year assurance**. This warranty covers manufacturing defects and ensures your satisfaction with the product.

Customer Support

For any questions, concerns, or assistance with your Mifasol Humidifier, please do not hesitate to contact our customer service team.
Email: info@mifasol.vip
Our team is dedicated to providing prompt and helpful support.

© 2025 Mifasol. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DNMNK61L

More documents and user manuals: **https://manuals.plus/**