

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [homary](#) /

> [Homary Smart Toilet with Bidet \(Model J02MT000004US\) User Manual](#)

homary J02MT000004US

Homary Smart Toilet with Bidet

MODEL: J02MT000004US

User Manual

Introduction

Thank you for choosing the Homary Smart Toilet with Built-In Bidet. This manual provides essential information for the safe and efficient operation, installation, and maintenance of your new smart toilet. Please read this manual thoroughly before installation and use, and retain it for future reference.

This smart toilet is designed to offer a hands-free, hygienic, and comfortable bathroom experience with features such as automatic lid opening, foot-sensor flushing, a built-in bidet with adjustable settings, a heated seat, and ambient lighting.

Safety Information

Please observe the following safety precautions to prevent injury or damage to the product:

- Ensure the toilet is installed by a qualified professional in accordance with local plumbing and electrical codes.
- Do not expose the product to excessive moisture or direct water spray, except for intended cleaning.
- Do not attempt to disassemble or repair the unit yourself. Contact customer support for assistance.
- Keep the remote control away from water and extreme temperatures.
- Ensure the power outlet is properly grounded.

Product Features Overview

The Homary Smart Toilet integrates advanced features for enhanced hygiene and comfort:

Hands-free Opening/Closing

Automatic flip when people approach
Automatic flip when people touch the toilet with feet



Hands-free Opening/Closing: The lid automatically opens when you approach and closes when you leave. A foot sensor allows for touch-free seat opening.

— Foot sensor flushing

— Stand-off flushing

— Side button flushing

— Remote control flushing



Various Flushing Options: Choose from foot sensor, stand-off, side button, or remote control flushing for ultimate convenience. Includes a power-outage flush function.

Warm Dry & Water Heated Seat



Heated seat with adjustable temperature settings

1st Gear Room Temperature	34° 2nd Gear	37° 2nd Gear	40° 2nd Gear
---------------------------------	-----------------	-----------------	-----------------

Warm-air drying system with adjustable temperature settings

1st Gear Room Temperature	45° 2nd Gear	50° 2nd Gear	55° 2nd Gear
---------------------------------	-----------------	-----------------	-----------------



Warm Dry & Heated Seat: Enjoy a heated seat with adjustable temperature settings (34°C, 37°C, 40°C) and a warm-air drying system (45°C, 50°C, 55°C) for comfort and reduced paper usage.

Wash Gently with Warm Water


Intimate and Comfortable

Room Temperature

34°

37°

40°



Water Temperature Adjustment

Female Cleaning



Hip Cleaning



Children Cleaning



Nozzle Self-cleaning



Built-in Bidet with Warm Water: Offers 4 adjustable water temperature settings and 4 customizable wash modes: Gentle Wash, Powerful Clean, Feminine Wash, and Massage Mode. Features nozzle self-cleaning.



Water Temp



Seat Temp



Temperature



Intelligent Display & Ambient Lighting: An intuitive LED display allows easy control of settings. Built-in ambient lighting creates a soothing atmosphere, perfect for nighttime use.



Pre-Moistened Interior Prevents Fecal
Matter from Sticking to It

Pre-Moistened Interior: The toilet bowl is pre-moistened to help prevent waste from sticking, ensuring a cleaner bowl with each flush.

Siphon Flushing

More power, more thorough cleaning



Efficient Siphon Flush System: A powerful yet water-saving 1.32 GPF (gallons per flush) siphon action ensures a quiet, effective, and thorough cleaning.



Remote Control: A comprehensive remote control allows easy access and adjustment of all smart toilet functions, including bidet settings, seat temperature, and flushing.

Product Demonstration Video

Your browser does not support the video tag.

This video demonstrates the key features and functions of the Homary Smart Bidet Toilet, including automatic lid opening, bidet wash modes, heated seat, and flushing.


Installation

Proper installation is crucial for the optimal performance and longevity of your smart toilet. It is highly recommended to have this product installed by a certified plumber.


Pre-Installation Checklist:

- Verify all components are present and undamaged.
- Ensure water supply and electrical outlet (120V AC, 60Hz, dedicated circuit recommended) are available at the installation site.
- Confirm rough-in dimensions match the product specifications.

Rough-in Dimensions:



Product Dimensions Diagram: Refer to this diagram for precise measurements and rough-in requirements. Dimensions are approximately 26.97"D x 16.14"W x 18.9"H.



Floor Outlet / S-Trap Configuration: This diagram shows the typical floor outlet configuration for toilet installation.

For detailed step-by-step installation instructions, please refer to the separate installation guide provided with your product packaging.

Operating Instructions

Familiarize yourself with the various functions of your smart toilet using the remote control and integrated sensors.

Automatic Lid & Seat Functions:

- **Auto Open/Close:** The lid will automatically open when a user approaches and close after they leave.
- **Foot-Activated Seat Opening:** Gently tap the foot sensor located at the base of the toilet to open the seat for standing use.

Flushing Options:

- **Foot Sensor Flushing:** Tap the foot sensor to initiate a flush.
- **Remote Control Flushing:** Use the dedicated flush button on the remote.
- **Side Button Flushing:** A manual flush button is located on the side of the toilet for convenience.
- **Stand-off Flushing:** The toilet can be configured to flush automatically after the user stands up and moves away.
- **Power-Outage Flush:** In case of a power outage, a manual flush mechanism is available to ensure functionality.

Bidet Functions:

Use the remote control to select and adjust bidet settings:

- **Water Temperature:** Adjust to your preferred warmth (e.g., 34°C, 37°C, 40°C).

- **Water Pressure:** Increase or decrease water intensity.
- **Nozzle Position:** Adjust the nozzle forward or backward for optimal cleaning.
- **Wash Modes:** Select from Female Cleanse, Posterior Cleanse, Children Cleanse, or Massage mode.
- **Nozzle Self-Cleaning:** The nozzle performs an automatic self-clean before and after each use.

Comfort Features:

- **Heated Seat:** Adjust the seat temperature for year-round comfort.
- **Warm-Air Drying:** After bidet use, activate the warm-air dryer to reduce the need for toilet paper. Adjust air temperature as desired.
- **Ambient Lighting / Night Light:** The built-in LED lighting provides a soft glow, enhancing safety and visibility during nighttime use.

Maintenance

Regular cleaning and maintenance will ensure the longevity and hygienic performance of your smart toilet.

Exterior Cleaning:

- Wipe the exterior surfaces with a soft, damp cloth and a mild, non-abrasive cleaner.
- Avoid using harsh chemicals, abrasive pads, or solvents, as these can damage the finish.
- Ensure no water enters the electrical components.

Nozzle Cleaning:

- The bidet nozzle performs an automatic self-cleaning cycle.
- For deeper cleaning, gently pull out the nozzle and wipe it with a soft cloth and mild soap. Do not use excessive force.

Bowl Cleaning:

- Use a toilet brush and a standard toilet bowl cleaner.
- Flush thoroughly after cleaning.

Troubleshooting

If you encounter any issues, please refer to the following common troubleshooting steps before contacting customer service.

Problem	Possible Cause	Solution
No power / Unit unresponsive	Power cord unplugged, circuit breaker tripped, power outage.	Check power connection, reset circuit breaker, verify power supply.
Bidet not spraying water	Water supply valve closed, water filter clogged, user not seated properly.	Open water supply valve, clean/replace water filter, ensure proper seating.
Lid/seat not opening automatically	Sensor obstructed, sensor dirty, auto-open feature disabled.	Clear obstructions, clean sensor, check remote settings to enable feature.

Problem	Possible Cause	Solution
Flushing issues	Water pressure low, sensor malfunction, manual flush needed.	Check water pressure, clean sensors, use manual flush if necessary.

If the problem persists after attempting these solutions, please contact Homary customer support.


Specifications

Feature	Detail
Brand	homary
Model Number	J02MT000004US
Color	White
Product Dimensions (D x W x H)	26.97" x 16.14" x 18.9" (685mm x 410mm x 480mm)
Material (Toilet)	Ceramic
Material (Seat)	Polypropylene (PP)
Installation Type	Freestanding
Flush Rate	1.32 GPF (Gallons Per Flush)
Flushing System	Siphon Flush
Bidet Water Temperature Settings	Adjustable (e.g., 34°C, 37°C, 40°C)
Heated Seat Temperature Settings	Adjustable (e.g., 34°C, 37°C, 40°C)
Warm Air Dryer Temperature Settings	Adjustable (e.g., 45°C, 50°C, 55°C)
Included Components	Smart Bidet Toilet, Remote Control

Warranty and Support

Homary provides customer support for any questions or issues you may have regarding your smart toilet.

Contact Information:



Customer Support: For assistance, please contact us via email.

- **Email:** service@homary.com
- **Service Time:** Reply within 24 hours (excluding public holidays).
- Please provide your order number when contacting us via email for faster service.

For warranty details, please refer to the warranty card included with your product or visit the official Homary website.