

[manuals.plus](#) /› [Loniko](#) /› [Loniko G5-1-WH Smart Tankless Toilet with Bidet Seat User Manual](#)

Loniko G5-1-WH

Loniko G5-1-WH Smart Tankless Toilet User Manual

Model: G5-1-WH

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Loniko G5-1-WH Smart Tankless Toilet. This advanced toilet integrates a bidet seat, auto-opening and closing lid, auto flushing, heated seat, warm water bidet, air dryer, LED display, and remote control for enhanced hygiene and comfort.

Please read this manual thoroughly before installation and use to ensure proper function and safety. Keep this manual for future reference.

2. SAFETY INFORMATION

Observe the following safety precautions to prevent injury or damage to the product:

- Ensure all electrical connections are performed by a qualified electrician and comply with local codes.
- Ensure all plumbing connections are performed by a qualified plumber and comply with local codes.
- Do not immerse the product in water or spray water directly onto electrical components.
- Do not attempt to disassemble or repair the unit yourself. Contact qualified service personnel.
- Keep children and individuals with reduced physical, sensory, or mental capabilities away from the product unless supervised.
- Use only the specified power supply and water pressure.



Image: Certifications for the Loniko Smart Toilet, including cUPC and ETL Intertek, indicating compliance with safety and quality standards.



Image: Graphic indicating the IPX4 waterproof rating of the Loniko smart toilet, ensuring protection against splashing water.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged upon unpacking:

- Loniko G5-1-WH Smart Tankless Toilet Unit
- Wireless Remote Control
- Installation Screws and Hardware
- Angle Valves
- Wax Ring
- Flange
- Widen Baby Seating (Accessory)
- Aroma Tablet
- User Manual (this document)
- Batteries (for remote control)

Tankless Powerful Intelligent Toilet

Free your hands and enjoy the beauty



Image: The tankless design of the smart toilet along with an array of included accessories like remote control, screws, and installation parts.

4. SPECIFICATIONS

Feature	Description
Model Number	G5-1-WH
Product Dimensions (D x W x H)	27.5" x 15.74" x 18.3"
Material	Ceramic (Toilet), Polypropylene (PP) (Seat)
Item Weight	104 Pounds
Installation Type	Floor Mounted
Shape	U-Shape
Water Consumption	1.28 GPF (Gallons Per Flush)
UPC	768795751117
Power Source	AC (Batteries for remote)
Waterproof Rating	IPX4

Parameter Description



Image: Detailed diagrams showing the dimensions of the smart toilet from various angles, including seat width and height.

5. SETUP AND INSTALLATION

Installation of the Loniko G5-1-WH Smart Tankless Toilet requires plumbing and electrical work. It is highly recommended that installation be performed by a qualified professional to ensure compliance with all local codes and proper functionality.

5.1 Pre-Installation Checklist

- Verify all package contents are present and undamaged.
- Ensure the installation area has appropriate water supply and electrical outlets.
- Confirm floor is level and structurally sound to support the toilet's weight.

5.2 General Installation Steps (Professional Recommended)

1. **Prepare the Area:** Turn off the main water supply and remove the old toilet if applicable. Clean the flange area.
2. **Install Flange and Wax Ring:** Secure the flange to the floor and place the wax ring over it.
3. **Position the Toilet:** Carefully align the toilet with the flange and lower it into place. Apply even pressure

to create a seal with the wax ring.

4. **Secure the Toilet:** Use the provided screws and hardware to firmly secure the toilet to the floor.
5. **Connect Water Supply:** Connect the water supply line to the toilet's inlet valve. Ensure all connections are tight to prevent leaks.
6. **Connect Electrical Power:** Plug the toilet into a grounded electrical outlet. Ensure the outlet meets the product's electrical requirements.
7. **Restore Water Supply:** Slowly turn on the main water supply and check for leaks.
8. **Test Functions:** Perform initial tests of all toilet functions as described in the Operating Instructions section.

6. OPERATING INSTRUCTIONS

Your Loniko Smart Tankless Toilet offers a range of automated and customizable features for a comfortable and hygienic experience.

6.1 Power On/Off

The toilet is powered on when connected to an electrical outlet. There is typically no manual power button for daily use. For extended periods of non-use or maintenance, unplug the unit from the power outlet.

6.2 Auto-Opening and Closing Lid

The toilet features an intelligent sensor that detects your approach, automatically opening the lid. When you leave, the lid will automatically close. A foot sensor is also integrated for hands-free operation, allowing you to flip the seat or lid with a gentle tap.



Image: Diagram illustrating the automatic opening and closing lid, foot sensor, and automatic flushing features of the smart toilet.

6.3 Automatic Flushing

The toilet is equipped with an off-seat auto-flush system. After use, the toilet will automatically flush using a 360-degree siphon washing mechanism, ensuring efficient and complete waste removal with only 1.28 GPF.

Off-Seat Auto Flush

360° Siphon Washin



Super cyclone flushing can effectively remove sewage.

Image: Transparent view of the toilet's internal flushing mechanism, demonstrating the 360-degree siphon washing for effective waste removal.

6.4 Heated Seat

The seat features adjustable heating with 4 temperature settings to provide comfort, especially in colder environments. The temperature can be adjusted via the remote control.

Heated Seat and Warm Air Dryer




Image: Cross-section view highlighting the heated seat, warm air drying, night light, and buttock sensing area.



Image: Diagram illustrating the 4 levels of adjustable heating for the toilet seat.

6.5 Bidet Functions (Warm Water Wash & Air Dryer)

The integrated bidet offers personalized cleaning with warm water and adjustable temperature settings. Available modes include:

- **Rear Wash:** For posterior cleaning.
- **Lady Wash:** Gentle wash for feminine hygiene.
- **Moveable Wash:** The nozzle moves back and forth for a wider cleaning area.
- **Baby Washing Modes:** The widened baby seating accessory can be used in conjunction with specific gentle wash modes.

After washing, a warm air dryer function is available to complete the cleaning process, reducing the need for toilet paper.




Image: Illustration of the bidet nozzle extending for Rear Wash, Lady Wash, Moveable Wash, and Self Cleaning functions, with adjustable water temperatures.



Image: Close-up of the toilet seat highlighting the widened area for baby seating, designed to complement baby washing modes.

6.6 Night Light

A soft LED night light provides illumination for nighttime use. This feature can be easily turned on or off using the remote control.



Image: The toilet's LCD digital display indicating temperature and the soft LED night light illuminating the floor.

6.7 Remote Control and Knob Operation

All smart functions can be controlled via the wireless remote control. Additionally, a control knob on the side of the toilet allows for quick access to common functions like female cleaning and hip cleaning.

Easy Operation

wireless remote control and knob operation
can be freely switched.



Image: Close-up of the toilet's control knob and the wireless remote control, detailing options for female cleaning, hip cleaning, and other functions.

6.8 Aromatherapy System

The toilet includes a dual aromatherapy system with a one-touch feature to release fresh scents, maintaining a pleasant bathroom environment. You can add your favorite essential oil to the on-mounted incense system.

Dual aromatherapy system

Make the air fresher



Soft Close

Provide a quiet space



Image: Top view showing the dual aromatherapy system releasing fresh air, and a side view demonstrating the soft-closing lid mechanism for quiet operation.

ATMOSPHERE AND FRAGRANT

Adapt the On-Mounted Incense System

Add Your Favorite Essential Oil to Purify the Bathroom



Image: Conceptual image showing the aromatherapy system dispersing fragrance, with a user seated on the toilet.

7. MAINTENANCE

Regular maintenance ensures the longevity and hygienic operation of your smart toilet.

7.1 Nozzle Cleaning

The bidet nozzle performs an automatic self-cleaning cycle before and after each use. For additional cleaning, a dedicated nozzle cleaning function can be activated via the remote control.

7.2 General Cleaning

- Use a soft cloth and mild, non-abrasive cleaner to wipe down the exterior surfaces.
- Do not use harsh chemicals, abrasive pads, or solvents, as these can damage the finish.
- Ensure no water or cleaning solution enters the electrical components.
- For thorough cleaning, unplug the toilet from the power outlet.

8. TROUBLESHOOTING

If you encounter issues with your Loniko Smart Tankless Toilet, refer to the following common troubleshooting steps:


Problem	Possible Cause	Solution
No power / Unit unresponsive	Power cord unplugged, circuit breaker tripped, remote batteries dead.	Check power connection, reset circuit breaker, replace remote batteries.
No flush / Weak flush	Water supply valve closed, low water pressure, sensor obstruction.	Ensure water supply is fully open, check water pressure, clear any obstructions from sensors.
Bidet not working / No warm water	Water supply to bidet off, temperature setting too low, nozzle clogged.	Check bidet water supply, adjust temperature settings, perform nozzle self-cleaning.
Lid not auto-opening/closing	Sensor obstructed, sensor dirty, ambient light interference.	Clean sensors, ensure no objects are blocking the sensor path.
Water leakage	Loose connections, damaged seals.	Tighten all water connections. If leakage persists, turn off water supply and contact a professional plumber.


If the problem persists after attempting these solutions, please contact customer support for further assistance.

9. WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the warranty card included with your product or contact Loniko customer service directly. Ensure you have your model number (G5-1-WH) and purchase details available when contacting support.

Related Documents - G5-1-WH

	<p>Casta Diva CD-Y080 Elongated Smart Bidet Toilet Use and Care Manual</p> <p>Comprehensive guide for the Casta Diva CD-Y080 Elongated Smart Bidet Tankless Toilet, covering features, operation, safety, and maintenance.</p>
	<p>Alpha Bidet UXT Pearl Smart Toilet Installation and User Manual</p> <p>Comprehensive guide for the Alpha Bidet UXT Pearl smart toilet, covering installation, operation, maintenance, and troubleshooting. Features include auto open/close, foot sensor, and advanced cleaning functions.</p>

 <p>WOODBRIDGE® Toilet + Bidet Seat</p> <p>Compliance with the following Plumbing Codes & Standards: • 2018 Uniform Plumbing Code® (UPC) • International Plumbing Code® (IPC) • WaterSense® Certified Toilet • CSA B45.1 / APHAZ 2124-2017 Plastic Plumbing Fixtures</p> <p>Customer Service Phone: 843-279-0888 Shewey - Fresh & Clean - 3-Mile Pacific Coast www.woodbridge.com</p>	<p><u>WOODBRIDGE Toilet + Bidet Seat Installation and Care Guide</u></p> <p>Comprehensive installation, care, maintenance, and troubleshooting guide for the WOODBRIDGE Toilet + Bidet Seat (Model T-0079), including technical specifications and safety instructions.</p>
 <p>TOTO MS756204SF Mercer™ Two Piece Toilet - 1.6 GPF, G-Max™ Flushing</p> <p>Augusta Executive Collection</p>	<p><u>TOTO MS756204SF Mercer™ Two Piece Toilet - 1.6 GPF, G-Max™ Flushing</u></p> <p>Detailed information on the TOTO MS756204SF Mercer™ two-piece toilet. Features include 1.6 GPF low water consumption, powerful G-Max™ flushing technology, ADA compliance, universal height, and the SoftClose® Oval seat. View comprehensive specifications, dimensions, and a complete parts list.</p>
 <p>Smart Toilet Manual</p> <p>Model</p> <p>For best results when using your product: • Always read the instructions • Do not use harsh detergents or abrasive cleaners • Please refer to the actual product</p>	<p><u>COFVIAL High-Tech Smart Toilet Owner Manual</u></p> <p>Comprehensive owner's manual for the COFVIAL High-Tech Smart Toilet, detailing its one-piece elongated design, adjustable heated seat, dual flush system (1/1.28 GPF), foot sensor flush, white night light, and knob control features. Learn about operation, maintenance, and troubleshooting for your smart toilet.</p>
 <p>TRONE</p> <p>Aquatina II Instruction Manual</p>	<p><u>TRONE Aquatina II Smart Bidet Toilet: Instruction Manual & Features</u></p> <p>Comprehensive instruction manual for the TRONE Aquatina II Smart Bidet Toilet. Learn about safety, features, operation, troubleshooting, and maintenance for model A2ETBCERN-12.WH.</p>