



Manuals.plus /

› Mavivegue /

› Mavivegue Adjustable Closet Rod (17-43 Inch, Gold) - Instruction Manual

## Mavivegue HK241122

# Mavivegue Adjustable Closet Rod (17-43 Inch, Gold) - Instruction Manual

## INTRODUCTION

---


Welcome to the instruction manual for your new Mavivegue Adjustable Closet Rod. This guide provides essential information for the proper setup, operation, and maintenance of your product. Please read these instructions carefully before installation and retain them for future reference.

## PRODUCT OVERVIEW

---

The Mavivegue Adjustable Closet Rod is designed to provide a sturdy and versatile hanging solution for various spaces. Made from durable iron, this rod can support up to 66 pounds and is adjustable in length to fit your specific needs. Its robust construction ensures stability for hanging clothes and other items.

This adjustable rod is suitable for use in closets, wardrobes, laundry rooms, RVs, and bathrooms, offering flexible organization options.



*Image: The Mavivegue Adjustable Closet Rod in a gold finish.*

# HEAVY DUTY MATERIAL



*Image: Demonstrates the heavy-duty material and 66lb weight bearing capacity of the closet rod, showing it supporting a kettlebell.*

## PACKAGE CONTENTS

Please ensure all components are present before beginning installation:

- Main Rod (x1)
- Auxiliary Rod (x1)
- Brackets (x2)
- Screws (x7)
- Expansion Screws (x7)

# PRODUCT SIZE

**Lengths** 43.1-71.1cm / 17-28in

**Main rod x1**




**Lengths** 38.1cm / 15in

**Auxiliary rod x1**




**Assembly length** 43.1-109.2cm / 17-43in




## Accessory



**Bracket x1**



**Bracket x1**



**Screws x7**  
**Expansion screw x7**

*Image: Detailed diagram illustrating the main rod, auxiliary rod, and accessories with their respective dimensions.*

## SETUP AND INSTALLATION

Follow these steps for a secure installation of your Mavivegue Adjustable Closet Rod:

- Determine Desired Length:** Measure the space where the rod will be installed. The rod is adjustable from 17 to 43 inches.
- Assemble the Rod:** Twist the rod counterclockwise to loosen, extend it to the desired length, then twist clockwise to tighten and lock it in place. If the rod feels tight initially, gently push from the back end to help the inner rod slide out.
- Mark Bracket Positions:** Hold one bracket against the wall at the desired height and position. Use a pencil to mark the screw hole positions. Repeat for the second bracket, ensuring it is level and at the correct distance for the rod's length.
- Install Brackets:**
  - For **wardrobes or wood panels**, use the short screws provided.
  - For **cement, brick, or tile walls**, drill holes, insert the expansion screws (wall anchors), and then fix the brackets with the long screws.
- Place and Secure the Rod:** Once both brackets are firmly installed, place the assembled rod onto the brackets. Secure the rod by tightening the small screws on the side of each bracket.




Image: Visual guide showing the five steps for installing the closet rod, including marking, drilling, securing brackets, adjusting the rod, and final placement.

Your browser does not support the video tag.

Video: Demonstrates the easy installation process of the Mavivegue Closet Rod.

Your browser does not support the video tag.

Video: Provides a general overview of the Mavivegue Closet Rod and its features, including assembly and installation tips.

## OPERATION

Once installed, your Mavivegue Adjustable Closet Rod is ready for use. Hang clothes, towels, or other items directly onto the rod using hangers. Ensure the total weight of items does not exceed the maximum weight recommendation of 66 pounds to maintain stability and prevent damage.

# INSTALLATION STEPS




**1**  
Mark the bracket hole positions



**2**  
Drill holes and insert wall anchors



**3**  
Secure the brackets with screws



**4**  
Adjusted rotating fixed position



**5**  
Place the rod on the brackets and secure with bracket screws.

*Image: Examples of the closet rod in use, demonstrating its versatility in different home environments such as a closet, bedroom, bathroom, and laundry area.*

## MAINTENANCE

To ensure the longevity of your closet rod, follow these simple maintenance guidelines:

- **Cleaning:** Wipe the rod and brackets with a soft, damp cloth. Avoid abrasive cleaners that may damage the finish.
- **Inspection:** Periodically check the screws and brackets to ensure they remain tight and secure. Retighten if necessary.
- **Weight Limit:** Do not exceed the maximum weight capacity of 66 pounds to prevent bending or damage to the rod and mounting surface.

## TROUBLESHOOTING

If you encounter any issues with your Mavivegue Adjustable Closet Rod, refer to the following common solutions:

<b>Problem</b>	<b>Possible Cause</b>	<b>Solution</b>
Rod is difficult to extend or retract.	The telescopic mechanism may be stiff or stuck.	Gently push from the back end of the rod to help the inner rod slide out. Ensure you twist counterclockwise to loosen before adjusting.
Rod sags in the middle.	Exceeding weight limit or improper installation.	Reduce the weight on the rod. Ensure the rod is fully tightened after adjusting its length and that the brackets are securely fastened to the wall.
Brackets feel loose.	Screws are not fully tightened or incorrect anchors used.	Retighten all screws. If installing on drywall or masonry, ensure appropriate wall anchors were used and installed correctly.

## **SPECIFICATIONS**

---

- **Brand:** Mavivegue
- **Model Number:** HK241122
- **Color:** Gold
- **Material:** Iron
- **Adjustable Length:** 17 to 43 inches
- **Diameter:** 1.3 inches
- **Maximum Weight Recommendation:** 66 Pounds
- **Mounting Type:** Wall Mounted

## **WARRANTY AND SUPPORT**

---

Mavivegue products are designed for quality and durability. For specific warranty information or technical support, please refer to the product packaging or contact Mavivegue customer service directly. Keep your purchase receipt for warranty claims.