



Manuals.plus /

› Aheaplus /

› Aheaplus Closet System Instruction Manual

## Aheaplus YHCC-10B

# Aheaplus Closet System Instruction Manual

Model: YHCC-10B

## 1. PRODUCT OVERVIEW

The Aheaplus Closet System is a versatile and robust storage solution designed to optimize closet spaces ranging from 4 to 9 feet in width. This system features a central tower with adjustable shelving, four integrated wooden drawers, and multiple hanging rods, providing comprehensive organization for clothing and accessories. Its modular design allows for various configurations to suit individual storage needs.



Figure 1.1: Overview of the Aheaplus Closet System, showcasing its central tower, drawers, and hanging rods.

## 2. SAFETY INFORMATION

For safe installation and long-term use of your Aheaplus Closet System, please adhere to the following safety guidelines:

- **Anti-Tip Kits:** Always secure the closet system to the wall using the provided anti-tip kits. This prevents accidental tipping, especially in households with children or pets.
- **Weight Capacity:** Do not exceed the maximum weight recommendation of 1000 pounds for the entire system. Distribute weight evenly across shelves and hanging rods.
- **Stable Surface:** Ensure the installation surface (floor and wall) is level and capable of supporting the full weight of the assembled system and its contents.
- **Tool Safety:** Use appropriate safety gear (e.g., eye protection, gloves) when assembling the unit, especially when using power tools.
- **Child Safety:** Keep small parts and hardware out of reach of children during assembly.




Figure 2.1: Detail showing the anti-tip kit for wall attachment, crucial for stability and safety.

### 3. COMPONENTS LIST

Before beginning assembly, verify that all components are present and undamaged. Refer to the packing list included with your product for specific part numbers.

Component	Description	Quantity
Central Tower Unit	Main shelving unit with pre-drilled holes for adjustable shelves.	1
Wooden Drawers	Four (4) wooden drawers for enclosed storage.	4
Hanging Rods	Expandable metal rods for hanging clothes.	4
Adjustable Shelves	Additional shelves for customizable storage within the tower.	Varies (check packaging)
Anti-Tip Hardware	Brackets and screws for securing the unit to the wall.	1 set
Assembly Hardware	Screws, dowels, cam locks, and other fasteners.	1 set

## 4. SETUP AND INSTALLATION

Assembly typically requires two people and a power drill with both Phillips and Arnold (square drive) heads for efficiency. Follow the numbered steps in the included manufacturer's assembly guide for detailed instructions specific to each part.

### 4.1. Pre-Assembly

1. Unpack all components and lay them out on a clean, soft surface to prevent scratches.
2. Identify all parts using the provided parts list and diagrams.
3. Gather necessary tools: Phillips head screwdriver, Arnold (square drive) screwdriver or bits, power drill, hammer, measuring tape, and a level.

### 4.2. Assembling the Central Tower

Follow the manufacturer's instructions to assemble the main tower structure. This typically involves attaching side panels to the top and bottom panels, and installing fixed shelves.

### 4.3. Installing Drawers

Assemble each of the four wooden drawers according to the instructions. Ensure drawer slides are correctly oriented and securely attached to both the drawers and the tower unit. Test drawer operation for smooth movement.

### 4.4. Attaching Hanging Rods

The system includes four expandable hanging rods. Attach the rod supports to the side panels of the tower or directly to the wall at the desired height. Extend the rods to fit your closet width (from 26 inches to 47 inches per rod) and secure them in place.



Figure 4.1: Dimensional diagram of the Aheaplus Closet System, including expandable rod lengths.

#### 4.5. Wall Mounting and Configuration

The Aheaplus Closet System is designed for wall mounting to ensure stability. Use the provided anti-tip hardware to secure the unit to a wall stud. The system is adaptable for closet spaces from 4 to 9 feet wide. For smaller spaces (4-5 ft), rods can be installed on one side of the unit. For wider spaces, multiple rod sections can be utilized.

## Multiple Installation Ways Ideal for 4-9Ft. Wide Spaces

with rods installed on one side of the unit, left or right, the organizer can fit smaller spaces 4 ft. to 5 ft.



Figure 4.2: Examples of various installation configurations for different closet widths.

## 5. OPERATING THE CLOSET SYSTEM

Once assembled and secured, your Aheplus Closet System is ready for use.

- **Hanging Rods:** Utilize the four hanging rods for garments. Ensure clothes are distributed to prevent excessive weight on one section.
- **Wooden Drawers:** The four wooden drawers provide enclosed storage for folded clothing, accessories, or other items. Pull drawers out smoothly and push them in completely to ensure proper closure.
- **Adjustable Shelves:** The central tower features adjustable shelves. To reposition a shelf, remove all items, lift the shelf, and reinsert the shelf pins into the desired holes. Ensure all four pins are securely seated before placing items back on the shelf.

## 6. MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your closet system.

- **Cleaning:** Wipe surfaces with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that may damage the painted finish. For stubborn marks, a mild soap solution can be used, followed by drying with a clean cloth.
- **Hardware Check:** Periodically check all screws and fasteners to ensure they remain tight. Re-tighten any loose connections to maintain structural integrity.
- **Drawer Slides:** If drawers become stiff, a small amount of silicone-based lubricant can be applied to the drawer slides.
- **Weight Distribution:** Regularly review the distribution of items to ensure weight is not concentrated in one area, which can stress the structure.

## 7. TROUBLESHOOTING

This section addresses common issues you might encounter with your Aheaplus Closet System.

Problem	Possible Cause	Solution
Drawers do not close correctly or are not level.	Improper installation of drawer slides; uneven assembly of drawer box; unit not level.	Verify that drawer slides are installed correctly and are parallel. Check that the drawer box is assembled squarely. Ensure the entire closet system is level on the floor and securely mounted to the wall.
Screws or fasteners become loose.	Normal wear and tear; insufficient tightening during assembly.	Periodically inspect all fasteners and re-tighten them with appropriate tools. Do not overtighten.
Hanging rods sag or feel unstable.	Overloaded rod; improper installation of rod supports.	Reduce the weight on the rod. Ensure rod supports are firmly attached to the tower or wall studs. Verify the rod is fully extended and locked into place.

## 8. SPECIFICATIONS

- **Model Number:** YHCC-10B
- **Brand:** Aheaplus
- **Color:** Black
- **Material:** Engineered Wood
- **Finish Type:** Painted
- **Item Depth:** Approximately 9 feet (referring to maximum installation width)
- **Maximum Weight Recommendation:** 1000 Pounds
- **Mounting Type:** Wall Mount
- **Hanging Rod Extension:** 26 inches to 47 inches (per rod)
- **Overall Dimensions (Central Tower):** Approximately 80" (Height) x 21.3" (Width) x 15.8" (Depth) *-Note: Overall system width varies based on rod extension.*

# 1000+ LBS CAPACITY

Heavy Duty Walk-in Closet System



Figure 8.1: The Aheaplus Closet System demonstrating its heavy-duty capacity in a walk-in closet setting.

## 9. WARRANTY AND SUPPORT

For specific warranty details and terms, please refer to the documentation included with your purchase or contact Aheaplus directly. Warranty coverage typically addresses manufacturing defects.

For customer support, technical assistance, or to inquire about replacement parts, please visit the official Aheaplus store or contact their customer service department:

- **Aheaplus Store:** Visit Aheaplus Store on Amazon
- Refer to your purchase invoice or packaging for direct contact information.