

[Manuals.plus](#) /

> [SOLRIG](#) /

> SOLRIG 180 Degree Bifold Door User Manual

## SOLRIG B0DP4TFQKB



# SOLRIG 180 Degree Bifold Door

## USER MANUAL

Model: B0DP4TFQKB

## Introduction

---

This user manual provides comprehensive instructions for the installation, operation, and maintenance of your SOLRIG 180 Degree Bifold Door. Designed for 48"x 80" door openings, this innovative folding door system optimizes space and enhances the functionality of interior spaces. Please read this manual thoroughly before beginning installation or use to ensure proper setup and long-term performance.




Image: The SOLRIG 180 Degree Bifold Door installed, showcasing its full access capability to a closet area.

## Product Specifications

Feature	Detail
Brand	SOLRIG
Model	B0DP4TFQKB
Door Panel Width	11.72" x 4 panels (Total 46.88")
Door Panel Height	80"
Fit Finished Opening Width	48"
Fit Finished Opening Height	80"

Feature	Detail
Thickness	0.83"
Weight	92 lbs
Material	High-quality MDF (panels), 304 Stainless Steel (hardware)
Color	White 1-Lite Mirrored Folding Door
Assembly Required	Yes

## COMPACT 180° BIFOLD DOOR SIZE GUIDE



Size Options	Single Door Panel Width	Single Door Panel Height	Fit Finished Opening Width	Fit Finished Opening Height
48"(24" x 2) x 80"	11.72" x 4	80"	48"	80"
60"(30" x 2) x 80"	14.72" x 4	80"	60"	80"
72"(36" x 2) x 80"	17.72" x 4	80"	72"	80"

**Note: Please measure the rough opening of your door accurately before purchasing to ensure a proper fit.**

Image: Detailed size guide for the Compack 180 Bifold Door, showing panel dimensions and finished opening requirements.

### Setup and Installation

Before beginning installation, ensure you have all components and tools listed in the packaging. Measure your rough

opening accurately to confirm it fits the door's specifications (48" wide x 80" high).

**Included Hardware:**

# 180° Bifold Door Hardware Set

simplify the installation process




Image: The complete hardware set included with the SOLRIG 180 Degree Bifold Door, simplifying the installation process.

**Installation Steps:**

1. **Install Center Hinge:** Begin by securely installing the center hinges on the door panels. Ensure proper alignment for smooth folding.
2. **Install Door Hinges:** Attach the remaining door hinges to connect the panels and to the door frame according to the provided diagram. These hinges are designed for smooth operation and durability.

# Tight and Aesthetic Hinge Connections



Image: Close-up of the tight and aesthetic hinge connections, highlighting anti-rust, smooth operation, and no-squeak features.

3. **Install Wood Doorstop:** Position and install the wood doorstop along the top of the door frame. This component guides the door's movement.
4. **Install the Doorstop:** Secure the main doorstop mechanism to the top frame, ensuring it properly engages with the door panels.
5. **Final Adjustments:** Once all components are installed, perform any necessary adjustments to ensure the door opens, closes, and folds smoothly.

## Operating Instructions

---

The SOLRIG 180 Degree Bifold Door is designed for ease of use and maximum space optimization. Its unique folding mechanism allows the door to fold neatly to the side, providing full access to the opening.

### Folding Mechanism:


To open the door, gently push the panels. They will fold inward and pivot to the side, allowing for a full 180-degree opening. To close, pull the panels back into position until they align and secure.

close



①

45°



②

90°



③

180°



④

## Compack 180° Folding Door

a versatile and innovative solution designed to optimize space

Image: Illustration demonstrating the 180-degree folding operation of the Compack Bifold Door, from closed to fully open positions.

### Magnetic System:

The door features a magnetic system to keep it securely closed when not in use. This ensures the door remains in place and provides a neat appearance.

# Magnetic System

Keep your Door closed safely and securely



Image: Diagram illustrating the magnetic system that keeps the bifold door safely and securely closed.

## Maintenance

---

Regular maintenance will ensure the longevity and smooth operation of your SOLRIG Bifold Door.

- **Cleaning:** Wipe door panels with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the finish or mirrored surface.
- **Hardware Inspection:** Periodically check all hinges, tracks, and the magnetic system for any signs of wear or loosening. Tighten screws as needed.
- **Lubrication:** If the door's movement becomes stiff, apply a small amount of silicone-based lubricant to the hinges and any moving parts in the track system.

## Troubleshooting

---

Here are solutions to common issues you might encounter:

- **Door does not close completely:** Check for obstructions in the track or frame. Ensure the magnetic system is properly aligned and free of debris.
- **Door is stiff or squeaks:** Lubricate hinges and track components with a silicone-based lubricant. Check for any bent or damaged hardware that might impede movement.
- **Panels are misaligned:** Inspect hinges for looseness. Tighten any loose screws. If panels are warped, contact customer support.

## Frequently Asked Questions (FAQ):

- **What scenarios can the product be used for?**

*It has a wide range of applications for interior decoration: Bathroom, Bedroom, Study room, Kitchen, Living room, Cabinet, Meeting room, Shower room. Great way to divide a space while keeping the light.*

- **What if the product arrives damaged or something is missing?**

*Please reach out to our team right away and we will resend you a free replacement to ensure you have a good shopping experience!*

## Warranty and Support

---

SOLRIG is committed to providing high-quality products and excellent customer service. Your SOLRIG 180 Degree Bifold Door comes with a standard return policy allowing for refunds or replacements within 30 days of purchase, as per Amazon's policy.

For any inquiries, assistance with installation, maintenance, or if you encounter any issues with your product, please do not hesitate to contact the SOLRIG support team. We are dedicated to ensuring your satisfaction.

### Contacting Support:

You can reach our team through the Amazon platform by navigating to your order details and selecting "Ask a question" or by visiting the SOLRIG Brand Store on Amazon.



Image: Guide on how to contact SOLRIG customer service via Amazon for support.

We aim to provide prompt and reliable service to resolve any concerns you may have.

