Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Waterdrop e50e5523-df96-42ee-8136-e6c7b2ec81dd

Waterdrop X12 Alkaline Mineral pH+ Reverse Osmosis System & Water Filter Pitcher User Manual

Introduction

Thank you for choosing the Waterdrop X12 Alkaline Mineral pH+ Reverse Osmosis System and the accompanying Water Filter Pitcher. This comprehensive manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your new water purification products. Please read this manual thoroughly before use to ensure optimal performance and longevity of your system.



Image: The Waterdrop X12 Reverse Osmosis System (left) and the Water Filter Pitcher (right).

Product Overview

The Waterdrop X12 system offers advanced water purification for your home, combining a high-capacity under-sink RO system with a convenient countertop filter pitcher. Both products are designed to provide healthier, great-tasting water.

Waterdrop X12 Reverse Osmosis System Features:

- **1200 GPD Fast Flow:** Provides instant access to purified water without a storage tank.
- **11-Stage RO Filtration:** Utilizes a 0.0001µm RO membrane and multiple filtration layers to reduce TDS, PFOA, PFOS, Chlorine, Fluoride, Arsenic, Lead, and more.
- **Alkaline Mineral pH+:** Infuses beneficial alkaline minerals (Ca, Mg) to adjust water pH to an optimal 7.5±, enhancing taste and health benefits.
- **3:1 Pure to Drain Ratio:** Efficient water usage, minimizing waste.
- **Auto-sensing LED Function:** Indicates water sterility and system status.



Image: The Waterdrop X12 RO System in a kitchen setting, highlighting its benefits for family use.



Image: A detailed diagram illustrating the 11-stage RO filtration process, including the 0.0001µm RO membrane and alkaline mineral addition.



Image: Visual representation of the 3:1 purified water to waste water ratio, demonstrating water efficiency.



Image: Diagram showing the pH scale and the benefits of adding alkaline minerals, such as stronger bones and improved metabolism.

Waterdrop Water Filter Pitcher Features:

- **200-Gallon Long-Life Filter:** Provides up to 3 months or 200 gallons of filtered water, reducing plastic bottle waste.
- **Effective Filtration:** Reduces chlorine, PFOA/PFOS, and other contaminants for improved taste.
- **User-Centric Design:** Features a sleek design, dust-proof spout, mechanical month recorder for filter changes, and a user-friendly lid.



Image: The Waterdrop Elfin water filter pitcher, highlighting its cost-effectiveness, 200-gallon/3-month lifespan, and high flow rate.



Image: A comparison showing the Waterdrop pitcher's 200-gallon capacity over 3 months, equivalent to multiple other filter brands.



Image: An exploded view of the Waterdrop pitcher filter, illustrating the layers and the various contaminants it reduces, such as chlorine, PFOA, PFOS, and heavy metals.



Image: The Waterdrop pitcher highlighting its user-centric design elements: sleek style, dust-proof spout, mechanical month recorder, and user-friendly lid.

Setup

Waterdrop X12 Reverse Osmosis System Installation:

Installation of the Waterdrop X12 RO system typically involves connecting to your cold water line under the sink and installing a dedicated faucet. Due to the complexity of plumbing connections, it is highly recommended to consult the detailed installation guide included in your product packaging or seek professional assistance if you are not familiar with plumbing work.

1. **Preparation:** Turn off the main water supply and relieve pressure from the cold water line.
2. **Faucet Installation:** Drill a hole in your countertop or sink for the dedicated RO faucet, if one is not already present. Secure the faucet.
3. **Adapter Connection:** Install the feed water adapter to your cold water supply line.

4. **Drain Saddle Installation:** Attach the drain saddle to the drain pipe under your sink.
5. **System Placement:** Position the RO unit under the sink, ensuring adequate space for filter changes.
6. **Tubing Connections:** Connect the various color-coded tubes from the RO system to the faucet, feed water adapter, and drain saddle as per the detailed diagram in the separate installation manual.
7. **Power Connection:** Plug the RO system into a grounded electrical outlet.
8. **Leak Check:** Slowly turn on the main water supply and check all connections for leaks.

Water Filter Pitcher Initial Setup:

1. **Unpack:** Remove all components from the packaging.
2. **Wash Components:** Wash the pitcher, lid, and filter reservoir with mild detergent and warm water. Rinse thoroughly. Do not wash the filter cartridge with detergent.
3. **Prepare Filter:** Submerge the new filter cartridge in cold water for 10-15 minutes to remove any air bubbles.
4. **Insert Filter:** Firmly insert the prepared filter cartridge into the filter reservoir until it clicks into place.
5. **Assemble Pitcher:** Place the filter reservoir into the pitcher and secure the lid.
6. **Initial Flushes:** Fill the pitcher with tap water and discard the first two full pitchers of filtered water. This primes the filter and removes any carbon fines.
7. **Set Month Recorder:** If your pitcher has a mechanical month recorder, set it to the current month to track filter lifespan.

Operating Instructions

Waterdrop X12 Reverse Osmosis System Operation:

- **Dispensing Water:** Once installed and powered on, simply open the dedicated RO faucet to dispense purified water. The system will automatically activate and filter water on demand.
- **Indicator Lights:** Observe the LED indicators on the faucet or main unit for system status, filter life, and water quality. Refer to the detailed manual for specific light meanings.
- **First Use:** Allow the system to run for approximately 30 minutes on its first use to flush out any manufacturing residues and ensure optimal performance.

Water Filter Pitcher Operation:

- **Filling:** Lift the lid and fill the filter reservoir with cold tap water. Do not overfill.
- **Filtration Process:** Water will slowly pass through the filter cartridge into the main pitcher reservoir. This process takes a few minutes.
- **Pouring:** Once filtered, pour water from the spout. The dust-proof spout will open automatically.
- **Storage:** Store the pitcher in the refrigerator for chilled, filtered water.

Maintenance

Waterdrop X12 Reverse Osmosis System Maintenance:

Regular filter replacement is crucial for maintaining the performance and water quality of your RO system. The system's indicator lights will typically signal when a filter change is needed.

- **Filter Replacement:** Follow the specific instructions in your detailed manual for replacing each filter stage.

Typically, this involves twisting and pulling out old filters and inserting new ones. Ensure the water supply to the system is turned off before changing filters.

- **Filter Lifespan:** Lifespan varies by filter type and water quality. Refer to the product specifications for estimated replacement intervals (e.g., pre-filters every 6-12 months, RO membrane every 2-3 years).
- **System Cleaning:** Periodically wipe down the exterior of the system and faucet with a clean, damp cloth. Do not use abrasive cleaners.

Water Filter Pitcher Maintenance:

- **Filter Replacement:** Replace the filter cartridge every 3 months or after filtering 200 gallons of water, whichever comes first. The mechanical month recorder on the lid serves as a reminder.
- **Cleaning:** Wash the pitcher, lid, and filter reservoir regularly with mild soap and water. The pitcher is generally not dishwasher safe; hand washing is recommended. Do not wash the filter cartridge.
- **Storage:** If storing the pitcher for an extended period, remove and discard the filter, clean all components, and store them dry.

Troubleshooting

If you encounter issues with your Waterdrop X12 system or pitcher, refer to the common problems and solutions below. For more complex issues, contact Waterdrop customer support.

Problem	Possible Cause	Solution
RO System: Low water flow from faucet	Clogged filters; low incoming water pressure; air in system.	Check filter status and replace if necessary; ensure main water supply is fully open; bleed air from system as per manual.
RO System: Unusual noise	Pump vibration; loose connections.	Ensure system is on a stable surface; check all tubing connections are secure.
RO System: Water tastes bad or has odor	Expired filters; system not flushed properly.	Replace all necessary filters; flush the system for 30 minutes.
Pitcher: Slow filtration	Filter is clogged or needs priming.	Ensure filter was properly primed before first use; replace filter if it's near end of life.
Pitcher: Water tastes like plastic	New pitcher residue; improper initial flush.	Wash pitcher thoroughly; discard first two pitchers of filtered water.

Specifications

Feature	Specification
Product Name	Waterdrop X12 Alkaline Mineral pH+ Reverse Osmosis System & Water Filter Pitcher
Model Name (RO System)	X12
Item Model Number	e50e5523-df96-42ee-8136-e6c7b2ec81dd

Feature	Specification
RO System GPD	1200 Gallons Per Day
RO Filtration Stages	11-Stage (including 0.0001µm RO membrane)
RO Pure to Drain Ratio	3:1
RO Purification Method	Reverse Osmosis with Alkaline Mineralization
RO Installation Type	Under-Sink
Pitcher Capacity	7-Cup
Pitcher Filter Lifespan	200 Gallons or 3 Months (whichever comes first)
Certifications	NSF/ANSI 58&372 Certified (RO System), NSF Certified (Pitcher)
Manufacturer	Waterdrop

Warranty and Support

Waterdrop products are backed by a manufacturer's warranty. Please refer to the warranty card included with your product for specific terms and conditions, including coverage duration and what is covered. Keep your proof of purchase for warranty claims.
For technical support, troubleshooting assistance beyond this manual, or to order replacement parts and filters, please contact Waterdrop customer service. Contact information can typically be found on the Waterdrop official website or on the product packaging.
Waterdrop Customer Service:

- Visit the official Waterdrop website for contact details and FAQs.
- Refer to the contact information provided in your product packaging.

© 2024 Waterdrop. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0DP6S5C8S

More documents and user manuals: **https://manuals.plus/**