
[Manuals.plus](#) /

› [brotect](#) /

› Instruction Manual for BROTECT Flex Full-Cover Screen Protector

brotect Maoo Amplify 2 1.85"

Instruction Manual

BROTECT FLEX FULL-COVER SCREEN PROTECTOR

Compatible with Maoo Amplify 2 1.85"



1. Product Overview



Image: Packaging of the BROTECT Flex Full-Cover Screen Protector showing two protectors included.

The BROTECT Flex Full-Cover screen protector is designed to provide comprehensive protection for your curved screen device, specifically compatible with the Maoo Amplify 2 1.85". This innovative material offers a perfect fit, safeguarding your device against dust and scratches while preserving the original touch experience.

Key features of the BROTECT Flex screen protector include:

- **Perfect Fit:** Accurately tailored in Germany for the Maoo Amplify 2 1.85" device.
- **Super Flexible and Strong:** Developed specifically for curved surfaces.
- **Self-Healing:** A special coating allows small scratches to disappear over time.
- **High Transparency:** Ensures crystal-clear display of content.
- **Anti-Fingerprint:** Easy to wipe clean from dirt and fingerprints.
- **Original Touch Experience:** Maintains the display's natural feel.




Image: Visual representation of the screen protector's features, including edge-to-edge coverage, flexibility, transparency, self-healing, and shock absorption.

2. Installation Guide

Proper installation is crucial for optimal performance and longevity of your screen protector. Please follow these steps carefully. An installation video is also available for visual guidance.



Installation Instructions (EN)

Anbringungsanleitung (DE)



PLEASE READ
BITTE BEACHTEN

1. Clean your display including edges with wet pad and cleaning wipe.

Display inklusive Randbereiche mit Alkoholpad und Mikrofasertuch gründlich reinigen.



5. Apply screen protector evenly with the card on display.

Mit beiliegender Karte Folie gleichmäßig auf Display auftragen.



2. Remove the upper part of the cover film with Step 1 sticker.

Oberen Bereich der Trägerfolie mit Step 1 Aufkleber abziehen.



6. Gently remove remaining bubbles with the card.

Vorhandene Luftblasen sanft nach außen streichen.



3. Turn screen protector around, align it on the device and affix upper part.

Folie umdrehen, genau am Gerät ausrichten und Teilbereich aufkleben.



7. Remove green cover film with Step 3 sticker.

Obere Folie mit Step 3 Aufkleber vorsichtig abziehen.



4. Remove lower part of the cover film with Step 2 sticker.

Unteren Bereich der Trägerfolie mit Step 2 Aufkleber abziehen.



8. Carefully press on the edge areas with your fingers. Leftover bubbles will disappear after 1-3 days.

Randbereiche vorsichtig mit den Fingern andrücken. Noch sichtbare Luftblasen werden nach 1-3 Tagen verschwinden.



Made in Germany.
Bedifol GmbH, D-78467 Konstanz
© 2018 Bedifol GmbH.
All rights reserved.

Alle Rechte vorbehalten
© 2018 Bedifol GmbH
Bedifol GmbH, D-78467 Konstanz
Alle Rechte vorbehalten

Image: Step-by-step installation instructions printed on the product packaging.

1. **Prepare Your Device:** Clean your device's display thoroughly using the provided cleaning wipe and wet pad.

Ensure no dust particles or smudges remain.

2. **Remove Protective Film (Step 1):** Carefully peel off the upper part of the lower protective film (marked "Step 1") from the screen protector.
3. **Align and Apply:** Align the screen protector precisely with your device's display. Once aligned, gently apply the exposed adhesive portion to the screen.
4. **Remove Remaining Film (Step 2):** Slowly remove the lower part of the protective film (marked "Step 2") while simultaneously applying the screen protector to the rest of the display.
5. **Smooth Out Bubbles:** Use the provided installation card to gently push out any air bubbles towards the edges of the screen.
6. **Final Adhesion:** Carefully press on the edge areas with your fingers to ensure full adhesion, especially on curved surfaces.

Important Note: If small air bubbles remain after installation, do not worry. They are typically temporary and will disappear by themselves within 2 to 3 days as the adhesive fully settles.

For a visual guide, please refer to the official installation video available at: brotect.eu/products/flex/installation

3. Operation

Once installed, the BROTECT Flex Full-Cover screen protector is designed to be virtually unnoticeable. It maintains the original touch sensitivity and clarity of your device's display, allowing for seamless interaction. The high transparency ensures that all content is displayed in razor-sharp detail without any distortion.

4. Maintenance

To keep your BROTECT Flex screen protector clean and clear, simply wipe it with a soft, lint-free cloth. Thanks to its anti-fingerprint technology, dirt and smudges can be easily removed. Avoid using harsh chemicals or abrasive materials, as these may damage the protective coating.

The self-healing property of the screen protector means that minor scratches on its surface will gradually disappear over time, maintaining its pristine appearance.

5. Troubleshooting

Air Bubbles After Installation: It is common for small air bubbles to appear immediately after installation, especially with flexible screen protectors. As mentioned in the installation guide, these bubbles are usually temporary. Please allow 2 to 3 days for them to naturally dissipate as the adhesive fully cures and settles. Avoid attempting to forcefully remove them with sharp objects, as this may damage the protector or your device's screen.

If you encounter persistent issues not covered here, please refer to the support information in Section 7.

6. Specifications

Feature	Detail
Compatible Devices	Maoo Amplify 2 1.85"
Material	Thermoplastic Polyurethane (TPU)

Product Dimensions	6.69 x 4.13 x 0.5 inches (packaging) / 7"L x 4"W (protector)
Item Weight	0.746 ounces
Screen Surface Description	Glossy
Number of Items	2 (Pack)
Color	Clear
Special Feature	Super flexible & strong, Self-Healing, Anti-Fingerprint
Manufacturer	BROTECT
Date First Available	January 15, 2025

7. Warranty and Support

BROTECT products are manufactured in Germany, reflecting a commitment to quality and precision. The brand emphasizes "10 years Know-How" in its product development.



Image: BROTECT quality and warranty seal, highlighting "Made in Germany" and "10 years Know-How".

For further assistance, technical support, or warranty inquiries, please contact the manufacturer, BROTECT, directly. Refer to the product packaging or the official BROTECT website for the most current contact information.

